01283-XXXX



### Safety Data Sheet

#### 1. COMPANY AND PRODUCT IDENTIFICATION

**Duncan Enterprises** 

5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax) www.duncan.com www.tulipcolor.com

**Product Name:** 

**Product Use/Description:** 

Restrictions on use:

**EMERGENCY TELEPHONE NUMBERS** 

**Health Emergencies:** 

559-291-4444 7:00 am - 3:30 pm Pacific Std. Time

Spill and Off-Hour Health Emergencies:

800-424-9300 U.S. and Canada

703-527-3887 Outside U.S. and Canada (Collect)

**Tulip Dimensional Fabric Paint** 

Fabric paint in a variety of finishes, bottle and paint pen sizes Finishes: Slick, Matte, Glow, Glitter, Metallics, Neon, Crystals,

Blazin' Brights, Sparkles, Pearl

None known

#### 2. HAZARDS IDENTIFICATION

Classification:	This substance does not meet the criteria for classification.
Hazard statement:	No required statement
Other hazards:	None
Signal word:	None
Precautionary statement:	None
Pictogram(s) by GHS:	None

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and is proprietary information. Reportable ingredients (if applicable):

Chemical / Identity	CAS Number	Percentage / Range*
Mica	12001-26-2	0.5 ~ 3
Propylene Glycol	57-55-6	2 ~ 7
C.I. Pigment Red 122	980-26-7	1 ~ 5
Benzidine Orange	3520-72-7	1 ~ 5
Titanium Dioxide	13463-67-7	2 ~ 7
Carbon Black	1333-86-4	0.5 ~ 3
Iron Oxides	1309-37-1	1 ~ 5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
General advice:	Follow general good first aid measures.	
On inhalation:	Material cannot be inhaled.	
On skin contact:	Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.	
On eye contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids until irritation subsides. If irritation persists, contact a physician.	
On ingestion:	Do not induce vomiting. Wash mouth out with water and drink 1 to 2 glasses of water. Consult a physician.	
Acute/delayed symptoms:	None	
Medical advice:	Not toxic. On complaints, treat symptomatically.	

5. FIREFIGHTING MEASURES	
Extinguishing Media	
Suitable extinguishing	Water. Foam. Dry powder. Carbon dioxide (CO <sub>2</sub> ). Use extinguishing media
media:	appropriate for surrounding fire.

Page 1 of 7

Tulip Dimensional Fabric Paint - S-21-0024



Unsuitable extinguishing	None
media:	
	Protection of Firefighters
Specific hazards arising	No particular hazards
from the chemical:	
Protective equipment for	Use standard firefighting procedures and consider the hazards of other involved
firefighters:	materials.
Special precautions for	Wear full protective clothing, including helmet, self-contained positive pressure or
firefighters:	pressure demand breathing apparatus, protective clothing and face mask.
Will hazardous	Will not occur.
combustion occur:	

6. ACCIDENTAL RELEASE MEASURES		
Personal precautions:	Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Avoid inhalation of vapors and contact with skin and eyes. Wear suitable protective clothing. See Section 8 of the SDS for personal protective equipment.	
Environmental precautions:	Do not allow to enter drains, sewer or water course.	
Methods for cleaning up:	Clean up in accordance with all applicable regulations. Remove sources of ignition. Absorb spillage with non-combustible, absorbent material. Containers with collected spillage must be properly labeled with correct contents and hazard symbol.	
Recommended personal protective equipment:	See Section 8 of this SDS.	

### 7. HANDLING AND STORAGE

Safe storage:	Store in a cool, dry place. Keep in container closed when not in use. 40 – 100°F. Protect from freezing.
Safe handling:	Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes. Avoid ingestion and inhalation.
Known incompatibilities:	None known

### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational exposure limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH REL
Mica	3 mg/m3 TWA; The value is for particulate matter containing no asbestos and <1% crystalline silica. (Respirable fraction)	20 mppcf (Silicates) (Z-3)	3 mg/m3 TWA
Titanium Dioxide	10 mg/m3 TWA; Appendix A4 - Not Classifiable as a Human Carcinogen	15 mg/m3 TWA	5,000 mg/m3
Carbon Black	3.5 mg/m3	TWA 3.5 mg/m3	TWA 3.5 mg/m3 Ca TWA 0.1 mg
Iron Oxides	5 mg/m3 (fume)	5 mg/m3 (dust and fume)	5 mg/m3 (resp.)

**Appropriate engineering controls:** No special requirements under ordinary conditions of use and with adequate ventilation.

Individual protection measures, such as PPE (personal protective equipment):

Personal Protection Equipment:	
Respiratory protection:	None required under normal handling conditions.
Eye protection:	Wear safety glasses with side shield.
Hand protection:	Protective gloves are not required commonly; on permanent skin contact gloves for low mechanic and substantial stress are enough. Protective gloves to be applied have to comply with the specifications of EU directive 89/686/EEC and EN 374, e.g. Matter:

Page 2 of 7

Tulip Dimensional Fabric Paint – S-21-0024



	Butyl Rubber; Thickness: >0,4mm; Penetration Time: >30minutes.
Skin protection:	Skin protection products are not as effective as protective gloves, so suitable protective
_	gloves are preferred if possible.
Further information:	This product is classified as non-hazardous. However, the usual precautions for harmful
	chemicals must be observed to avoid contact with the skin, eyes and respiratory tract.

9. PHYSICAL AND CHEMICAL PROPERTIES	
Physical	Liquid
state/appearance:	
Color:	Various
Odor:	Slight
Odor threshold:	N/A
pH:	N/A
Boiling point/range:	>212°F
Melting point/range:	<32°F
Flash point:	Not applicable (aqueous system)
Evaporation rate:	0.62
Vapor density (Air=1):	1
Solubility(ies):	Miscible in water
Vapor pressure:	17.5 mm Hg @20°C (68°F)
Relative density:	N/A
Viscosity:	N/A
Partition coefficient	N/A
(n-octanol/water), if	
applicable:	
Explosive properties:	N/A
Flammability: (solid,	N/A
gas)	
Flammability limit in	N/A
air:	
upper/lower	
Autoignition	N/A
temperature:	
Decomposition	N/A
temperature:	

10. STABILITY AND REACTIVITY	
Chemical stability:	Stable under normal temperatures
Conditions to avoid:	N/A
Incompatible materials:	N/A
Hazardous decomposition products:	At thermal decomposition temperature, carbon monoxide and carbon dioxide
Possibility of hazardous reactions:	Will not occur

11. TOXICOLOGICAL INFORMATION		
Information on likely routes of exposure:		
Eye contact – serious eye damage or irritation	Slight, transient	
Skin contact – skin corrosion, sensitization or irritation:	No hazard in normal industrial use	

Page 3 of 7

Tulip Dimensional Fabric Paint – S-21-0024





Ingestion -	No hazard in normal industrial use	No hazard in normal industrial use		
carcinogenicity/aspiration	1			
hazard:				
Inhalation - respiratory	No hazard in normal industrial use			
sensitization/toxicity:				
Symptoms related to the	This product should be considered	non-hazardous and has no	known chronic effects.	
physical chemical and				
toxicological				
characteristics:				
Information on	N/A			
toxicological effects:				
Delayed or immediate	N/A			
effects:				
Germ cell mutagenicity:	N/A			
Specific target organ	N/A			
toxicity (single exposure)	:			
Specific target organ	N/A			
toxicity (repeated				
exposure):				
Chemicals listed on NTP,	N/A			
IARC or OSHA as a				
Carcinogen:				
Chemical Name:	Oral LD50	Dermal LD50	Inhalation LC50	
Propylene Glycol	22gm/kg (22000mg/kg) dog	20800mg/kg	No data	
	18350mg/kg (18350mg/kg) guinea	(20800mg/kg) rabbit		
	pig			
	22gm/kg (22000mg/kg) mouse			
	20gm/kg (20000mg/kg) rat			
	> 2080mg/kg (2080mg/kg) quail			
	18500mg/kg (18500mg/kg) rabbit			
C.I. Pigment Red 122	> 23gm/kg (23000mg/kg) rat	> 3gm/kg	No data	
	- " (-000 " )	(3000mg/kg) rabbit		
Benzidine Orange	> 5gm/kg (5000mg/kg) rat	No data.	No data	
Carbon Black	> 15400mg/kg (15400mg/kg) rat	> 3gm/kg	No data	

<sup>\*</sup>Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION (NON-MANDATORY)		
Eco toxicity:	Small amounts of this product are not expected to cause toxicity to the environment. Components of this material are not biomagnified or bioconcentrated in the environment.	
Persistence and	N/A	
degradability:		
Bioaccumulative	N/A	
potential:		
Aquatic / terrestrial	N/A	
warnings:		
Mobility in soil:	N/A	
Other adverse effects:	On appropriate handling and use as intended, in our experience and on current	
	information, the product doesn't cause any adverse effects to the environment.	

(3000mg/kg) rabbit

13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)	
Disposal instructions:	Residues and wastes are to be brought to an incineration site.
Local disposal	Waste disposal should be in accordance with existing federal, state and local

Page 4 of 7

Tulip Dimensional Fabric Paint - S-21-0024



regulations:	environmental regulations.
Hazardous waste code:	N/A
Contaminated	Empty containers may contain product residue; follow SDS and label warnings even
packaging:	after they have been emptied.

14. TRA	NSPORTATION INFORI	MATION (NON-MANDAT	ORY)
	DOT	IMDG	IATA
UN/ID number:	Not regulated	Not regulated	Not regulated
Proper shipping name:	N/A	N/A	N/A
Transport hazard class:	N/A	N/A	N/A
Packing group (if applicable):	N/A	N/A	N/A
Environmental provisions:	N/A	N/A	N/A
Special precautions:	N/A	N/A	N/A
Transport in bulk according to Annex II of MARPOL		N/A	
73/78 and IBC Code			
Emergency Response Guide Nu	mber: N/A	EmS-No: N/A	

**Pictograms** 

<u>US:</u>	IATA; IMDG:	Marine Pollutant:
X	X	X

15. REGULATORY INFORMATION (NON-MANDATORY)							
	U.S. Federal Regulations:						
TSCA Section 12(b) Export Notification		Not regulated					
	7, Subpt. D):						
	uperfund) repo		None				
	s.) (40 CFR 302						
	ifically Regulat		Not regulated	Not regulated			
	(29 CFR 1910.						
	Extremely Haz		No				
	(40 CFR 355, A	<u> </u>					
Chemical	CAS	Reportable	Threshold	Threshold planning	Threshold planning		
Name: None	Number:	Quantity: X	planning quantity:	quantity, lower value:	quantity, upper value:		
None			, ,	ation Act of 1986 (SARA	X		
SARA 304 E		No data	ents and Reauthoriz	ation Act of 1986 (SARA	9		
release noti		NO data					
	12 (40 CFR 370	) No					
Hazardous		,   140					
	TRI reporting):	Ch	nemical Name: CAS Number: % by wt.				
OAIRA OTO (	riti reporting).	<u> </u>	None X X				
Drug Enforcement Not controlle		Not controlle	d	1	1		
	ion (DEA) (21						
CFR 1308.1	1-15): ´ `						
Clean Air Act (CAA) No data							
Section 112 Hazardous Air							
Pollutants (Haps) List:							
Clean Air A	ct (CAA)	No data					
Section 112(r) Accidental							
Release Prevention (40							
CFR 68.130							
Safe Drinkin	ng Water Act	No data					

Page 5 of 7

Tulip Dimensional Fabric Paint – S-21-0024



	Caroty Bata Orioot
(SDWA):	
Canadian Domestic	No data
Substances List (DSL):	
	State Regulations
TSCA:	This product is manufactured in compliance with all provisions of the Toxic
	Substances Control Act, 15 U.S. C. 2601 et. Seq.
FDA:	21 CFR 175.105
SARA/Title III:	This product does not contain any substances at or above the reported threshold
	under Section 313, based on available data.
Conforms to Non-Toxic	Products are certified in a program of toxicological evaluation by a nationally
ASTM-4236:	recognized toxicologist to contain no materials in sufficient quantities to be toxic or
	injurious to humans or to cause acute or chronic health problems. These products are
	certified to be labeled in accordance with the voluntary chronic hazard labeling
	standard ASTM D-4236. In addition, there is no physical hazard as defined within
	29 CFR Part 1910.1200(c).
California Proposition 65	No warnings required under the provisions of California Proposition 65.
Warning:	
HMIS III Rating:	No data
Unless a concentration is sp	ecified in Section 2 of the SDS, the above chemicals(s) are present in trace amounts.
<u> </u>	



#### 16. OTHER INFORMATION

The recommendations and information contained in this SDS are compiled from sources believed to represent the most current information available when the SDS was prepared. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficiency of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

	Table of Abbreviations				
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose		
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution		
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram		
°C:	Degrees Centigrade	mm:	Millimeter		
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration		
CAS:	Chemical Abstract Service	N/A:	Not Applicable		
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association		
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health		
CPR:	Controlled Products Regulations	NTP	National Toxicology Program		
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit		
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration		
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits		
EmS:	Emergency Medical Goods Services	ppm	Parts Per Million		
EPA:	Environmental Protection Agency	SARA	Superfund Amendment and Reauthorization Act		
°F:	Degrees Fahrenheit	STEL	Short-Term Exposure Limit		
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet		
g/l:	Grams per Liter	SDWA:	Safe Drinking Water Act		
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value		
Hg:	Mercury	TRI:	Toxics Release Inventory		
HMIS:	Hazardous Materials Identification System	TSCA	Toxic Substances Control Act		
HNOC:	Hazard(s) Not otherwise classified	TWA	Time – Weighted Average		
IARC:	International Agency for Research on Cancer	U.N.	United Nations		
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System		
ID:	Identification / Identity	>	Greater Than		
IDLH:	Immediate Danger to Life or Health	<	Less Than		
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978		
LC:	Lethal Concentration				

Version:	Date:	
1	1/15/09 – FP created	
2	3/13/15 - FP	
3	6/26/15 - WA	
4	3/21/16 - JL	
5	7/17/2017 - sp	
6	7/5/2018 -sp	
7	9/7/2019 – sp	
8	4/6/2021 - sp	

**END SAFETY DATA SHEET**