01287-XXXX

# **Safety Data Sheet**

Issue Date: 23-Nov-2015 Revision Date: 11-Jan-2019 Version 1 **1. IDENTIFICATION** Product Identifier **Product Name** Angelus No. 730 Glitterlites Other means of identification SDS # ASP-014 Recommended use of the chemical and restrictions on use **Recommended Use** Leather paint. Details of the supplier of the safety data sheet Supplier Address Angelus Shoe Polish Co. Florence Ave. Santa Fe Springs, CA 90670 Ph: 562-941-4242 Emergency Telephone Number **Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION Appearance Clear liquid Milky white Physical State Liquid Odor Minimal liquid Liquid of various colors **Classification** This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product. 3. COMPOSITION/INFORMATION ON INGREDIENTS The product contains no substances which, at their given concentration, are considered to be hazardous to health. However, additional component information is available in subsequent sections of this SDS. 4. FIRST-AID MEASURES First Aid Measures Provide this SDS to medical personnel for treatment. General Advice IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if **Eve Contact** present and easy to do. Continue rinsing. Get medical attention if irritation occurs. **Skin Contact** IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation occurs: Get medical advice/attention.

InhalationRemove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison<br/>center if individual's condition declines or if symptoms persist.IngestionIF SWALLOWED: rinse mouth. Drink 1 or 2 glasses of water. Do not give anything by

IF SWALLOWED: rinse mouth. Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a poison center or doctor/physician if you feel unwell.

Page 1/7

Item Numbers: 01287-1351, 01287-2021, 01287-2021, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5911, 01287-6041, 01287-6041, 01287-7011, 01287-7051, 01287-7361, 01287-8041, 01287-9011, 0128

| ASP-014 - Angelus No. 730 Glitterlites  | Revision Date: 11-Jan-2019  |  |  |  |  |
|---|---|--|--|--|--|
| Most important symptoms and effe  | <u>cts</u>  |  |  |  |  |
| Symptoms  | Can cause eye irritation. Symptoms include stinging, tearing, redness and swelling. Can cause skin irritation with prolonged use. May cause nausea if ingested. |  |  |  |  |
| Indication of any immediate medical attention and special treatment needed                          |   |  |  |  |  |
| Notes to Physician  | Treat symptomatically.  |  |  |  |  |
|   | 5. FIRE-FIGHTING MEASURES   |  |  |  |  |
|   | appropriate to local circumstances and the surrounding environment.   |  |  |  |  |
| Unsuitable Extinguishing Media  | Not determined.   |  |  |  |  |
| Specific Hazards Arising from the C<br>Product is not flammable or combusti                         | Chemical<br>ole. Material may splatter above 212F/100C. Polymer film can burn.  |  |  |  |  |
| Protective equipment and precaution<br>As in any fire, wear self-contained bree<br>protective gear. | ons for firefighters<br>athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full  |  |  |  |  |
|   | 6. ACCIDENTAL RELEASE MEASURES  |  |  |  |  |
| Personal precautions, protective e  | guipment and emergency procedures   |  |  |  |  |
| Personal Precautions  | Wear protective clothing as described in Section 8 of this safety data sheet.   |  |  |  |  |
| <b>Environmental Precautions</b>  | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.   |  |  |  |  |
| Methods and material for containm   | ent and cleaning up   |  |  |  |  |
| Methods for Containment   | Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. vermiculite, sand or earth).                                       |  |  |  |  |
| Methods for Clean-Up  | Sweep up absorbed material and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.                                     |  |  |  |  |
|   | 7. HANDLING AND STORAGE   |  |  |  |  |
| Precautions for safe handling   |   |  |  |  |  |
| Advice on Safe Handling   | Handle in accordance with good industrial hygiene and safety practice.  |  |  |  |  |
| Conditions for safe storage, includ   | ing any incompatibilities   |  |  |  |  |
| Storage Conditions  | Keep containers tightly closed in a cool, well-ventilated place.  |  |  |  |  |
| Incompatible Materials  | Strong oxidizing agents.  |  |  |  |  |

## Page 2/7

Item Numbers: 01287-1351, 01287-2021, 01287-2241, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5011, 01287-6041, 01287-6041, 01287-7011, 01287-7051, 01287-7361, 01287-8017, 01287-9011, 0128

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name                         | ACGIH TLV                                   | OSHA PEL   | NIOSH IDLH  |
|---------------------------------------|---|--|---|
| Carbon Black<br>1333-86-4             | TWA: 3 mg/m <sup>3</sup> inhalable fraction | TWA: 3.5 mg/m <sup>3</sup><br>(vacated) TWA: 3.5 mg/m <sup>3</sup> | IDLH: 1750 mg/m <sup>3</sup><br>TWA: 3.5 mg/m <sup>3</sup><br>TWA: 0.1 mg/m <sup>3</sup> Carbon black in<br>presence of Polycyclic aromatic<br>hydrocarbons PAH |
| Copper(II) Phthalocyanine<br>147-14-8 | TWA: 1 mg/m <sup>3</sup> Cu dust and mist   | -  | IDLH: 100 mg/m <sup>3</sup> Cu dust and<br>mist<br>TWA: 1 mg/m <sup>3</sup> Cu dust and mist  |

#### Appropriate engineering controls

Engineering Controls

Apply technical measures to comply with the occupational exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

| Eye/Face Protection      | Wear approved safety goggles; Refer to 29 CFR 1910.133 for eye and face protection regulations. |
|--------------------------|---|
| Skin and Body Protection | Gloves are recommended; Refer to 29 CFR 1910.138 for appropriate skin and body protection.      |
| Respiratory Protection   | Refer to 29 CFR 1910.134 for respiratory protection requirements.                               |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

| Physical State<br>Appearance<br>Color  | Liquid<br>Clear liquid Milky white liquid Liquid of<br>various colors<br>Clear to milky white Various colors   | Odor<br>Odor Threshold | Minimal<br>Not determined |
|--|--|------------------------|---------------------------|
| Property<br>pH<br>Melting Point/Freezing Point<br>Boiling Point/Boiling Range<br>Flash Point<br>Evaporation Rate<br>Flammability (Solid, Gas)<br>Upper Flammability Limits<br>Lower Flammability Limit<br>Vapor Pressure<br>Vapor Density<br>Specific Gravity<br>Water Solubility<br>Solubility in other solvents<br>Partition Coefficient<br>Auto-ignition Temperature<br>Decomposition Temperature<br>Kinematic Viscosity<br>Dynamic Viscosity<br>Explosive Properties   | Values   Not determined   Not determined   100 °C / 212 °F   Not determined   Slower than ethyl ether   Not determined   Not determined | Remarks • Method       |                           |
| Provide a second s |  |                        |                           |

### Page 3/7

Item Numbers: 01287-1351, 01287-2021, 01287-2241, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5011, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-7361, 01287-3361, 01287-4511, 01287-4511, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-7361, 01287-3361, 01287-4511, 01287-4511, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-7361, 01287-3361, 01287-4511, 01287-4511, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-7361, 01287-4511, 0128

Revision Date: 11-Jan-2019

Revision Date: 11-Jan-2019

Oxidizing Properties VOC Content (%) VOC Content Not determined 7% by weight 0.56 lbs/gal

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### **Incompatible Materials**

Strong oxidizing agents.

### Hazardous Decomposition Products

Thermal decomposition may yield acrylic monomers.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

| Product Information |                                       |
|---------------------|---------------------------------------|
| Eye Contact         | Avoid contact with eyes.              |
| Skin Contact        | Avoid contact with skin and clothing. |
| Inhalation          | Do not inhale.                        |
| Ingestion           | Do not taste or swallow.              |

### Component Information

| Chemical Name                  | Oral LD50           | Dermal LD50       | Inhalation LC50 |
|--------------------------------|---------------------|-------------------|-----------------|
| Carbon Black<br>1333-86-4      | > 15400 mg/kg (Rat) | > 3 g/kg (Rabbit) | -               |
| Pigment Yellow 83<br>5567-15-7 | > 5000 mg/kg (Rat)  | -                 | -               |

#### Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

### Page 4/7

Item Numbers: 01287-1351, 01287-2021, 01287-2021, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5011, 01287-6041, 01287-6041, 01287-7011, 01287-7051, 01287-7361, 01287-8047, 01287-9011, 0128

#### Revision Date: 11-Jan-2019

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

| Chemical Name | ACGIH | IARC     | NTP | OSHA |
|---------------|-------|----------|-----|------|
| Carbon Black  | A3    | Group 2B |     | Х    |
| 1333-86-4     |       |          |     |      |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

#### Numerical measures of toxicity

Not determined

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

#### Component Information

| Chemical Name                         | Algae/aquatic plants | Fish   | Toxicity to<br>microorganisms | Crustacea                             |
|---------------------------------------|----------------------|--|-------------------------------|---------------------------------------|
| Carbon Black<br>1333-86-4             |                      |  |                               | 5600: 24 h Daphnia magna<br>mg/L EC50 |
| Copper(II) Phthalocyanine<br>147-14-8 |                      | 100: 48 h Oryzias latipes<br>mg/L LC50 static  |                               |                                       |
| Pigment Yellow 83<br>5567-15-7        |                      | 18: 48 h Oncorhynchus<br>mykiss mg/L LC50<br>flow-through 45: 48 h<br>Leuciscus idus mg/L LC50<br>static |                               |                                       |

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### Mobility

| Chemical Name             | Partition Coefficient |
|---------------------------|-----------------------|
| Copper(II) Phthalocyanine | 6.6                   |
| 147-14-8                  |                       |

#### **Other Adverse Effects**

Not determined

#### **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods **Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations. Disposal should be in accordance with applicable regional, national and local laws and **Contaminated Packaging** regulations.

#### Page 5/7

Item Numbers: 01287-1351, 01287-2021, 01287-2241, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5911, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-7361, 01287-3361, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-3361, 01287-3361, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-6041, 01287-6041, 01287-7051, 01287-7051, 01287-7361, 01287-3361, 01287-3361, 01287-3371, 01287-5071, 01287-5071, 01287-6041, 01287-6041, 01287-7051, 01287-7361, 01287-7361, 01287-3361, 01287-3371, 01287-3371, 01287-5071, 01287-5071, 01287-6041, 01287-6041, 01287-7051, 01287-7360, 01287-7360, 01287-7360, 01287-7360, 01287-7360, 0128 8111, 01287-9011

Revision Date: 11-Jan-2019

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste

|             | Chemical Name  | California Hazardous Waste Status                                       |
|-------------|--|---|
|             | Copper(II) Phthalocyanine<br>147-14-8                      | Тохіс   |
| L           | 147-14-0   |   |
|             | 14. TRANSPORT  | INFORMATION   |
| <u>Note</u> | Please see current shipping<br>exemptions and special circ | p paper for most up to date shipping information, including cumstances. |
| DOT         | Not regulated  |   |
| IATA        | Not regulated  |   |
| IMDG        | Not regulated  |   |

### **15. REGULATORY INFORMATION**

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name                        | CAS No   | Weight-% | SARA 313 - Threshold<br>Values % |
|--------------------------------------|----------|----------|----------------------------------|
| Copper(II) Phthalocyanine - 147-14-8 | 147-14-8 | 10       | 1.0                              |

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name             | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|---------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Copper(II) Phthalocyanine |                                | Х                      |                           |                               |

#### US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals.

| Chemical Name            | California Proposition 65 |
|--------------------------|---------------------------|
| Carbon Black - 1333-86-4 | Carcinogen                |

### U.S. State Right-to-Know Regulations

| Chemical Name             | New Jersey | Massachusetts | Pennsylvania |
|---------------------------|------------|---------------|--------------|
| Carbon Black              | Х          | X             | Х            |
| 1333-86-4                 |            |               |              |
| Copper(II) Phthalocyanine | Х          |               | Х            |
| 147-14-8                  |            |               |              |

### Page 6/7

Item Numbers: 01287-1351, 01287-2021, 01287-2241, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5011, 01287-6041, 01287-6411, 01287-7051, 01287-7051, 01287-7361, 01287-3060, 01287-3060, 01287-3060, 01287-3060, 01287-3060, 01287-3060, 01287-3060, 01287-3060, 0128 8111, 01287-9011

Revision Date: 11-Jan-2019

| 16. OTHER INFORMATION                           |  |                               |                                   |  |  |  |
|---|--|-------------------------------|-----------------------------------|--|--|--|
| <u>NFPA</u>                                     | Health Hazards                           | Flammability                  | Instability                       | Special Hazards  |  |  |
| HMIS  | 1<br>Health Hazards<br>1                 | 0<br><b>Flammability</b><br>0 | 0<br><b>Physical Hazards</b><br>0 | Not determined<br><b>Personal Protection</b><br>Not determined |  |  |
| Issue Date:<br>Revision Date:<br>Revision Note: | 23-Nov-2015<br>11-Jan-2019<br>New format |                               |                                   |  |  |  |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

### Page 7/7

Item Numbers: 01287-1351, 01287-2021, 01287-2021, 01287-2611, 01287-3061, 01287-3361, 01287-3371, 01287-4511, 01287-5071, 01287-5011, 01287-6041, 01287-6041, 01287-7011, 01287-7051, 01287-7361, 01287-7361, 01287-8011, 01287-9011, 0128