01301-2379

SAFETY DATA SHEET (SDS)



Jacquard Products
Manufactured by Rupert, Gibbon & Spider, Inc.
P.O. Box 425 | Healdsburg, CA 95448
800.442.0455 | Fax: 707.433.4906
www.jacquardproducts.com

Procion MX Dye - Jet Black - Pg I

Revision Date: 08/20/2019

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

| Product Name: | PROCION MX DYE - JET BLACK | | |
|----------------------|--|----------------------------------|--|
| Product Number/Code: | PMX1150 / PMX2150 / PN | PMX1150 / PMX2150 / PMX3150 | |
| Recommended Use: | Dye for fabric | | |
| Description: | Synthetic Organic Dyes | Synthetic Organic Dyes | |
| Synonym(s): | Reactive Dyestuff | Reactive Dyestuff | |
| Restrictions on use: | None known | | |
| Manufacturer: | Rupert, Gibbon & Spider, Inc. I 147 Healdsburg Ave. Healdsburg, CA 95448 I-800-442-0455 / 707-433-9 | 577 | |
| Emergency Number: | ChemTel, Inc Contract # | MIS9128344 | |
| | North America: I-800-255-3924 | International: I-813-248-0585 | |

SECTION 2 - HAZARD(S) IDENTIFICATION

| | e or contain hazardous chemicals based on evalua cation Standard, reference 29 CFR 1910.1200. | tions made by our company |
|------------------------------------|---|---|
| Toxicological Data on Ingredients: | | |
| Hazard Classification | | |
| Physical Hazards: | None | |
| Health Hazards: | Eye Irritant Skin Irritant Respiratory Sensitizer Skin Sensitizer | Category 2 Category 2 Category I Category I |
| Environmental Hazards: | None | |
| Label Elements | | |
| Pictogram: | <u>(!)</u> | |
| Signal Words: | DANGER | |

Item Numbers: 01301-2379 Page 1 of 22

Procion MX Dye - Jet Black - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

| Hazard Statements-EU: | H315 Causes skin irritation. H315+H320 Causes skin and eye irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
|------------------------------|---|
| Precautionary Statements-EU: | |
| Prevention: | P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. |
| Response: | P302+P352 IF ON SKIN: wash with plenty of soap and water. P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see product label). P332+P313 IF SKIN irritation occurs: Get medical advice/attention. P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention. P337+P313P IF EYE irritation persists: Get medical advice/attention. P342+P311 IF experiencing respiratory symptoms: call a POISON CENTER or doctor/physician. P501 Dispose of contents/container to |

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| Product | C.I. Name | Substance name CAS # |
|------------------------------|--|--|
| Procion MX Dye 150 Jet Black | Reactive Black WNN (C.I. Reactive Black mix) | The exact percentages and the composition of non-hazardous materials have been withheld as a trade secret. |

SECTION 4 - FIRST AID MEASURES

| Description of first aid measures: | |
|---|--|
| General information: | Remove contaminated clothing immediately and dispose of safely. |
| In the event of skin contact: | In case of contact with skin, wash off immediately with soap and plenty of water. |
| In the event of eye contact: | In case of contact with eyes, rinse thoroughly with plenty of water and seek medical advice. |
| In the event of swallowing: | Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions. |
| In the event of exposure by inhalation: | Remove the casualty into fresh air and keep them calm. |

Item Numbers: 01301-2379 Page 2 of 22

Procion MX Dye - Jet Black - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 5 - FIREFIGHTING MEASURES

| Extinguishing media: | CO2, Dry Powder, Foam, Water Spray Jet |
|----------------------|---|
| | , - · / · · · · · · · · · · · · · · · · · |

SECTION 6 - ACCIDENTAL RELEASE MEASURES

| Methods and material for containment and clean up: | Pick up mechanically. Dilute remaining rest with water and pick up with absorbent material (sawdust, sand, universal binder). |
|--|---|
| Reference to other sections: | For further disposal measures, see section 13. |

SECTION 7 - HANDLING AND STORAGE

| Precautions for safe handling: | Keep away from sources of ignition - avoid smoking. |
|---|--|
| Conditions for safe storage including any | Do not store with alkalis. Keep container tightly closed in dry place. |
| incompatibilities: | Storage period: 60 months. |

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| Control parameters: | |
|---|---|
| Exposure controls: | Use local ventilation. |
| Appropriate engineering controls: | Handle with good industrial practices and industrial hygiene. Wash hands after use. Do not eat, drink or smoke during work time. |
| Individual protection measures, such as per | rsonal protective equipment: |
| General protective measures: | Avoid contact with eyes and skin. Keep away from food and drink stuffs. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work; apply skin cream. |
| Eye/face protection: | Safety glasses |
| Skin protection: | Wear gloves, overalls, apron or other protective clothing. |
| Respiratory protection: | Dust mask. Do not inhale dust. |

Item Numbers: 01301-2379 Page 3 of 22

Procion MX Dye - Jet Black - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| General information: | |
|---|------------------------------|
| Product: | Procion MX Dye Jet Black 150 |
| Appearance and physical state: | Dust free powder |
| Color: | Black |
| Type of Odor: | Odorless |
| Odor Threshold: | Not available |
| Important health, safety and environmental information: | |
| Initial Boiling Point and Boiling Range: | Not available |
| Melting Point/Freezing Point: | Above 250°C |
| Flammability Classification: | Non-flammable |
| Flash Point: | 250°C |
| Auto-ignition Temperature: | > 240°C |
| Decomposition Temperature: | Not available |
| Flammability Limits (lower/upper): | Not available |
| Evaporation rate: | Not available |
| Vapor Pressure: | Not available |
| Vapor Density (Air=1): | Not available |
| Octanol/Water Partition Coefficient (low Pow): | Not available |
| Specific Gravity: | Not available |
| Bulk Density: | 600 - 800 kg/m³ |
| Water Solubility: | > 100 g/l |
| pH: | 6-8 (at I0 g/l) |
| Viscosity: | Not available |
| Explosive Properties: | Not available |
| Oxidizing Properties: | Not available |
| Molecular Formula: | Not available |
| Molecular Weight: | 250 |
| Relative Density: | Not available |
| UEL: | Not available |
| LEL: | Not available |
| % Volatile: | Not available |
| | |

SECTION 10 - STABILITY AND REACTIVITY

| Reactivity: | Reactions with alkalis |
|-------------------------------------|------------------------|
| Stability: | Not available |
| Possibility of hazardous reactions: | Not available |
| Conditions to avoid: | Not available |
| Incompatible materials: | Alkalis |
| Thermal decomposition: | > 190°C |
| Hazardous decomposition products: | Unknown |

Item Numbers: 01301-2379 Page 4 of 22

Procion MX Dye - Jet Black - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 11 - TOXICOLOGICAL INFORMATION

| Information on toxicological effects: Acute toxicity (list all possible routes of exposure | e) |
|--|--|
| Acute Oral Toxicity: | LD50 2,000 mg/kg (Oral - Rat) |
| Acute Dermal Toxicity: | Not available |
| Skin Corrosion/irritation: | Slightly irritant |
| Serious Eye Damage / Eye Irritation: | Slightly irritant |
| Sensitization: | May cause sensitization by inhalation and skin contact. |
| Primary Route of Exposure: | |
| Inhalation: | Not available |
| Skin absorption: | Not available |
| Ingestion: | Not available |
| Skin contact: | Not available |
| Eye contact: | Not available |
| Carcinogen (IARC/NTP/OSHA/ACGIH): | Not available |
| Mutagenicity: | None |
| Corrosivity: | |
| Effects of overexposure: | Not available |
| Signs and symptoms of overexposure: | Not available |
| Additional information: | Persons with respiratory tract allergies should avoid direct contact with reactive dyes. |

SECTION 12 - ECOLOGICAL INFORMATION

| Biodegradability: | 10-25% (static method) |
|-------------------|------------------------|
| Fish Toxicity: | 10-100 mg/l (48 hours) |

SECTION 13 - DISPOSAL CONSIDERATIONS

| Waste treatment methods: | | |
|--------------------------|--|--|
| Disposal: | In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority. | |
| Container Disposal: | Packing that cannot be cleaned should be disposed of as product waste. | |

SECTION 14 - TRANSPORT INFORMATION

| Road transport (RID/ADR): | Non-hazardous goods |
|------------------------------------|--|
| Inland waterways transport (ADNR): | Non-hazardous goods |
| Marine transport (IMDG-Code): | Non-hazardous goods |
| Air transport (ICAO/IATA): | Non-hazardous goods |
| Further information: | Not classified as hazardous under transport conditions. Protect against moisture. Store/load separately from food. |

Item Numbers: 01301-2379 Page 5 of 22

Procion MX Dye - Jet Black - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 15 - REGULATORY INFORMATION

| US Regulations: | |
|----------------------------------|--|
| TSCA: | The components of this product are not listed on the TSCA Inventory. |
| SARA 313: | |
| SARA 312: | |
| Immediate (acute) health hazard: | Yes |
| Delayed (chronic) health hazard: | Yes |
| Fire hazard: | No |
| Sudden Release of Pressure: | No |
| Reactivity: | No |
| California Proposition 65: | Used as directed, this product will NOT expose you to chemicals known to cause cancer. |

SECTION 16 - OTHER INFORMATION

| HMIS Hazard ID: | | | |
|---|--|--|--|
| Health: 2 | | | |
| Flammability: I | | | |
| Physical hazard: | | | |
| Personal Protection: E - Safety glasses, gloves, dust respirator | | | |
| Hazard rating: 0 - Minimal; I - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect | | | |

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 08/20/2019

| National Chemical Inventories: | | |
|---|-------------------|--|
| All components of this product are listed on the following chemical substance inventories: TSCA (USA) | | |
| DSL | (Canada) | |
| EINECS | (Europe) | |
| ENCS | (Japan) ECL | |
| | (Korea) | |
| AICS | (Australia) NZIoC | |
| | (New Zealand) | |
| PICCS | (Philippines) | |
| IECSC | (China) | |

Item Numbers: 01301-2379 Page 6 of 22

Procion MX Dye - Jet Black - Pg 7

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

| Abbreviations: | | |
|----------------|---|--|
| ACGIH | American Conference of Governmental Industrial Hygienists | |
| ADR | International carriage of Dangerous goods by Road | |
| AICS | Australian Inventory of Chemical Substances | |
| ATE | Acute Toxicity Estimate | |
| BfR | Bundesinstitut für Risikobewertung recommendations for food contact materials | |
| BCF | Bioconcentration Factor | |
| BOD5 | 5-day Biochemical Oxygen Demand | |
| CERCLA | Comprehensive Environmental Response, Compensation and Liability Act | |
| CLP | Classification, Labeling and Packaging regulation | |
| COD | Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List | |
| EINECS | European Inventory of Existing Chemical Substances | |
| ECL | Existing Chemicals List (Korea) | |
| ENCS | Existing and New Chemical Substances Inventory (Japan) | |
| EN 689 | Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. | |
| ERG | Emergency Response Guide | |
| GHS | Globally Harmonized System | |
| HMIS | Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association | |
| ICAO | International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods | |
| LD50 | Lethal Dose to 50% of test animal population | |
| MAK | Maximale Arbeitsplatz Konzentration | |
| NTP | National Toxicology Program | |
| OEL | Occupational Exposure Limit | |
| OSHA | Occupational Safety & Health Administration | |
| PBT | Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit | |
| PICCS | Philippine Inventory of Commercial Chemical Substances | |
| PNEC | Predicted No Effect Concentration | |
| REACH | Registration, Evaluation and Authorization of Chemical Substances | |
| RID | International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit | |
| SVHC | Substance of Very High Concern | |
| TLV | Threshold Limit Value | |
| TSCA | Toxic Substances Control Act | |
| TWA | Time Weighted Average | |
| VOC | Volatile Organic Compound | |
| WGK | Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System | |

Item Numbers: 01301-2379 Page 7 of 22



Jacquard Products
Manufactured by Rupert, Gibbon & Spider, Inc.
P.O. Box 425 | Healdsburg, CA 95448
800.442.0455 | Fax: 707.433.4906
www.jacquardproducts.com

Soda Ash - Pg I

Revision Date: 06/12/2018

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

| Product Name: | SODA ASH | | |
|----------------------|--|-----------------------------------|--|
| Product Number/Code: | CHM1007, CHM2007, CF | 1M3007 | |
| Recommended Use: | Dye fixer | | |
| Synonym(s): | Soda Ash, Soda Ash Dense, S | odium Carbonate | |
| Restrictions on use: | No further relevant information | tion available. | |
| Manufacturer: | 1147 Healdsburg Ave. Healdsburg, CA 95448 | | |
| Emergency Number: | ChemTel, Inc Contract # | ChemTel, Inc Contract #MIS9128344 | |
| | North America: I-800-255-3924 | International: I-813-248-0585 | |

SECTION 2 - HAZARD(S) IDENTIFICATION

| under the OSHA Hazard Communication | ontain hazardous chemicals based on evaluatio n Standard, reference 29 CFR 1910.1200. | , F |
|-------------------------------------|---|-----|
| Toxicological Data on Ingredients: | | |
| Hazard Classification | GHS07 | |
| Physical Hazards: | Eye Irritant Category | |
| Label Elements | | |
| Pictogram: | <u>!</u> | |
| Signal Words: | Warning | |
| Hazard Statements-EU: | H319 Keep out of reach of children. | |
| Precautionary Statements-EU: | | |
| Prevention: | P280 Wear eye protection/face protection. P264 Wash thoroughly after handling. | |
| Response: | P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. | |
| Storage: | See section 7 | |
| Disposal: | See section 13 | |
| Hazard(s) not otherwise classified: | There are no other hazards not otherwise classified that have been identified. | |
| Results of PBT and vPvB assessment: | PBT: Not applicable vPvB: Not applicable | |

Item Numbers: 01301-2379 Page 8 of 22

Soda Ash - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical identity (Substances) | Content in percent (%)* | CAS# | EC Number | Index Number |
|--|-------------------------|----------|-----------|--------------|
| Sodium Carbonate Trade name: Soda Ash Dense | 100% | 497-19-8 | 207-838-8 | 011-005-00-2 |

SECTION 4 - FIRST AID MEASURES

| Description of first aid measures: | |
|---|---|
| General information: | No special measures required. |
| In the event of skin contact: | Brush off loose particles from skin. Immediately rinse with water. If skin irritation continues, consult a doctor. |
| In the event of eye contact: | Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. |
| In the event of swallowing: | Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. |
| In the event of exposure by inhalation: | Supply fresh air; consult doctor in case of complaints. |
| Most important symptoms and effects, acute and delayed: | Slight irritant effect on skin and mucous membranes. Irritant to eyes. Gastric or intestinal disorders when ingested. Coughing. |
| Indication of any immediate medical attention and special treatment needed: | No further relevant information available. |
| Danger: | No further relevant information available. |

SECTION 5 - FIREFIGHTING MEASURES

| Extinguishing media: | Use fire fighting measures that suit the environment. None |
|---|--|
| Special hazards arising from the substance or mixture : | Formation of toxic gases is possible during heating or in case of fire. |
| Advice for fire fighters: | Wear self-contained respiratory protective device. Wear fully protective suit. |
| Additional information: | No further relevant information available. |

Item Numbers: 01301-2379 Page 9 of 22

Soda Ash - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 6 - ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures: | Use respiratory protective device against the effects of fumes/dust/ aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. |
|--|--|
| Methods and material for containment and clean up: | Pick up mechanically. Dispose contaminated material as waste according to section 13. Send for recovery or disposal in suitable receptacles. |
| Environmental procedures: | Do not allow to enter sewers/ surface or ground water. Damp down dust with water spray. |
| Reference to other sections: | See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. |

SECTION 7 - HANDLING AND STORAGE

| Precautions for safe handling: | Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed. |
|--|---|
| Conditions for safe storage including any incompatibilities: | Requirements to be met by storerooms and receptacles: Protect from humidity and water. |
| | Information about storage in one common storage facility: Store away from foodstuffs. |
| | Do not store together with acids. |
| | Further information about storage conditions: Store in cool, dry conditions in well-sealed receptacles. |
| Specific end use(s): | No further relevant information available. |

Item Numbers: 01301-2379 Page 10 of 22

Soda Ash - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

| Control parameters: | |
|--|---|
| Components with limit values that require monitoring | The product does not contain any relevant quantities of materials with |
| at the workplace: | critical values that have to be monitored at the workplace. |
| Additional information: | The lists that were valid during the creation were used as basis. |
| Exposure controls: | |
| General protective and hygienic measures: | The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. |
| | Avoid contact with the eyes. |
| | Avoid close or long term contact with the skin. Do not inhale dust / smoke / mist. |
| | Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. |
| Appropriate engineering controls: | No further relevant information available. |
| Hand protection: | - Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. |
| | - Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. |
| | - Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| Eye protection: | Safety glasses |
| Body protection: | Not required under normal conditions of use. Protection may be required for spills. |
| Respiratory protection: | Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable. |
| Limitation and supervision of exposure into the environment: | No further relevant information available. |

Item Numbers: 01301-2379 Page 11 of 22

Soda Ash - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

| General information: | | |
|---|---|--|
| Appearance and physical state: | Granulate | |
| Color: | White | |
| Type of Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| Important health, safety and environmenta | al information: | |
| Melting Point/Melting range: | 851.1 °C (1564 °F) | |
| Boiling Point and Boiling Range: | Undetermined. | |
| Flammability Classification: | Product is not flammable. | |
| Flash Point: | Not applicable. | |
| Auto-ignition Temperature: | Not determined. | |
| Decomposition Temperature: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion Limits (lower/upper): | Not determined. | |
| Evaporation rate: | Not applicable. | |
| Vapor Pressure: | Not applicable. | |
| Partition Coefficient (n-octanol/water): | Not determined. | |
| Density: | At 20 °C (68 °F): 2.53 g/cm³ (21.113 lbs/gal) | |
| Relative density: | Not determined. | |
| Water Solubility: | Soluble. | |
| pH: | Value at 20 °C (68 °F): 11.3 - 11.6 (1% solution) | |
| Viscosity: | Dynamic: Not applicable. Kinematic: Not applicable. | |
| Relative density: | Not determined. | |
| Other information: | No further relevant information available. | |

SECTION 10 - STABILITY AND REACTIVITY

| Reactivity: | |
|---|---|
| Chemical Stability: | |
| Thermal decomposition/conditions to be avoided: | No decomposition is used and stored according to specifications. |
| Possibility of hazardous reactions: | Strong exothermic reaction with acids. Reacts with halogenated compounds. |
| Incompatible materials: | No further relevant information available. |
| Conditions to avoid: | Avoid acids. |
| Hazardous decomposition products: | Carbon monoxide and carbon dioxide |

Item Numbers: 01301-2379 Page 12 of 22

Soda Ash - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 11 - TOXICOLOGICAL INFORMATION

| Information on toxicological effects: Acute toxicity (list all possible routes of exposure) | |
|---|--|
| Acute Oral Toxicity: | LD50 - 4,090 mg/kg (rat) |
| Skin Corrosion/irritation: | Slight irritant effect on skin and mucous membranes. |
| Serious Eye Damage / Eye Irritation: | Irritating effect. |
| Respiratory or Skin Sensitization: | No sensitizing effects known. |
| Subacute to chronic toxicity: | No further relevant information available. |
| Additional toxicological information: | The product shows the following dangers according to internally approved calculation methods for preparations: irritant. |
| Carcinogenic categories: | |
| IARC (International Agency for Research on Cancer) | Substance is not listed. |
| NTP (National Toxicology Program) | Substance is not listed. |
| OSHA-Ca (Occupational Safety & Health Administration) | Substance is not listed. |
| Possible routes of exposure: | Inhalation, eye contact, skin contact. |
| Acute effects (Acute toxicity, irritation and corrosivity): | Irritating to eyes. |
| Repeated dose toxicity: | No further relevant information available. |

Item Numbers: 01301-2379 Page 13 of 22

Soda Ash - Pg 7

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 12 - ECOLOGICAL INFORMATION

| Toxicity: | |
|-------------------------------------|---|
| Aquatic toxicity: | No further relevant information available. |
| Persistence and degradability: | No further relevant information available. |
| Bioaccumulative potential: | No further relevant information available. |
| Mobility in soil: | No further relevant information available. |
| Ecotoxical effects: | After neutralization a reduction of the harming action may be recognized. |
| General notes: | Water hazard class I (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. |
| | Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. |
| Results of PBT and vPvB assessment: | PBT: Not applicable. vPvB: Not applicable. |
| Other adverse effects: | No further relevant information available. |

SECTION 13 - DISPOSAL CONSIDERATIONS

| Waste treatment methods: | |
|--------------------------|---|
| Disposal: | Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. |
| Uncleaned packagings: | Disposal must be made according to official regulations. |

Item Numbers: 01301-2379 Page 14 of 22

Soda Ash - Pg 8

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 14 - TRANSPORT INFORMATION

| UN-Number (DOT, ADN, IMDG, IATA): | Not Regulated |
|---|----------------|
| UN proper shipping name (DOT, ADN, IMDG, IATA): | Not Regulated |
| Transport hazard class(es) (DOT,ADR,ADN, IMDG, IATA): | Not Regulated |
| Packing group (DOT, IMDG, IATA): | Not Regulated |
| Environmental hazards: | No |
| Marine pollutant: | No |
| Special precautions for user: | Not applicable |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable |
| UN "Model Regulation": | |

SECTION 15 - REGULATORY INFORMATION

| Hazard categories | |
|---|---|
| United States (USA) | |
| SARA Section 355 (Extremely hazardous substances): | Substance is not listed. |
| SARA Section 313 (Specific toxic chemical listings): | Substance is not listed. |
| TSCA (Toxic Substances Control Act): | Substance is listed. |
| Proposition 65 (California) Chemicals known to cause cancer: | Substance is not listed. |
| Chemicals known to cause reproductive toxicity for females: | Substance is not listed. |
| Chemicals known to cause reproductive toxicity for males: | Substance is not listed. |
| Chemicals known to cause developmental toxicity: | Substance is not listed. |
| EPA (Environmental Protection Agency): | Substance is not listed. |
| IARC (International Agency for Research on Cancer): | Substance is not listed. |
| TLV (Threshold Limit Value established by ACGIH) | Substance is not listed. |
| NIOSH-Ca (National Institute for Occupational Safety and Health): | Substance is not listed. |
| Other regulations, limitations and prohibitive regulations: | This product has been classified in accordance with hazard criteria of th Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. |
| Chemical safety assessment: | A Chemical Safety Assessment has not been carried out. |

Item Numbers: 01301-2379 Page 15 of 22

Soda Ash - Pg 9

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 16 - OTHER INFORMATION

| HMIS Hazard | ID: | |
|---------------|---|---|
| Health: | | |
| Flammability: | | |
| Reactivity: | | |
| | Hazard rating: 0 - Minimal; I - Slight; 2 - | - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect |

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 06/12/2018

| National Chemical Inventories: | |
|------------------------------------|---|
| All components of this product are | listed on the following chemical substance inventories:TSCA (USA) |
| DSL (Canada) | |
| EINECS | (Europe) |
| ENCS | (Japan) ECL |
| | (Korea) |
| AICS | (Australia) NZIoC |
| | (New Zealand) |
| PICCS | (Philippines) |
| IECSC | (China) |

Item Numbers: 01301-2379 Page 16 of 22

Soda Ash - Pg 10

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

| ACGIH | American Conference of Governmental Industrial Hygienists | | | | |
|--------|---|--|--|--|--|
| ADR | International carriage of Dangerous goods by Road | | | | |
| AICS | Australian Inventory of Chemical Substances | | | | |
| ATE | Acute Toxicity Estimate | | | | |
| BfR | Bundesinstitut für Risikobewertung recommendations for food contact materials | | | | |
| BCF | Bioconcentration Factor | | | | |
| BOD5 | 5-day Biochemical Oxygen Demand | | | | |
| CERCLA | Comprehensive Environmental Response, Compensation and Liability Act | | | | |
| CLP | Classification, Labeling and Packaging regulation | | | | |
| COD | Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List | | | | |
| EINECS | European Inventory of Existing Chemical Substances | | | | |
| ECL | Existing Chemicals List (Korea) | | | | |
| ENCS | Existing and New Chemical Substances Inventory (Japan) | | | | |
| EN 689 | Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy. | | | | |
| ERG | Emergency Response Guide | | | | |
| GHS | Globally Harmonized System | | | | |
| HMIS | Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association | | | | |
| ICAO | International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods | | | | |
| LD50 | Lethal Dose to 50% of test animal population | | | | |
| MAK | Maximale Arbeitsplatz Konzentration | | | | |
| NTP | National Toxicology Program | | | | |
| OEL | Occupational Exposure Limit | | | | |
| OSHA | Occupational Safety & Health Administration | | | | |
| PBT | Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit | | | | |
| PICCS | Philippine Inventory of Commercial Chemical Substances | | | | |
| PNEC | Predicted No Effect Concentration | | | | |
| REACH | Registration, Evaluation and Authorization of Chemical Substances | | | | |
| RID | International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit | | | | |
| SVHC | Substance of Very High Concern | | | | |
| TLV | Threshold Limit Value | | | | |
| TSCA | Toxic Substances Control Act | | | | |
| TWA | Time Weighted Average | | | | |
| VOC | Volatile Organic Compound | | | | |
| WGK | Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System | | | | |

Item Numbers: 01301-2379 Page 17 of 22



SAFETY DATA SHEET

PRINT DATE: 12/7/15

1. PRODUCT IDENTIFICATION

Rupert, Gibbon, & Spider, Inc. 1147 Healdsburg Avenue Healdsburg, CA 95448 Tel: 800-442-0455 service@jacquardproducts.com

2. HAZARDS IDENTIFICATION

Warning: May be harmful if swallowed

This Product has been classified as Category 5 oral toxicity.

PRIMARY ROUTE OF EXPOSURE

INHALATION: YES SKIN ABSORPTION: NO INGESTION: NO SKIN CONTACT: YES EYE CONTACT: YES

CARCINOGEN STATUS

IARC: NO NTP: NO OSHA: NO ACGIH: NO

HMIS: 110 E

EFFECTS OF OVEREXPOSURE

None Known

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract..

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin or eye conditions may be more susceptible to the effects of this product.

PRODUCT Procion MX Neutral Grey

PAGE 1

Item Numbers: 01301-2379 Page 18 of 22

3. HAZARDOUS INGREDIENTS

Proprietary dye compound mixture 60 - 80 % May be harmful if swallowed.

The exact percentages and composition of non-hazardous components has been withheld as a trade secret

4. EMERGENCY AND FIRST AID PROCEDURES

| GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING | | | | |
|--|--|--|--|--|
| EYE CONTACT Wash immediately with large amounts of water for 15 minutes, lifting the upper and | | | | |
| lower lids until no evidence of product remain. Get medical attention if needed. Do not wear contact lenses while handling. | | | | |
| SKIN CONTACT Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse. | | | | |
| INGESTION Dilute with water. Get medical attention. | | | | |
| INHALATION If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Call a physician. | | | | |

5. FIRE AND EXPLOSION DATA

FLASH POINTNot Applicable

EXTINGUISHING MEDIAC02, Dry Chemical, Foam, Water

SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Take up with sand or other non-combustible absorbent material or suitable vacuum and place into sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

8. EMPLOYEE PROTECTION RECOMMENDATIONS

| CENERAL PROTECTIVE MEACURES. Avail contest with case and alia. Immediately remove all | | | |
|---|--|--|--|
| GENERAL PROTECTNE MEASURES: Avoid contact with eyes and skin. Immediately remove all | | | |
| contaminated clothing. | | | |
| EYE PROTECTION Employees should wear protective eye-goggles with side protection shield. | | | |
| SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve | | | |
| shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Keep | | | |
| away from food and drink stuffs. | | | |
| RESPIRATORY PROTECTIONInhalation of dust and aerosols must be absolutely prevented by the use | | | |
| of a NIOSH approved dust respirator. | | | |
| VENTILATION Use local ventilation. | | | |
| OTHER | | | |

9. PHYSICAL DATA

| APPEARANCE PO | WDER | | | | | |
|--|-------------------|------------------|----------|--|--|--|
| COLORBL | ACK | | | | | |
| ODORCH | ARACTERISTIC OI | OOR | | | | |
| ODOR THRESHOLDNA | | | | | | |
| SOLUBILITY IN WATER> 100 g/1 at 90 deg C | | | | | | |
| BULK DENSITY NE |) | | | | | |
| VISCOSITYNA | | | | | | |
| pHAP | PROX. 5.0 - 7.5 @ | 2 1.0 % in water | | | | |
| MELTING POINT/FREEZING POINTNA | | | | | | |
| PARTITION COEFFICIENT: N-OCTANOLIWATERND | | | | | | |
| BOILING POINT | NA | | | | | |
| VAPOR PRESSURE | ſΑ | | | | | |
| VAPOR DENSITYNA | | | | | | |
| EVAPORATION RATENA | | | | | | |
| FLAMMABILITYNA | | | | | | |
| FLASH POINTN | | | | | | |
| INGINITION TEMP | > 240 C | | | | | |
| DECOMPOSITION TEMPERATUREND | | | | | | |
| UELNA | L | | | | | |
| LELNA | | | | | | |
| % VOLATILE: VAI | LUE: ND | UNIT: % | COMMENT: | | | |

10. REACTIVITY DATA

| THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly. |
|--|
| HAZARDOUS REACTIONS: None expected |
| CHEMICAL STABILITYStable |
| INCOMPATABLE MATERIALS: None |
| HAZARDOUS DECOMPOSITION PRODUCTSC02, CO, SULFUR OXIDES, NITROGEN OXIDES |
| CONDITIONS TO AVOIDAvoid dusting conditions and sparks/flame. |
| HAZARDOUS POLYMERIZATIONWill not occur |

PRODUCT Procion MX Neutral Grey PAGE 3

Page 20 of 22

11. TOXICOLOGICAL DATA

12. ECOLOGICAL DATA

BIODEGRADABILITY: ND

BACTERIA TOXICITY: NO INHIBITION

AOX: < 0.1%

13. DISPOSAL CONSIDERATIONS

PRODUCT:.........If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.

UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SIDPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

15. REGULATORY DATA

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is subject to SARA Title III Section 313 reporting requirements under 40 CPR 372.

CHROMIUM (7440-47-3) 0.8 응 COBALT (7440-48-4) 0.6% CHROMIUM COMPOUND 30-40 % COBALT COMPOUND 30-40 %

SARA312: Immediate (acute) health hazard Yes

Delayed (chronic) health hazard No
Fire hazard No
Sudden Release of Pressure No
Reactivity No

CALIFORNIA PROPOSITION 65: This product does NOT contain any components currently on the California List of Known Carcinogens and reproductive Toxins.

This product is not subject to the German Ordinance that bans certain azo dyes or the 19^{III} Amendment of the Council Directive 76/769/EEC.

16. OTHER INFORMATION

Rupert, Gibbon & Spider, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. Rupert, Gibbon & Spider, Inc. makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall Rupert, Gibbon & Spider, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Creation date: April 9, 2010 Revision date: June 30, 2015

Item Numbers: 01301-2379 Page 22 of 22