01301-3719

SAFETY DATA SHEET (SDS)



Jacquard Products
Manufactured by Rupert, Gibbon & Spider, Inc.
P.O. Box 425 | Healdsburg, CA 95448
800.442.0455 | Fax: 707.433.4906
www.jacquardproducts.com

Procion MX Dye - Turquoise - Pg I

Revision Date: 09/26/2018

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	PROCION MX DYE - TURQUOISE	
Product Number/Code:	PMX1-PMX3 068	
Recommended Use:	Dye for fabric Dyes of this type can cause respiratory restrictions/sensitization in some individuals and it is advisable to avoid breathing aerosol and dust. Persons who suffer from asthmatic or breathing problems should not handle these dyes. Recipients of our product must take responsibility for observing existing laws and regulations.	
Description:	Synthetic Organic Dyes	
Synonym(s):	Proprietary Reactive Blue	
Restrictions on use:	None known	
Manufacturer:	Rupert, Gibbon & Spider, Inc. I 147 Healdsburg Ave. Healdsburg, CA 95448 I-800-442-0455 / 707-433-9577	
Emergency Number:	ChemTel, Inc Contract #M	IIS9128344
	North America: I-800-255-3924	International: I-813-248-0585

SECTION 2 - HAZARD(S) IDENTIFICATION

•	or contain hazardous chemicals based on eval ation Standard, reference 29 CFR 1910.1200.	luations made by our company
Toxicological Data on Ingredients:		
Hazard Classification		
Physical Hazards:	No information available	
Health Hazards:	Skin Sensitizer	Category I
Environmental Hazards:	No information available	
Label Elements		
Pictogram:		
Signal Words:	Warning	
Hazard Statements-EU:	H317 May cause an allergic skin react	tion.

Item Numbers: 01301-3719 Page 1 of 20

Procion MX Dye - Turquoise - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Precautionary Statements-EU	
Prevention:	 P260 Do not breath dust/fume/gas/mist/vapors/spray. P264 Wash face, hands and any exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response:	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+ P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a comfortable position for breathing.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Product	C.I. Name	CAS#
Procion MX Dye 068 Turquoise	Proprietary Reactive Blue	The exact ingredient percentages and composition of non-hazardous components have been withheld as a trade secret.
NOTE: May cause an allergic reaction.		

SECTION 4 - FIRST AID MEASURES

Description of first aid measures:		
General information:	Immediately remove all contaminated clothing.	
In the event of skin contact:	Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.	
In the event of eye contact:	Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remains. Get medical attention immediately. Do not wear contact lenses while handling.	
In the event of swallowing:	Dilute with water. Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.	
In the event of exposure by inhalation:	If inhaled, move to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.	
Most important symptoms and effects, both acute and delayed:	The most significant symptoms and effects are described in the labeling (see section 2) and/or in section 11.	
Indication of any symptoms and effects, both acute and delayed:	No data available.	

Item Numbers: 01301-3719 Page 2 of 20

Procion MX Dye - Turquoise - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 5 - FIREFIGHTING MEASURES

Flash point:	Not applicable.
Extinguishing media:	CO ₂ , Dry Chemical Foam, Water Fog
Special fire fighting procedures/unusual fire or explosion hazards:	Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas and ventilate closed spaces before entering.
Additional information:	Avoid dusting conditions. May form explosive dust mixtures with air.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

In case material is released/spilled:	Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealed containers.
Reference to other sections:	For further disposal measures, see section 13.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	In accord with good industrial practice, handle with care and avoid personal contact.
Conditions for safe storage including any incompatibilities:	Keep container protected from direct sunlight in a dry, cool and well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see section 10).

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	
General protective measures:	Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.
Occupational exposure limits:	Use local ventilation.
Exposure controls:	
Appropriate engineering controls:	Handle with good industrial practices and industrial hygiene. Wash hands after use.
Individual protection measures, such as	personal protective equipment:
Eye/face protection:	Employees should wear protective eye goggles with side protection shield.
Skin protection:	Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves, e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking, and shower thoroughly before leaving work. Keep away from food and drink stuffs.
Respiratory protection:	Inhalation of dust and aerosols must be absolutely prevented by the use of a NIOSH approved dust respirator.
Other protection:	Wear overalls, apron or other protective clothing.

Item Numbers: 01301-3719 Page 3 of 20

Procion MX Dye - Turquoise - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Product: Procion MX Dye 068 Turquoise C.I. Name: Proprietary Reactive Blue Chemical family: Reactive Dyes Appearance and physical state: Powder Color: Dark Blue Type of Odor: None Odor Threshold: NI/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: NI/A Melting Point/Freezing Point: NI/A Flash Point: NI/A Flash Point: NI/A Auto-ignition Temperature: > 240°C Decomposition Temperature: NI/D Lead of Control/Wall (Airrel): NI/A Vapor Pressure: NI/A Vapor Density (Airrel): NI/A Vapor Pressure: NI/A Vapor Density (Air=1): NI/A Vapor Institute (Institute (Institute (Institute (Institute (Institute (Institute (Institute (Institute (General information:		
Chemical family: Reactive Dyes Appearance and physical state: Powder Color: Dark Blue Type of Odor: None Odor Threshold: N/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: > 240°C Decomposition Temperature: N/D Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Vapor Perssure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Bulk Density: N/A Vater Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: </th <th>Product:</th> <th>Procion MX Dye 068 Turquoise</th>	Product:	Procion MX Dye 068 Turquoise	
Appearance and physical state: Powder Color: Dark Blue Type of Odor: None Odor Threshold: N/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: N/A Decomposition Temperature: N/D Plammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Pressure: N/A Vapor Pressure: N/A Vapor Partition Coefficient (low Pow): N/A Specific Gravity: N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 11.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Formula: N/A Molecula	C.I. Name:	Proprietary Reactive Blue	
Color: Dark Blue Type of Odor: None Odor Threshold: N/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Specific Gravity: N/A Bulk Density: N/A Water Solubility: 17.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Formula: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A Relative Density: N/A Molecular Weight: N/A Molecular Weight: N/A Relative Density: N/A	Chemical family:	Reactive Dyes	
Type of Odor: OdorThreshold: N/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: Pecomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Specific Gravity: N/A Bulk Density: N/A Water Solubility: PH: N/A Explosive Properties: N/A N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Veight: N/A N/A Relative Density: N/A	Appearance and physical state:	Powder	
Odor Threshold: N/A Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: > 240°C Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A N/A N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Color:	Dark Blue	
Important health, safety and environmental information: Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: N/D Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C yiscosity: N/A Cxidizing Properties: N/A Molecular Formula: N/A Molecular Formula: N/A Molecular Veight: N/A Relative Density: N/A Relative Density: N/A RUA Molecular Weight: N/A RUA MISSING N/A N/A RUA MISSING N/A N/A RUA MISSING N/A N/A N/A N/A Relative Density: N/A MISSING N/A MISSING N/A MISSING N/A N/A N/A N/A N/A N/A N/A	Type of Odor:	None	
Initial Boiling Point and Boiling Range: N/A Melting Point/Freezing Point: N/A Flammability Classification: N/A Flash Point: N/A Auto-ignition Temperature: > 240°C Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Oxidizing Properties: N/A Molecular Formula: N/A Relative Density: N/A N/A	Odor Threshold:	N/A	
Melting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:N/AAuto-ignition Temperature:> 240°CDecomposition Temperature:N/DFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (low Pow):N/DSpecific Gravity:N/ABulk Density:N/AWater Solubility:> 120 g/l at 20°CpH:7.0 @ 10.0 g/l at 20°CViscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Formula:N/ARelative Density:N/AUEL/LEL:N/A	Important health, safety and environmental in	formation:	
Flammability Classification: Flash Point: Auto-ignition Temperature: Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Octanol/Water Partition Coefficient (low Pow): Specific Gravity: N/A Water Solubility: PH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Molecular Formula: N/A Molecular Formula: N/A N/A N/A N/A N/A N/A N/A N/	Initial Boiling Point and Boiling Range:	N/A	
Flash Point: Auto-ignition Temperature: Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): Octanol/Water Partition Coefficient (low Pow): N/A Bulk Density: N/A Water Solubility: PH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Formula: N/A Relative Density: N/A N/A N/A N/A N/A N/A N/A N/	Melting Point/Freezing Point:	N/A	
Auto-ignition Temperature: > 240°C Decomposition Temperature: N/D Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Flammability Classification:	N/A	
Decomposition Temperature: Flammability Limits (lower/upper): Fvaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): Octanol/Water Partition Coefficient (low Pow): Specific Gravity: N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A N/A N/A N/A N/A N/A N/A N/	Flash Point:	N/A	
Flammability Limits (lower/upper): N/A Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): N/A Octanol/Water Partition Coefficient (low Pow): N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Weight: Relative Density: N/A UEL/LEL: N/A	Auto-ignition Temperature:	> 240°C	
Evaporation rate: N/A Vapor Pressure: N/A Vapor Density (Air=1): Octanol/Water Partition Coefficient (low Pow): N/D Specific Gravity: N/A Bulk Density: N/A Water Solubility: PH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Decomposition Temperature:	N/D	
Vapor Pressure: Vapor Density (Air=I): Octanol/Water Partition Coefficient (low Pow): Specific Gravity: Bulk Density: Vater Solubility: PH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Molecular Formula: Molecular Weight: Relative Density: N/A N/A N/A N/A N/A N/A N/A UEL/LEL: N/A	Flammability Limits (lower/upper):	N/A	
Vapor Density (Air=1): Octanol/Water Partition Coefficient (low Pow): N/A Specific Gravity: N/A Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: Molecular Weight: Relative Density: N/A UEL/LEL: N/A	Evaporation rate:	N/A	
Octanol/Water Partition Coefficient (low Pow): Specific Gravity: Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: Molecular Weight: Relative Density: UEL/LEL: N/A	Vapor Pressure:	N/A	
Specific Gravity: Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: Relative Density: N/A UEL/LEL: N/A	Vapor Density (Air=1):	N/A	
Bulk Density: N/A Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: Relative Density: N/A UEL/LEL: N/A	Octanol/Water Partition Coefficient (low Pow):	N/D	
Water Solubility: > 120 g/l at 20°C pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Specific Gravity:	N/A	
pH: 7.0 @ 10.0 g/l at 20°C Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Bulk Density:	N/A	
Viscosity: N/A Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Water Solubility:	> I 20 g/I at 20°C	
Explosive Properties: N/A Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	pH:	7.0 @ 10.0 g/l at 20°C	
Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Viscosity:	N/A	
Oxidizing Properties: N/A Molecular Formula: N/A Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	Explosive Properties:	N/A	
Molecular Formula: Molecular Weight: N/A Relative Density: N/A UEL/LEL: N/A	•	N/A	
Relative Density: N/A UEL/LEL: N/A	- · · · · · · · · · · · · · · · · · · ·	N/A	
Relative Density: N/A UEL/LEL: N/A	Molecular Weight:	N/A	
UEL/LEL: N/A	-	N/A	
% Volatile: 0.02% - Comment: De-Dusting Oil	·	N/A	
	% Volatile:	0.02% - Comment: De-Dusting Oil	

SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	Will not occur
Stability:	Stable
Possibility of hazardous reactions:	None expected
Conditions to avoid:	Avoid dusting conditions and sparks/flame.
Incompatible materials:	None
Thermal decomposition:	No thermal decomposition when stored and handled correctly.
Hazardous decomposition products:	CO ₂ , CO, sulfur oxides, nitrogen oxides

Item Numbers: 01301-3719 Page 4 of 20

Procion MX Dye - Turquoise - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 11 - TOXICOLOGICAL INFORMATION

Oral Toxicity (animal):	LD50 (Ingestion): >5,000 mg/l (rat)		
Oral Toxicity (fish):	LC50 >100 mg/l (96 hour, Oncorhynchus mykiss)		
Eye effects:	Non-irritant (rabbit eye)		
Skin effects:	Non-irritant (rabbit)		
Sensitization:	May cause sensitization by inhalation and skin contact.		
Primary route of exposure:	Inhalation:	No	
	Skin contact:	Yes	
	Skin absorption:	No	
	Eye contact:	Yes	
	Ingestion:	No	
Carcinogen status	IARC:	No	
	NTP:	No	
	OSHA:	No	
	ACGIH:	No	
Chronic effects of overexposure:	None known	None known	
Signs and symptoms of overexposure:	May be irritating to the eye	May be irritating to the eyes, skin or respiratory tract.	
Medical conditions aggravated:		Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.	

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:	
Biodegradability:	< 20%
Bacteria Toxicity:	> 10 ml/l (activated sludge)
AOX:	N/D
COD:	1,100 mg/l

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:	
Disposal:	If utilization of recycling of product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant.
Container Disposal:	Soiled, empty containers are to be treated in the same way as the contents.

Item Numbers: 01301-3719 Page 5 of 20

Procion MX Dye - Turquoise - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 14 - TRANSPORT INFORMATION

UN Number:	Not Regulated
UN proper shipping name:	Non-hazardous Ink Material Frt. Class Package 55
Transport hazard class(es) (DOT, IATA (C, P), IMDG):	Not Regulated

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental	regulations/legislation specific for the substance	e or mixture:	
US Regulations:			
TSCA:	The components of this product ar	re listed on the TSCA Inventory.	
SARA 313:	This product is not subject to SAR quirements under 40 CFR 372.	This product is not subject to SARA Title III Section 313 reporting requirements under 40 CFR 372.	
SARA 312:	Immediate (acute) health hazard:	No	
	Delayed (chronic) health hazard:	No	
	Fire hazard:	No	
	Sudden Release of Pressure:	No	
	Reactivity:	No	
Other regulations:		This product is not subject to the German Ordinance than bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC.	

SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:		
Health:	I	
Flammability:	I	
Physical hazard:	0	
Personal Protection: E		
Hazard rating: 0 - Mir	mal; I - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect	

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 09/26/2018

Item Numbers: 01301-3719 Page 6 of 20

Procion MX Dye - Turquoise - Pg 7

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System

Item Numbers: 01301-3719 Page 7 of 20



Jacquard Products
Manufactured by Rupert, Gibbon & Spider, Inc.
P.O. Box 425 | Healdsburg, CA 95448
800.442.0455 | Fax: 707.433.4906
www.jacquardproducts.com

Soda Ash - Pg I

Revision Date: 06/12/2018

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	SODA ASH		
Product Number/Code:	CHM1007, CHM2007, CH	CHM1007, CHM2007, CHM3007	
Recommended Use:	Dye fixer		
Synonym(s):	Soda Ash, Soda Ash Dense, S	Sodium Carbonate	
Restrictions on use:	No further relevant informa	tion available.	
Manufacturer:	1147 Healdsburg Ave. Healdsburg, CA 95448		
Emergency Number:	ChemTel, Inc Contract	#MIS9128344	
	North America: I-800-255-3924	International: I-813-248-0585	

SECTION 2 - HAZARD(S) IDENTIFICATION

Toxicological Data on Ingredients:			
Hazard Classification	GHS07		
Physical Hazards:	Eye Irritant Category 2		
Label Elements	<u>'</u>		
Pictogram:			
Signal Words:	Warning		
Hazard Statements-EU:	H319 Keep out of reach of children.		
Precautionary Statements-EU:			
Prevention:	P280 Wear eye protection/face protection. P264 Wash thoroughly after handling.		
Response:	P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.		
Storage:	See section 7		
Disposal:	See section 13		
Hazard(s) not otherwise classified:	There are no other hazards not otherwise classified that have been identified.		
Results of PBT and vPvB assessment:	PBT: Not applicable vPvB: Not applicable		

Item Numbers: 01301-3719 Page 8 of 20

Soda Ash - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity (Substances)	Content in percent (%)*	CAS#	EC Number	Index Number
Sodium Carbonate Trade name: Soda Ash Dense	100%	497-19-8	207-838-8	011-005-00-2

SECTION 4 - FIRST AID MEASURES

Description of first aid measures:		
General information:	No special measures required.	
In the event of skin contact:	Brush off loose particles from skin. Immediately rinse with water. If skin irritation continues, consult a doctor.	
In the event of eye contact:	Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.	
In the event of swallowing:	Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.	
In the event of exposure by inhalation:	Supply fresh air; consult doctor in case of complaints.	
Most important symptoms and effects, acute and delayed:	Slight irritant effect on skin and mucous membranes. Irritant to eyes. Gastric or intestinal disorders when ingested. Coughing.	
Indication of any immediate medical attention and special treatment needed:	No further relevant information available.	
Danger:	No further relevant information available.	

SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media:	Use fire fighting measures that suit the environment. None
Special hazards arising from the substance or mixture :	Formation of toxic gases is possible during heating or in case of fire.
Advice for fire fighters:	Wear self-contained respiratory protective device. Wear fully protective suit.
Additional information:	No further relevant information available.

Item Numbers: 01301-3719 Page 9 of 20

Soda Ash - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Use respiratory protective device against the effects of fumes/dust/ aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away.
Methods and material for containment and clean up:	Pick up mechanically. Dispose contaminated material as waste according to section 13. Send for recovery or disposal in suitable receptacles.
Environmental procedures:	Do not allow to enter sewers/ surface or ground water. Damp down dust with water spray.
Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed.
Conditions for safe storage including any incompatibilities:	Requirements to be met by storerooms and receptacles: Protect from humidity and water.
	Information about storage in one common storage facility: Store away from foodstuffs.
	Do not store together with acids.
	Further information about storage conditions: Store in cool, dry conditions in well-sealed receptacles.
Specific end use(s):	No further relevant information available.

Item Numbers: 01301-3719 Page 10 of 20

Soda Ash - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	
Components with limit values that require monitoring	The product does not contain any relevant quantities of materials with
at the workplace:	critical values that have to be monitored at the workplace.
Additional information:	The lists that were valid during the creation were used as basis.
Exposure controls:	
General protective and hygienic measures:	The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.
	Avoid contact with the eyes.
	Avoid close or long term contact with the skin. Do not inhale dust / smoke / mist.
	Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
Appropriate engineering controls:	No further relevant information available.
Hand protection:	- Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
	- Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
	- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:	Safety glasses
Body protection:	Not required under normal conditions of use. Protection may be required for spills.
Respiratory protection:	Not required under normal conditions of use. Use suitable respiratory protective device in case of insufficient ventilation. For spills, respiratory protection may be advisable.
Limitation and supervision of exposure into the environment:	No further relevant information available.

Item Numbers: 01301-3719 Page 11 of 20

Soda Ash - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:	
Appearance and physical state:	Granulate
Color:	White
Type of Odor:	Odorless
Odor threshold:	Not determined.
Important health, safety and environmenta	ll information:
Melting Point/Melting range:	851.1 °C (1564 °F)
Boiling Point and Boiling Range:	Undetermined.
Flammability Classification:	Product is not flammable.
Flash Point:	Not applicable.
Auto-ignition Temperature:	Not determined.
Decomposition Temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion Limits (lower/upper):	Not determined.
Evaporation rate:	Not applicable.
Vapor Pressure:	Not applicable.
Partition Coefficient (n-octanol/water):	Not determined.
Density:	At 20 °C (68 °F): 2.53 g/cm³ (21.113 lbs/gal)
Relative density:	Not determined.
Water Solubility:	Soluble.
pH:	Value at 20 °C (68 °F): 11.3 - 11.6 (1% solution)
Viscosity:	Dynamic: Not applicable. Kinematic: Not applicable.
Relative density:	Not determined.
Other information:	No further relevant information available.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	
Chemical Stability:	
Thermal decomposition/conditions to be avoided:	No decomposition is used and stored according to specifications.
Possibility of hazardous reactions:	Strong exothermic reaction with acids. Reacts with halogenated compounds.
Incompatible materials:	No further relevant information available.
Conditions to avoid:	Avoid acids.
Hazardous decomposition products:	Carbon monoxide and carbon dioxide

Item Numbers: 01301-3719 Page 12 of 20

Soda Ash - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects: Acute toxicity (list all possible routes of exposure)	
Acute Oral Toxicity:	LD50 - 4,090 mg/kg (rat)
Skin Corrosion/irritation:	Slight irritant effect on skin and mucous membranes.
Serious Eye Damage / Eye Irritation:	Irritating effect.
Respiratory or Skin Sensitization:	No sensitizing effects known.
Subacute to chronic toxicity:	No further relevant information available.
Additional toxicological information:	The product shows the following dangers according to internally approved calculation methods for preparations: irritant.
Carcinogenic categories:	
IARC (International Agency for Research on Cancer)	Substance is not listed.
NTP (National Toxicology Program)	Substance is not listed.
OSHA-Ca (Occupational Safety & Health Administration)	Substance is not listed.
Possible routes of exposure:	Inhalation, eye contact, skin contact.
Acute effects (Acute toxicity, irritation and corrosivity):	Irritating to eyes.
Repeated dose toxicity:	No further relevant information available.

Item Numbers: 01301-3719 Page 13 of 20

Soda Ash - Pg 7

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:	
Aquatic toxicity:	No further relevant information available.
Persistence and degradability:	No further relevant information available.
Bioaccumulative potential:	No further relevant information available.
Mobility in soil:	No further relevant information available.
Ecotoxical effects:	After neutralization a reduction of the harming action may be recognized.
General notes:	Water hazard class I (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
	Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Results of PBT and vPvB assessment:	PBT: Not applicable. vPvB: Not applicable.
Other adverse effects:	No further relevant information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:	
Disposal:	Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
Uncleaned packagings:	Disposal must be made according to official regulations.

Item Numbers: 01301-3719 Page 14 of 20

Soda Ash - Pg 8

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 14 - TRANSPORT INFORMATION

UN-Number (DOT, ADN, IMDG, IATA):	Not Regulated
UN proper shipping name (DOT, ADN, IMDG, IATA):	Not Regulated
Transport hazard class(es) (DOT,ADR,ADN, IMDG, IATA):	Not Regulated
Packing group (DOT, IMDG, IATA):	Not Regulated
Environmental hazards:	No
Marine pollutant:	No
Special precautions for user:	Not applicable
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable
UN "Model Regulation":	

SECTION 15 - REGULATORY INFORMATION

Hazard categories	
United States (USA)	
SARA Section 355 (Extremely hazardous substances):	Substance is not listed.
SARA Section 313 (Specific toxic chemical listings):	Substance is not listed.
TSCA (Toxic Substances Control Act):	Substance is listed.
Proposition 65 (California) Chemicals known to cause cancer:	Substance is not listed.
Chemicals known to cause reproductive toxicity for females:	Substance is not listed.
Chemicals known to cause reproductive toxicity for males:	Substance is not listed.
Chemicals known to cause developmental toxicity:	Substance is not listed.
EPA (Environmental Protection Agency):	Substance is not listed.
IARC (International Agency for Research on Cancer):	Substance is not listed.
TLV (Threshold Limit Value established by ACGIH)	Substance is not listed.
NIOSH-Ca (National Institute for Occupational Safety and Health):	Substance is not listed.
Other regulations, limitations and prohibitive regulations:	This product has been classified in accordance with hazard criteria of th Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.
Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

Item Numbers: 01301-3719 Page 15 of 20

Soda Ash - Pg 9

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

SECTION 16 - OTHER INFORMATION

HMIS Hazard	ID:	
Health:		
Flammability:		
Reactivity:		
	Hazard rating: 0 - Minimal; I - Slight; 2 -	- Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 06/12/2018

National Chemical Inventories	:
All components of this product are	listed on the following chemical substance inventories:TSCA (USA)
DSL	(Canada)
EINECS	(Europe)
ENCS	(Japan) ECL
	(Korea)
AICS	(Australia) NZIoC
	(New Zealand)
PICCS	(Philippines)
IECSC	(China)

Item Numbers: 01301-3719 Page 16 of 20

Soda Ash - Pg 10

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System

Item Numbers: 01301-3719 Page 17 of 20



Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Avenue Healdsburg, CA 95448 Tel: 800-442-0455

Email: service@jacquardproducts.com

Safety Data Sheet (SDS)

Revised Date 5/6/2015

Product Procion MX Dye 050 Deep Purple

C. I. Name NA

Identification of the product Synthetic Organic Dyes

1. Substance/preparation and company identification

Company: Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Avenue Healdsburg, CA 95448 Tel: 800-442-0455 service@jacquardproducts.com

2. Composition/information on ingredients

Substance name C. A. S. no. : NA

3. Hazard identification Symptoms relating to use

May cause sensitization by inhalation. Inhalation

Skin contact Not expected to present a significant skin

Hazard under anticipated conditions of normal use. Not expected to present significant eye contact

Hazard under anticipated conditions of normal use Ingestion

Not expected to present a significant ingestion Hazard under anticipated conditions of normal use

4. First-aid measures

Eye contact

Inhalation : Remove to fresh air

: Remove affected clothing and wash all exposed skin area Skin contact with mild soap and water, followed by warm water and rinse.

Eye contact After contact with eyes, rinse immediately with plenty of water & seek medical advice

: Treat symptomatically Ingestion

5. Fire-fighting measures

: Water, spray, dry chemical, CO2, foam Extinguishing media

Special Exposure Hazards : High temperature may literate toxic gases when mixed with and

exposed to an ignition source, dust may burn in the open or explode if confined.

Protection against Fire : Wear proper protective equipment

6. Accidental release measures

Personal precautions : Wear suitable protective clothing and gloves. Avoid dust formation.

Environmental precautions: Comply with local regulations for disposal notify authorities if product enters sewers or

public waters. Avoid (reject) fire fighting water to enter environment.

After spillage / Leakage : Sweep or shovel spills into appropriate container for disposal.

7. Handling and storage

Storage: Keep away from heat, keep container tightly closed when not in use. Handle in accordance with good industrial Hygiene & safety procedures. Handling:

Avoid all unnecessary exposure.

Page 18 of 20 Item Numbers: 01301-3719



Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Avenue Healdsburg, CA 95448 Tel: 800-442-0455

Email: service@jacquardproducts.com

8. Exposure controls and personal protection

Respiratory protection : Approved dust or mist respirator should be used if airborne particulate is generated

when handling this material

Skin protection : Gloves

Eye Protection : Safety glasses with side-shields (frame goggles)

Ignition : When using, do not eat, drink or smoke

Industrial hygiene : Local exhaust and general room ventilation are both essential to prevent accumulation

of flammable vapor or dust moisture.

Due to the coloring properties of the product closed work clothes should be used, to avoid stains during

manipulation.

9. Physical and chemical properties

Product : Procion MX Dye 050 Deep Purple

C. I. Name : NA

Chemical family : Reactive Dyes

Appearance : Ranges from Yellow to Dark Brown

Odor : Odorless PH Value : (4.5 – 6.5)

Auto ignition Temperature (°c) : No data available Explosion limits- Lower (%) : No data available Explosion limits – Upper (%) : No data available

10. Stability and reactivity

Hazardous Decomposition : On exposure to high temperature, may decompose, releasing toxic vapors

Hazardous Reactions : Stable

Hazardous Properties : None under normal conditions

Materials to avoid : Strong reducing agents, Oxidizing agent

11. Toxicological information

Rat Oral LD 50 (mg/kg) :> 5000

Rabbit Dermal LD 50 (mg/kg) : No data available Rat Inhalation LC 50 (mg/l/4h) : No data available

Mutagenic effects : No mutagenic effects reported.

Dermal Irritation (rabbit : not an irritant Eyes irritation : Slightly irritant

12. Ecological information

L. ides LC 50 (mg/l) : 1000 – 48h

WGK class (Germany : No data available Biodegradation (%) : No data available

AOX : 0

Item Numbers: 01301-3719 Page 19 of 20



Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Avenue Healdsburg, CA 95448 Tel: 800-442-0455

Email: service@jacquardproducts.com

13. Disposal considerations

Disposal: Dispose in a safe manner in accordance with local / national regulations.

Completely empty contents of drums before discarding.

14. Transport information

Not classified as hazardous under transport regulations.

15. Regulatory information

Regulations of the European union (Labeling) / National legislation/Regulations The product does not require a hazard warning label in accordance with EC Directives.

16. Other information

Recommended uses: Dyes of this type can cause respiratory restrictions/sensitization in some individuals and it is advisable to avoid breathing aerosol and dust. Persons who suffer from asthmatic or breathing problems should not handle these dyes. Recipients of our product must take responsibility for observing existing laws and regulations.

Rupert, Gibbon & Spider, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. Rupert, Gibbon & Spider, Inc. makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall Rupert, Gibbon & Spider, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Page 20 of 20 Item Numbers: 01301-3719