

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

DYLON Fabric Dye Dark Brown 11

01313-8011

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Fabric Dyes

1.3. Details of the supplier of the safety data sheet

Henkel Ltd.

Betchworth House; 57-65 Station Road

RH1 1DL Redhill

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 (CLP):**

Eye Irrit. 2

H319 Causes serious eye irritation.

Skin Sens. 1

H317 May cause an allergic skin reaction.

2.2. Label elements**Label elements (CLP):****Hazard pictogram:****Signal word:**

Warning

Hazard statement:H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.**Precautionary statement:**P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with national regulation.

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 2 of 10

Contains:

C.I. Reactive Yellow 27,
 C.I. Reactive Blue 225,
 7-[(5-chloro-2,6-difluoro-4-pyrimidinyl)amino]-4-hydroxy-3-[(4-methoxy-2-sulphophenyl)azo]naphthalene-2-sulphonic acid, sodium salt,
 C.I. Reactive Black 5,
 C.I. Reactive Red 159,
 Everzol orange GR

2.3. Other hazards

None if used properly.

SECTION 3: Composition/information on ingredients**3.1. Substances****3.2. Mixtures****Hazardous substances according to CLP (EC) No 1272/2008:**

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 70- < 90 %	Serious eye irritation 2 H319
C.I. Reactive Yellow 27 75199-00-7	278-108-4		>= 1- < 5 %	Skin sensitizer 1B H317
C.I. Reactive Blue 225 108624-00-6			>= 1- < 5 %	Skin sensitizer 1 H317
7-[(5-chloro-2,6-difluoro-4-pyrimidinyl)amino]-4-hydroxy-3-[(4-methoxy-2-sulphophenyl)azo]naphthalene-2-sulphonic acid, sodium salt 85391-83-9	286-839-5		>= 0,1- < 1 %	Respiratory sensitizer 1B H334 Skin sensitizer 1B H317
C.I. Reactive Black 5 17095-24-8	241-164-5		>= 0,1- < 1 %	Skin sensitizer 1 H317 Respiratory sensitizer 1 H334
C.I. Reactive Red 159 83400-12-8	280-427-9		>= 0,1- < 1 %	Skin sensitizer 1B H317
Everzol orange GR 129009-88-7			>= 0,1- < 1 %	Skin sensitizer 1 H317

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 3 of 10

SECTION 4: First aid measures**4.1. Description of first aid measures**

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with shortness of breath.

After skin contact: Moderate to strong irritation of the skin (redness, swelling, burning), severe burns also possible.

After eye contact: Temporary irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may occur.

4.3. Indication of any immediate medical attention and special treatment needed

After inhalation: Inhalation may cause hyperacidity of the organism with following shortness of breath.

After eye contact: No special action.

After ingestion: In case of coughing or shortness of breath immediately call the rescue services.

After skin contact: If irritation persists, seek medical advice.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

Extinguishing media which must not be used for safety reasons:

None

MSDS-No.: 554941
V001.0

DYLON Fabric Dye Dark Brown 11

Page 4 of 10

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

5.3. Advice for firefighters

Use personal protective equipment and self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.
Ensure adequate ventilation.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove mechanically. Rinse away residue with plenty of water.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

No special measures required if used properly.

Hygiene measures:

Protective equipment only required in case of industrial use or for large packs (not for household packs)
Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water and soap, skin care.

7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C.
Consider national regulations.

7.3. Specific end use(s)

Fabric Dyes

MSDS-No.: 554941
V001.0

DYLON Fabric Dye Dark Brown 11

Page 5 of 10

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values.
Attention: general dust limit value 6 mg/m³ (fine dust concentration)

8.2. Exposure controls

Respiratory protection:
Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:
Wear tight fitting goggles.

Skin protection:
Protective clothing against chemicals. Observe manufacturer's instructions.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

The following data apply to the whole mixture.

- | | |
|--------------------------------------|--------------------------------------|
| a) Appearance | powder
free-flowing
dark brown |
| b) Odor | characteristic |
| c) Odour threshold | No data available / Not applicable |
| d) pH
(; Conc.: 10 % product
) | 11,45 |

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 6 of 10

e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	Not applicable
h) Evaporation rate	No data available / Not applicable
i) Flammability (solid , gas)	No data available / Not applicable
j) Upper / lower flammability or explosive limits	No data available / Not applicable
k) Vapour pressure	No data available / Not applicable
l) Vapor density	No data available / Not applicable
m) Relative density	
Bulk density	900,000 - 1.200,000 g/l
n) Solubility (ies)	Not applicable
o) Partition coefficient: n-octanol/water	No data available / Not applicable
p) Auto-ignition temperature	No data available / Not applicable
q) Decomposition temperature	No data available / Not applicable
r) Viscosity	No data available / Not applicable
s) Explosive properties	No data available / Not applicable
t) Oxidising properties	No data available / Not applicable

9.2. Other information

Not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

None if used for intended purpose.

10.2. Chemical stability

Stable under normal conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

No decomposition if used according to specifications.

MSDS-No.: 554941
V001.0

DYLON Fabric Dye Dark Brown 11

Page 7 of 10

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity:**

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified
C.I. Reactive Yellow 27 75199-00-7				
C.I. Reactive Blue 225 108624-00-6	LD50	> 5.000 mg/kg	rat	EU Method B.1 (Acute Toxicity (Oral))
7-[(5-chloro-2,6-difluoro-4- pyrimidinyl)amino]-4-hydroxy-3-[(4- methoxy-2-sulphophenyl)azo]naphthalene- 2-sulphonic acid, sodium salt 85391-83-9				
C.I. Reactive Black 5 17095-24-8	LD50	> 5.000 mg/kg	rat	OECD 401

Acute dermal toxicity:

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)
C.I. Reactive Yellow 27 75199-00-7				
Naphthalenesulfonic acid, sodium salt~ 85391-83-9				

Acute inhalative toxicity:

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
C.I. Reactive Yellow 27 75199-00-7					
7-[(5-chloro-2,6-difluoro-4- pyrimidinyl)amino]-4-hydroxy-3-[(4- methoxy-2-sulphophenyl)azo]naphthalene- 2-sulphonic acid, sodium salt					

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 8 of 10

85391-83-9					
------------	--	--	--	--	--

Skin corrosion/irritation:

Hazardous substances CAS-No.	Conclusion	Exposure time	Species	Method
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD 404
C.I. Reactive Blue 225 108624-00-6	not irritating	4 h	rabbit	OECD 404
C.I. Reactive Black 5 17095-24-8	not irritating	4 h	rabbit	OECD 404

Serious eye damage/irritation:

Hazardous substances CAS-No.	Conclusion	Exposure time	Species	Method
Sodium carbonate 497-19-8	irritating		rabbit	not specified
C.I. Reactive Blue 225 108624-00-6	not irritating		rabbit	OECD 405
C.I. Reactive Black 5 17095-24-8	not irritating		rabbit	not specified

Respiratory or skin sensitization:

Hazardous substances CAS-No.	Conclusion	Test type	Species	Method
C.I. Reactive Yellow 27 75199-00-7	sensitising	Guinea pig maximisation test	guinea pig	OECD 406
C.I. Reactive Blue 225 108624-00-6	sensitising	Guinea pig maximisation test	guinea pig	OECD 406
C.I. Reactive Black 5 17095-24-8	not sensitising	Guinea pig maximisation test	guinea pig	OECD 406
	ambiguous	Respiratory sensitisation	guinea pig	not specified

Germ cell mutagenicity:

Hazardous substances CAS-No.	Result	Type of study	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test
C.I. Reactive Blue 225 108624-00-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		Ames Test
	negative	DNA damage and	with and without		OECD 482

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 9 of 10

		repair assay, unscheduled DNA synthesis in mammalian cells in vitro			
C.I. Reactive Black 5 17095-24-8	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD 471
C.I. Reactive Black 5 17095-24-8	negative	oral: gavage		mouse	OECD 474
	negative	oral: gavage		hamster, Chinese	OECD 475

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 10 of 10

Repeated dose toxicity

Hazardous substances CAS-No.	Result/Value	Route of application	Exposure time / Frequency of treatment	Species	Method
C.I. Reactive Black 5 17095-24-8	NOAEL=250 mg/kg	oral: gavage	90 ddaily	rat	OECD 408

Reproductive toxicity:

Hazardous substances CAS-No.	Result / Classification	Species	Exposure time	Species	Method
C.I. Reactive Black 5 17095-24-8	NOAEL P = 1.000 mg/kg NOAEL F1 = 1.000 mg/kg	One generation study oral: gavage	10 w	rat	OECD 415

SECTION 12: Ecological information**12.1. Toxicity****Toxicity (Fish):**

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
C.I. Reactive Yellow 27 75199-00-7	LC50	> 100 mg/l	48 h	Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)
C.I. Reactive Black 5 17095-24-8	LC50	> 100 mg/l	96 h	Oryzias latipes	OECD Guideline 203 (Fish, Acute Toxicity Test)
	NOEC	>= 100 mg/l	14 d	Oryzias latipes	OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study)
C.I. Reactive Red 159 83400-12-8	LC50	> 100 mg/l	48 h	Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)
Everzol orange GR 129009-88-7	LC50	> 100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 11 of 10

Toxicity (Daphnia):

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
C.I. Reactive Yellow 27 75199-00-7	EC50	> 100 mg/l	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
C.I. Reactive Black 5 17095-24-8	EC50	748 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Everzol orange GR 129009-88-7	EC50	> 117,4 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Toxicity (Algae):

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)
C.I. Reactive Black 5 17095-24-8	EC50	25,5 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
	EC10	5,1 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Everzol orange GR 129009-88-7	EC50	> 100 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	EU Method C.3 (Algal Inhibition test)
	NOEC	13,1 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	EU Method C.3 (Algal Inhibition test)

12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Biodegradation	Method
C.I. Reactive Black 5 17095-24-8	not inherently biodegradable	aerobic	0 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
C.I. Reactive Red 159 83400-12-8	not inherently biodegradable	aerobic	< 10,000000 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
Everzol orange GR 129009-88-7	Not readily biodegradable.	aerobic	16 %	OECD Guideline 301 E (Ready biodegradability: Modified OECD Screening Test)

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 12 of 10

12.3. Bioaccumulative potential

Does not bioaccumulate.

12.4. Mobility in soil

Hazardous substances CAS-No.	LogPow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
C.I. Reactive Black 5 17095-24-8	-4,34				20 °C	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Everzol orange GR 129009-88-7	-0,5					EU Method A.8 (Partition Coefficient)

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

12.6. Other adverse effects

Other adverse effects of this product for the environment are not known to us.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

MSDS-No.: 554941
V001.0**DYLON Fabric Dye Dark Brown 11**

Page 13 of 10

SECTION 14: Transport information

- 14.1. UN number**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**
not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

MSDS-No.: 554941
V001.0

DYLON Fabric Dye Dark Brown 11

Page 14 of 10

SECTION 16: Other information

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

1 - 16

6/26/18