SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS Version 5.1 (07/04/2023) - Page 1/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OIL STICK PAYNE'S GREY Product code : N130125. N130128.703.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Paint for artist

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE.

Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19.

regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



\checkmark				
GHS07				
Signal Word :				
WARNING				
Product identifiers : EC 200-782-5	1,2-DIHYDROXYANTH	RAQUINONE		
Additional labeling :				
Hazard statements :				
H317	Ma	y cause an allergic skin reaction.		
H319	Ca	uses serious eye irritation.		
H412	Ha	rmful to aquatic life with long lasting effects.		
Precautionary statements - General :				
P101	If I	nedical advice is needed, have product container or label at hand.		
P102	Ke	ep out of reach of children.		
Precautionary statement	ts - Prevention :			
P272	Co	ntaminated work clothing should not be allowed out of the workplace.		
P280		ear protective gloves/protective clothing/eye protection/face otection/hearing protection/		

Item Numbers: 01526-2561

- Made under licence of European Label System MSDS software from InfoDyne - http://www.infodyne.fr - Page 1 of 9

Version 5.1 (07/04/2023) - Page 2/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

Precautionary statements - Response :

P321

MAX SAUER SAS

Specific treatment (see ... on this label). Precautionary statements - Disposal :

P501

Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	Classification (EC) 1272/2008	Note	%
CAS: 1333-86-4		[1]	1 <= x % < 2.5
EC: 215-609-9			
REACH: 01-2119384822-32-XXXX			
NOIR DE CARBONE			
CAS: 72-48-0	GHS05, GHS09, GHS07		1 <= x % < 2.5
EC: 200-782-5	Dgr		
	Skin Sens. 1, H317		
1,2-DIHYDROXYANTHRAQUINONE	Eye Dam. 1, H318		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 22646-99-9	GHS08	[2]	$0 \le x \% < 1$
	Wng		
ACIDE 2-ETHYLHEXANOIQUE, SEL DE	Repr. 2, H361d		
ZIRCONIUM			

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

Version 5.1 (07/04/2023) - Page 3/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 5.1 (07/04/2023) - Page 4/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1333-86-4	3 (I) mg/m3			A3		
- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :						
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1333-86-4	-	3.5	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1333-86-4	3.5 mg/m ³	7 mg/m ³				

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

Version 5.1 (07/04/2023) - Page 5/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties		
Physical state		
Physical state :	Solid.	
Colour		
Unspecified		
Odour		
Odour threshold :	Not stated.	
Melting point		
Melting point/melting range :	Not specified.	
Freezing point		
Freezing point / Freezing range :	Not stated.	
Boiling point or initial boiling point and boiling range		
Boiling point/boiling range :	Not specified.	
Flammability		
Flammability (solid, gas) :	Not stated.	
Lower and upper explosion limit		
Explosive properties, lower explosivity limit (%) :	Not stated.	
Explosive properties, upper explosivity limit (%) :	Not stated.	
Flash point		
Flash point interval :	Not relevant.	
Auto-ignition temperature		
Self-ignition temperature :	Not specified.	
Decomposition temperature		
Decomposition point/decomposition range :	Not specified.	
рН		
pH :	Not relevant.	
pH (aqueous solution) :	Not stated.	

Item Numbers: 01526-2561

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 5 of 9

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

OIL STICK PAYNE'S GREY - N130125. N130128.703

Kinematic viscosity		
Viscosity :	Not stated.	
Solubility		
Water solubility :	Insoluble.	
Fat solubility :	Not stated.	
Partition coefficient n-octanol/water (log value)		
Partition coefficient: n-octanol/water :	Not stated.	
Vapour pressure		
Vapour pressure (50°C) :	Not relevant.	
Density and/or relative density		
Density :	< 1	
Relative vapour density		
Vapour density :	Not stated.	
9.2. Other information		
No data available.		
9.2.1. Information with regard to physical hazard classes		
No data available.		
9.2.2. Other safety characteristics No data available.		
10.1. Reactivity		
No data available.		
10.2. Chemical stability		
This mixture is stable under the recommended handling and	storage conditions in section 7.	
10.3. Possibility of hazardous reactions		
•	e hazardous decomposition products, such as carbon monoxide a	
10.4. Conditions to avoid		
Avoid :		
- formation of dusts		
Dusts can form an explosive mixture with air.		
10.5. Incompatible materials		
No data available.		
10.6. Hazardous decomposition products		
The thermal decomposition may release/form :		
- carbon monoxide (CO)		
- carbon dioxide (CO2)		
SECTION 11 : TOXICOLOGICAL INFORMATION		
ECTION II : TUAICULUGICAL INFUKMATIUN		
11.1. Information on hazard classes as defined in Regulation	on (EC) No 1272/2008	
11.1. Information on hazard classes as defined in Regulation Exposure to vapours from solvents in the mixture in excess	ss of the stated occupational exposure limit may result in adver	
11.1. Information on hazard classes as defined in Regulation Exposure to vapours from solvents in the mixture in excess health effects such as mucous membrane and respiratory states nervous system.	on (EC) No 1272/2008 ss of the stated occupational exposure limit may result in adver system irritation and adverse effects on kidney, liver and centr zziness, fatigue, muscular asthenia and, in extreme cases, loss	
 11.1. Information on hazard classes as defined in Regulation Exposure to vapours from solvents in the mixture in excess health effects such as mucous membrane and respiratory senervous system. Symptoms produced will include headaches, numbness, di consciousness. 	ss of the stated occupational exposure limit may result in adver system irritation and adverse effects on kidney, liver and centre	
 11.1. Information on hazard classes as defined in Regulation Exposure to vapours from solvents in the mixture in excess health effects such as mucous membrane and respiratory an ervous system. Symptoms produced will include headaches, numbness, di consciousness. Repeated or prolonged contact with the mixture may cause contact dermatitis and absorption through the skin. 	ss of the stated occupational exposure limit may result in adver system irritation and adverse effects on kidney, liver and centr zziness, fatigue, muscular asthenia and, in extreme cases, loss se removal of natural oil from the skin resulting in non-allerg	
 11.1. Information on hazard classes as defined in Regulation Exposure to vapours from solvents in the mixture in excess health effects such as mucous membrane and respiratory an ervous system. Symptoms produced will include headaches, numbness, di consciousness. Repeated or prolonged contact with the mixture may cause contact dermatitis and absorption through the skin. 	ss of the stated occupational exposure limit may result in adver system irritation and adverse effects on kidney, liver and centr zziness, fatigue, muscular asthenia and, in extreme cases, loss se removal of natural oil from the skin resulting in non-allerg n which is totally reversible by the end of observation at 21 days	

May cause an allergic reaction by skin contact.

11.1.1. Substances

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 5.1 (07/04/2023) - Page 6/9

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 5.1 (07/04/2023) - Page 7/9

MAX SAUEI	R SAS

OIL STICK PAYNE'S GREY - N130125. N130128.703

Germ cell mutagenicity : 1,2-DIHYDROXYANTHRAQUINONE (CAS: 72-48-0) Positive. Mutagenesis (in vitro) : Species : Bacteria 11.1.2. Mixture No toxicological data available for the mixture. 11.2. Information on other hazards Monograph(s) from the IARC (International Agency for Research on Cancer) : CAS 1333-86-4 : IARC Group 2B : The agent is possibly carcinogenic to humans. SECTION 12 : ECOLOGICAL INFORMATION Harmful to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways. 12.1. Toxicity 12.1.1. Substances 1,2-DIHYDROXYANTHRAQUINONE (CAS: 72-48-0) LC50 = 1.1 mg/l Fish toxicity : Species : Oryzias latipes Duration of exposure : 48 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances 1,2-DIHYDROXYANTHRAQUINONE (CAS: 72-48-0) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. 12.3. Bioaccumulative potential No data available. 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB assessment No data available. 12.6. Endocrine disrupting properties No data available. 12.7. Other adverse effects No data available. German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 1 : Slightly hazardous for water. SECTION 13 : DISPOSAL CONSIDERATIONS Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC. 13.1. Waste treatment methods Do not pour into drains or waterways. Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 5.1 (07/04/2023) - Page 8/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 5.1 (07/04/2023) - Page 9/9

OIL STICK PAYNE'S GREY - N130125. N130128.703

Wording of the phrases mentioned in section	n 3 :		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H361d	Suspected of damaging the unborn child.		
H410	Very toxic to aquatic life with long lasting effects.		
Abbreviations and acronyms :			
LC50 : The concentration of a test substance	e resulting in 50% lethality in a given period.		
REACH : Registration, Evaluation, Authoriz	ation and Restriction of Chemical Substances.		
CMR: Carcinogenic, mutagenic or reprotoxi	c.		
STEL : Short-term exposure limit	STEL : Short-term exposure limit		
TWA : Time Weighted Averages			
TMP : French Occupational Illness table			
TLV : Threshold Limit Value (exposure)			
AEV : Average Exposure Value.			
ADR : European agreement concerning the international carriage of dangerous goods by Road.			
IMDG : International Maritime Dangerous Goods.			
IATA : International Air Transport Association.			
ICAO : International Civil Aviation Organisation			
RID : Regulations concerning the International carriage of Dangerous goods by rail.			
WGK : Wassergefahrdungsklasse (Water Hazard Class).			
GHS07 : Exclamation mark			
PBT: Persistent, bioaccumulable and toxic.			
vPvB : Very persistent, very bioaccumulable.			
SVHC : Substances of very high concern.			

Item Numbers: 01526-2561