Page 1 of 10

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS Version 6.1 (04/04/2023) - Page 1/10

OIL STICK CARMINE RED - N130125. N130128.635

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : OIL STICK CARMINE RED Product code : N130125. N130128.635. UFI : C69M-AYFT-1R0H-2858

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Paint for artist

**1.3.** Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr

**1.4. Emergency telephone number :** +**33 (0)1 45 42 59 59.** Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

#### SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).


Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Item Numbers: 01526-3151

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 1 of 10

## OIL STICK CARMINE RED - N130125. N130128.635

Precautionary statements - Response :
P305 + P351 + P338

5 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
)	Immediately call a POISON CENTER/doctor/
l	Specific treatment (see on this label).
l	Collect spillage.
autionary statements - Disposal :	

Dispose of contents/container to ...

## 2.3. Other hazards

P310 P321 P391 Precar P501

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

**Composition :** 

Composition.			
Identification	Classification (EC) 1272/2008	Note	%
CAS: 72-48-0	GHS05, GHS09, GHS07		2.5 <= x % < 10
EC: 200-782-5	Dgr		
	Skin Sens. 1, H317		
1,2-DIHYDROXYANTHRAQUINONE	Eye Dam. 1, H318		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 918-481-9	GHS08		2.5 <= x % < 10
REACH: 01-2119457273-39	Dgr		
	Asp. Tox. 1, H304		
HYDROCARBURES, C10-C13, N-ALCANES,	EUH:066		
ISOALCANES, CYCLIQUES <2%			
AROMATIQUES -			
CAS: 22646-99-9	GHS08	[2]	1 <= x % < 2.5
	Wng		
ACIDE 2-ETHYLHEXANOIQUE, SEL DE	Repr. 2, H361d		
ZIRCONIUM			
CAS: 68187-76-8	GHS07		1 <= x % < 2.5
EC: 269-123-7	Wng		
	Eye Irrit. 2, H319		
CASTOR OIL, SULFATED, SODIUM SALT	Aquatic Chronic 3, H412		

#### Information on ingredients :

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

# SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

## In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open. Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner. Watch out for any remaining product between skin and clothing, watches, shoes, etc.

Version 6.1 (04/04/2023) - Page 2/10

Version 6.1 (04/04/2023) - Page 3/10

## OIL STICK CARMINE RED - N130125. N130128.635

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed** No data available.

# SECTION 5 : FIREFIGHTING MEASURES

## Non-flammable.

#### 5.1. Extinguishing media

**Suitable methods of extinction** In the event of a fire, use :

- spraved water or water mist

#### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

No data available.

Version 6.1 (04/04/2023) - Page 4/10

## OIL STICK CARMINE RED - N130125. N130128.635

## SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

## Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

#### No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

# 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Item Numbers: 01526-3151

- Made under licence of European Label System & MSDS software from InfoDyne - http://www.infodyne.fr -

Page 4 of 10

Version 6.1 (04/04/2023) - Page 5/10

## OIL STICK CARMINE RED - N130125. N130128.635

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

- Butyl Rubber (Isobutylene-isoprene copolymer)

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Solid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.

Item Numbers: 01526-3151

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 5 of 10

OIL	STICK	CARMINE	RED -	N130125.	N130128.635

рН	
pH :	Not relevant.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	< 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard class	ses
No data available.	
9.2.2. Other safety characteristics	
No data available.	
ECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Avoid :

- formation of dusts

Dusts can form an explosive mixture with air.

#### 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## SECTION 11 : TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Exposure to vapours from solvents in the mixture in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system.

Symptoms produced will include headaches, numbness, dizziness, fatigue, muscular asthenia and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the mixture may cause removal of natural oil from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

AFETY DATA SHEET (REGULATION (EC) n° 1907/20	06 - REACH)	Version 6.1 (04/04/2023) - Page 7/10
AX SAUER SAS OIL STICK CARM	INE RED - N130125. N13012	8.635
May have irreversible effects on the eyes, such as the fully reversible by the end of observation at 21 days. Serious eye damage is typified by the destruction of a May cause an allergic reaction by skin contact.		
11.1.1. Substances		
Germ cell mutagenicity :		
1,2-DIHYDROXYANTHRAQUINONE (CAS: 7 Mutagenesis (in vitro) :	2-48-0) Positive. Species : Bacteria	
11.1.2. Mixture		
No toxicological data available for the mixture.		
11.2. Information on other hazards		
11.2. Information on other nazarus		
SECTION 12 : ECOLOGICAL INFORMATION		
Toxic to aquatic life with long lasting effects.		
The product must not be allowed to run into drains of	waterways.	
12.1. Toxicity		
12.1.1. Substances		
1,2-DIHYDROXYANTHRAQUINONE (CAS: 7 Fish toxicity :	2-48-0) LC50 = 1.1 mg/l Species : Oryzias latipes Duration of exposure : 48 h	
12.1.2. Mixtures		
No aquatic toxicity data available for the mixture.		
12.2. Persistence and degradability		
12.2.1. Substances		
1,2-DIHYDROXYANTHRAQUINONE (CAS: 7 Biodegradability :		able, the substance is considered as not degradi
<b>12.3. Bioaccumulative potential</b> No data available.		
<b>12.4. Mobility in soil</b> No data available.		
<b>12.5. Results of PBT and vPvB assessment</b> No data available.		
<b>12.6. Endocrine disrupting properties</b> No data available.		
<b>12.7. Other adverse effects</b> No data available.		
<b>German regulations concerning the classification of</b> WGK 2 : Hazardous for water.	hazards for water (WGK, Av	vSV Annex I, KBws) :
SECTION 13 : DISPOSAL CONSIDERATIONS		
Proper waste management of the mixture and/or its co <b>13.1. Waste treatment methods</b>	ontainer must be determined in	accordance with Directive 2008/98/EC.
Do not pour into drains or waterways.		

Item Numbers: 01526-3151

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 7 of 10

Version 6.1 (04/04/2023) - Page 8/10

# MAX SAUER SAS

OIL STICK CARMINE RED - N130125. N130128.635

## Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2020 [40-20] - ICAO/IATA 2023 [64]).

# 14.1. UN number or ID number

3077

# 14.2. UN proper shipping name

UN3077=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(1,2-dihydroxyanthraquinone)

14.3. Transport hazard class(es)

- Classification :



9

## 14.4. Packing group

III

## 14.5. Environmental hazards

- Environmentally hazardous material :



## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M7	III	9	90	5 kg	274 335 375	E1	3	-
							601			
Not subject to this regulation if Q $\leq 51/5$ kg (ADR 3.3.1 - DS 375)										
IMDG	Class	2°Label	Pack gr.	LO	EMS	Provis.	EO	Stowage	Segregation	

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
								Handling	
	9	-	III	5 kg	F-A. S-F	274 335 966	E1	Category A	-
				-		967 969		SW23	

Not subject to this regulation if Q <= 51/5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	956	400 kg	956	400 kg	A97 A158	E1
							-	A179 A197	
								A215	
	9	-	III	Y956	30 kg G	-	-	A97 A158	E1
								A179 A197	
								A215	

Not subject to this regulation if Q  $\leq 5 1 / 5 \text{ kg}$  (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

Item Numbers: 01526-3151

- Made under licence of European Label System  $\ensuremath{\textcircled{B}}$  MSDS software from InfoDyne - http://www.infodyne.fr -

Page 8 of 10

Version 6.1 (04/04/2023) - Page 9/10

## OIL STICK CARMINE RED - N130125. N130128.635

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG. Marine pollutant (IMDG 3.1.2.9):(1,2-dihydroxyanthraquinone)

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

#### **Container information:**

The mixture is contained in packaging that does not exceed 125 ml.

#### Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

## **Explosives precursors :**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

## **Particular provisions :**

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 2 : Hazardous for water.

#### 15.2. Chemical safety assessment

No data available.

#### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Abbreviations and acronyms :

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

Version 6.1 (04/04/2023) - Page 10/10

## OIL STICK CARMINE RED - N130125. N130128.635

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

 $v P v B: Very \ persistent, \ very \ bioaccumulable.$ 

SVHC : Substances of very high concern.