Version 4.1 (14/10/2022) - Page 1/7

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF T	HE SUBSTANCE/MIXTURE AND OF	THE COMPANY/UNDERTA	KING
1.1. Product identifier			
Product name : HUILE EXTRA FINE	PARCHEMIN_		
Product code : N130411.138.			
	stance or mixture and uses advised again	nst	
Paint for artist			
1.3. Details of the supplier of the safety			
Registered company name : MAX SAU			
Address : 2 rue Lamarck, CS30204.220			
Telephone : 00 33 (0)2 96 68 20 00.	Fax : 00 33 (0)2 96 61 77 19.		
regulatory.affairs@raphael.fr			
1.4. Emergency telephone number : +3			
Association/Organisation : INRS / ORI	FILA http://www.centres-antipoison.net.		
SECTION 2 : HAZARDS IDENTIFICA	TION		
2.1. Classification of the substance or n	nixture		
In compliance with EC regulation No.	1272/2008 and its amendments.		
Hazardous to the aquatic environment	- Chronic hazard, Category 3 (Aquatic Ch	ronic 3, H412).	
This mixture does not present a physi site.	cal hazard. Refer to the recommendation	s regarding the other products p	resent on the
2.2. Label elements			
In compliance with EC regulation No.	1272/2008 and its amendments.		
Additional labeling :			
Hazard statements :			
H412	Harmful to aquatic life with long	lasting effects.	
Precautionary statements - General :			
P101	If medical advice is needed, have	product container or label at har	ıd.
P102	Keep out of reach of children.		
Precautionary statements - Disposal :			
P501	Dispose of contents/container to		
2.3. Other hazards			
	es classified as 'Substances of Very High under article 57 of REACH: http://echa.eu		lished by the
The mixture fulfils neither the PBT regulations EC 1907/2006.	nor the vPvB criteria for mixtures in a	ccordance with annexe XIII of	the REACH
	es> = 0.1% with endocrine disrupting pr of the Commission or Regulation (EU) 20		criteria of the
SECTION 3 : COMPOSITION/INFORM	MATION ON INGREDIENTS		
3.2. Mixtures			
Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 7727-43-7		[1]	25 <= x % <
EC: 231-784-4 REACH: 01-2119491274-35-XXXX			
REACH. 01-21174712/4-3J-AAAA			
SULFATE DE BARYUM			

Version 4.1 (14/10/2022) - Page 2/7

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

CAS: 1332-58-7		[1]	25 <= x % < 50
EC: 310-127-6			
KAOLIN			
CAS: 13463-67-7		[1]	2.5 <= x % < 10
EC: 236-675-5	EUH:210-212		
REACH: 01-2119489379-17-XXXX			
DIOXYDE DE TITANE			
INDEX: 030-013-00-7	GHS09	[1]	1 <= x % < 2.5
CAS: 1314-13-2	Wng		
EC: 215-222-5	Aquatic Acute 1, H400		
	MAcute = 1		
ZINC OXIDE	Aquatic Chronic 1, H410		
	M Chronic = 1		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of swallowing :

Seek medical attention, showing the label.

- 4.2. Most important symptoms and effects, both acute and delayed
- No data available.
- **4.3. Indication of any immediate medical attention and special treatment needed** No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

- Do not breathe in smoke.
- In the event of a fire, the following may be formed :
- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Version 4.1 (14/10/2022) - Page 3/7

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]
7727-43-7	10 mg/m3					
1332-58-7	2 (E.R) mg/m3			A4		
13463-67-7	10 mg/m3			A4		
1314-13-2	2 (R) mg/m3	10 (R) mg/m3				
- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :						
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
1332-58-7	-	10	-	-	-	25
13463-67-7	-	10	-	-	-	-
1314-13-2	-	5	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
7727-43-7	4 mg/m ³					
1332-58-7	2 mg/m ³					
13463-67-7	4 mg/m ³					

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

MAX SAUER SAS

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 4.1 (14/10/2022) - Page 4/7

HUILE EXTRA FINE FARC	HEMIN N130411.138
Store personal protective equipment in a clean place, away from	n the work area.
Never eat, drink or smoke during use. Remove and wash conta ventilation, especially in confined areas.	aminated clothing before re-using. Ensure that there is adequate
- Eye / face protection	
Avoid contact with eyes.	
Use eye protectors designed to protect against liquid splashes	
Before handling, wear safety goggles in accordance with standa	ard EN166.
- Hand protection	
Use suitable protective gloves that are resistant to chemical age	nts in accordance with standard EN ISO 374-1.
Gloves must be selected according to the application and durati	on of use at the workstation.
Protective gloves need to be selected according to their suitab that may be handled, necessary physical protections (cutting, pr	
- Body protection	
Work clothing worn by personnel shall be laundered regularly.	
After contact with the product, all parts of the body that have be	een soiled must be washed.
ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES	
9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Viscous liquid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
pH	
pH :	Not relevant.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

Item Numbers: 01529-1013

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 4 of 7

AFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) IAX SAUER SAS	Version 4.1 (14/10/2022) - Page 5/
HUILE EXTRA FINE PARCHEM	IIN N130411.138
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	Not stated.
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classes	
No data available.	
9.2.2. Other safety characteristics	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling and storage	conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on hazard classes as defined in Regulation (EC)	No 1272/2008
No data available.	
11.1.1. Substances	
No toxicological data available for the substances.	
11.1.2. Mixture	
No toxicological data available for the mixture.	
11.2. Information on other hazards	
Monograph(s) from the IARC (International Agency for Research	
CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinoge	
CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinoge	enic to humans.
SECTION 12 : ECOLOGICAL INFORMATION	
Harmful to aquatic life with long lasting effects.	
The product must not be allowed to run into drains or waterways.	
12.1. Toxicity	
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	

No data available.

12.3. Bioaccumulative potential

Item Numbers: 01529-1013

- Made under licence of European Label System MSDS software from InfoDyne - http://www.infodyne.fr -

Page 5 of 7

Version 4.1 (14/10/2022) - Page 6/7

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
-

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2: The following regulations have been used:

The following regulations have been used.

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Version 4.1 (14/10/2022) - Page 7/7

HUILE EXTRA FINE PARCHEMIN_ - N130411.138

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 1 : Slightly hazardous for water.
- Swiss ordinance on the incentive tax on volatile organic compounds : 34590-94-8 2-(3-méthoxypropoxy)propane-1-ol
- 15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Abbreviations :

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.