BL 2.X.081

# 1. Identification of the product

<u>Identification of the product</u>: Couleurs extra-fines à l'huile – FLAKE WHITE

<u>Producer:</u> J. BLOCKX Fils S.A.

Le Tombeu, 10 B – 4550 Nandrin Tel: +32.85.41.11.62 Fax: +32.85.41.25.35

<u>Type of product</u>: Artists'colour

<u>Use</u>: Restricted to professional users

 Other:
 Packaging <= 125ml</th>

 Emergency phone nr :
 Belgique 0032 70 245 245

 UK 0044 870 600 6266

#### 2. Informations on ingredients

Composition	Value	n° CAS/n° EINECS/Index CE	Symbole(s)	Phrase(s)R
Trilead-bis (carbonate)	70-90%	1319-46-6 / 215-290-6 / 082-001-00-6	ΤN	61-20/22- 33
-dihydroxide				62-50/53

#### 3. Hazards identification

Risk Phrases: Harmful by inhalation and if swallowed.

Danger of cumulative effects.

May cause harm to the unborn child.

Possible risk of impaired fertility.

Symptoms relating to use

- Inhalation : Danger of serious damage to health by exposure through

inhalation.

- Skin contact : Repeated exposure to this material can result in absorption

through skin causing significant health hazard. Direct contact with the eyes is likely irritating.

- Ingestion : Severe ingestion hazard.

Dangerous effects for the environment : Very toxic to aquatic organisms, may cause long-term

adverse effects in the aquatic environment.

Note:: This product is considered to be hazardous and contains hazardous components (Directive 1999/45/EC).

## 4. First aid measures

First aid

- Eye contact:

- Inhalation : Assure fresh air breathing.

- Skin contact: Wash skin thoroughly with mild soap and water.

- Eye contact : Rinse immediately with plenty of water.

- Ingestion : Rinse mouth with water. If swallowed seek medical advice

immediately and show this container or label.

# J. BLOCKX Fils S.A.

Poison Inform. Center -Tel.: 070/245.245

Le Tombeu, 10 – 4550 Nandrin Belgique Tél.: +32.85.41.11.62

ltem Numbers: 01574-1110, 01574-1114 Page 1 of 4

FLAKE WHITE – Oil colour	BL 2.X.081	
	Supersedes: 14/12/2015	
MATERIAL SAFETT DATA SHEET	Date: 15/02/2018	
MATERIAL SAFETY DATA SHEET	Révision n°: 4	
	Page: 2/4	

5. Fire – fighting measures

Prevention: Avoid contact with: Fluorine (F). Extinguishing media: All extinguishing media can be used.

Surrounding fires: Use water spray or fog for cooling exposed containers. Special exposure hazards: When heated to decomposition, emits dangerous fumes.

(PbO)

Protection against fire: Do not enter fire area without proper protective equipment,

including respiratory protection.

Special procedures: Exercise caution when fighting any chemical fire. Avoid

(reject) fire-fighting water to enter environment.

6. Accidental release measures

Personal precautions: Equip cleanup crew with proper protection.

Environmental precautions: Prevent entry to sewers and public waters. Notify authorities

if product enters sewers or public waters.

After spillage and/or leakage: Clean up any spills as soon as possible, using an absorbent

material to collect it. Use suitable disposal containers.

7. Handling and storage

Precautions in handling and storage: Handle in accordance with good industrial hygiene and

safety procedures.

Storage: Keep only in the original container in a cool, well ventilated

place.

Handling This material or its emissions may affect pregnancy and/or

foetus development. Do not breathe gas, fumes, vapour or spray. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving

work.

8. Exposure controls / personal protection

Personal protection: This material or its emissions may affect pregnancy and/or

foetus development.

- Respiratory protection If skin contact or contamination of clothing is likely,

protective clothing should be worn. Wear a mask if sanding

of blasting.

- Eye protection : Eye protection should only be necessary where liquid could

be splashed or sprayed.

- Ingestion : When using, do not eat, drink or smoke.

Industrial hygiene: Either local exhaust or general room ventilation is usually

required.

Exposure controls

- Belgium (AR 11.03.02 - M.B. 14.03.2002) : trilead-bis(carbonate)-dihydroxide : TLV = 0.15 mg/m3

J. BLOCKX Fils S.A.

Poison Inform, Center -Tel.: 070/245.245

Le Tombeu, 10 – 4550 Nandrin Belgique Tél.: +32.85.41.11.62

Item Numbers: 01574-1110, 01574-1114 Page 2 of 4

# 

#### 9. Physical and chemical properties

Physical state: Viscous liquid.

 Colour :
 White.

 Odour :
 Oil.

 Melting point [°C] : :
 400 °C

 Density :
 3,7

 Solubility in water [g/100 ml] :
 Negligible.

#### 10. Stability and reactivity

Hazardous reactions: Stable.

Materials to avoid: Fluorine (F). May cause fire.

#### 11. Toxicological information

On product: This product is considered to be hazardous and contains hazardous components

(Directive 1999/45/EC).

Rat oral LD50 [mg/kg]: 2000

#### 12. Ecological information

On product: Toxic to aquatic life.

#### 13. Disposal considerations

<u>Disposal</u>: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container at hazardous or special waste collection point (container park). EURAL: 08 01 11.

#### 14. Transport information

ADR/RID: LQ (UN 3082)

# 15. Regulatory information

Symbol(s): Toxic. Dangerous for the environment.

R Phrase(s): R20/22 - Harmful by inhalation and if swallowed. R33 - Danger of cumulative

effects. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R61 - May cause harm to the unborn child. R62

- Possible risk of impaired fertility.

S Phrase(s) S01/02 - Keep locked up and out of reach of children. S36/37 - Wear suitable

protective clothing and gloves. S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). S53 - Avoid exposure - obtain special instructions before use. S61 - Avoid release to the environment.

Refer to special instructions/Safety data sheets.

Contains:: Warning! Contains lead.

Restricted to professional users.

J. BLOCKX Fils S.A.

Poison Inform. Center -Tel.: 070/245.245

Le Tombeu, 10 – 4550 Nandrin Belgique Tél. : +32.85.41.11.62

FLAKE WHITE – Oil colour	BL 2.X.081	
	Date: 15/02/2018 Supersedes: 14/12/2015	
MATERIAL SAFETY DATA SHEET	Révision n°: 4	
	Page: 4/4	

## 16. Other information

<u>Further information</u>: Specifications and technical information on the product may be obtained from your supplier.

The contents and format of this MSDS are in accordance with EEC Commission Directive 2001/58/EC.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document

Item Numbers: 01574-1110, 01574-1114 Page 4 of 4