Version 5.2 (20/12/2022) - Page 1/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Artist acrylics auxiliaries : high viscosity modeling paste
Product code : FDS095.
See list of references in appendix.
UFI : 56A0-90DV-P000-QEDQ
1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints & Varnishes for artists

1.3. Details of the supplier of the safety data sheet

Registered company name : PEBEO SAS. Address : CS 10106 .13881.GEMENOS CEDEX.FRANCE. Telephone : 33 (0) 4.42.32.08.08. Fax : 33 (0) 4.42.32.01.70. reglementation@pebeo.com www.pebeo.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

United Kingdom : 0870 600 6266 Ireland : 01 809 25 66

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :EUH208Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.EUH208Contains REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Version 5.2 (20/12/2022) - Page 2/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition : Identification	(EC) 1272/2008		Note	%
INDEX: 603-098-00-9	GHS07		[1]	$0 \le x \% \le 1$
CAS: 122-99-6	Wng		[-]	
EC: 204-589-7	Acute Tox. 4, H302			
REACH: 01-2119488943-21-0000	Eye Irrit. 2, H319			
2-PHENOXYETHANOL				
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		[1]	0 <= x % < 0.012
CAS: 2634-33-5	Dgr			
EC: 220-120-9	Acute Tox. 4, H302			
REACH: 01-2120761540-60	Skin Irrit. 2, H315			
	Eye Dam. 1, H318			
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317			
	Aquatic Acute 1, H400			
	MAcute = 1			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	-	В	$0 \le x \% < 0.0004$
CAS: 55965-84-9	Dgr		[1]	
	Acute Tox. 3, H301			
REACTION MASS OF	Acute Tox. 2, H310			
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-O	Skin Corr. 1C, H314			
NE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE	Skin Sens. 1A, H317			
(3:1)	Eye Dam. 1, H318			
	Acute Tox. 2, H330			
	Aquatic Acute 1, H400			
	M Acute = 100			
	Aquatic Chronic 1, H410			
	M Chronic = 100			
	EUH:071			
Specific concentration limits:				
Identification	Specific concentration limits	ATE		

specific concentration mints.	-	-
Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
INDEX: 613-167-00-5	Skin Corr. 1C: H314 C>= 0.6%	
CAS: 55965-84-9	Skin Irrit. 2: H315 0.06% <= C < 0.6%	
	Eye Dam. 1: H318 C>= 0.6%	
REACTION MASS OF	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-O	Skin Sens. 1A: H317 C>= 0.0015%	
NE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE		
(3:1)		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

Version 5.2 (20/12/2022) - Page 3/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

	of splashes or contact with eyes : aghly with fresh, clean water for 15 minutes holding the eyelids open.				
In the event of	of splashes or contact with skin :				
In the event	In the event of an allergic reaction, seek medical attention. n the event of swallowing :				
In the event of					
In the event doctor.	t of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult				
Keep the pe	rson exposed at rest. Do not force vomiting.				
Seek medica	al attention, showing the label.				
If swallowe	d accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.				
4.2. Most imp	portant symptoms and effects, both acute and delayed				
No data ava	ilable.				
4.3. Indicatio	n of any immediate medical attention and special treatment needed				
No data ava	ilable.				
SECTION 5 : I	FIREFIGHTING MEASURES				
Non-flamma	able.				
5.1. Extinguis	shing media				
Suitable met	hods of extinction				
In the event	of a fire, use :				
- sprayed wa	ater or water mist				
- foam					
- multipurpo	ose ABC powder				
- BC powde	r				
- carbon dio	xide (CO2)				
Unsuitable m	nethods of extinction				
In the event	of a fire, do not use :				
- water jet					
5.2. Special h	azards arising from the substance or mixture				
A fire will o	ften produce a thick black smoke. Exposure to decomposition products may be hazardous to health.				
Do not breat	the in smoke.				
In the event	of a fire, the following may be formed :				
- carbon mo	noxide (CO)				
- carbon dio	xide (CO2)				
5.3. Advice for	or firefighters				
No data ava	ilable				

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

Version 5.2 (20/12/2022) - Page 4/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME :	VME :	Excess	Notes	
122-99-6		1 ppm		1(I)	
		5.7 mg/m ³			
- Canada / Ontario (Control of expos	sure to biologica	al or chemical ag	gents, regulatior	n 491/2009) :
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
122-99-6	25 ppm				
	141 mg/m3				
- Finland (HTP-värd	en 2018) :				
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
122-99-6	20 ppm	50 ppm			
	110 mg/m ³	290 mg/m ³			
- Malaysia :					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
122-99-6	25 ppm	-	-	-	-
- Netherlands / MAC	C-waarde (10 de	cember 2014) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
55965-84-9	0.05 mg/m3	-	-	-	-

Version 5.2 (20/12/2022) - Page 5/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

- Poland (Dz. U. z 2018 r. poz. 917, 1000 i 1076) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
122-99-6	230 mg/m ³				
- Switzerland (Suva	2021):				
CAS	VME	VLE	Valeur plafond	Notations	
122-99-6	20 ppm	20 ppm			
	110 mg/m ³	110 mg/m ³			
55965-84-9	0.2 ppm	0.4 ppm			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Paste.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not relevant.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not relevant.

ltem Numbers: 01610-1010, 01610-1019, 01610-1052 - Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 5.2 (20/12/2022) - Page 6/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	
Decomposition temperature Decomposition point/decomposition range :	Not relevant.
pH	
pH (aqueous solution) :	Not stated.
pH :	8.80 .
pir.	Slightly basic.
Kinematic viscosity	Slightly busic.
Viscosity :	Not stated.
-	Not stated.
Solubility Water solubility :	Dilutable.
Fat solubility :	Not stated.
-	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	1.63
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
VOC (g/l) :	45.96
9.2.1. Information with regard to physical hazard classes	
No data available.	
9.2.2. Other safety characteristics	
No data available.	
ECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling and st	torage conditions in section 7.
10.3. Possibility of hazardous reactions	C .
-	hazardous decomposition products, such as carbon monoxide ar
10.4. Conditions to avoid	
Avoid :	
- frost	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	

The thermal decomposition may release/form :

- carbon monoxide (CO)

Item Numbers: 01610-1010, 01610-1019, 01610-1052 - Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 5.2 (20/12/2022) - Page 7/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

11.2. Information on other hazards

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 140-88-5 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 100-42-5 : IARC Group 2A : The agent is probably carcinogenic to humans.

CAS 79-06-1 : IARC Group 2A : The agent is probably carcinogenic to humans.

CAS 141-32-2 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 7631-86-9 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 79-10-7 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 13463-67-7 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 9003-01-4 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

- 12.2. Persistence and degradability
- No data available.
- 12.3. Bioaccumulative potential
- No data available.
- 12.4. Mobility in soil
- No data available.
- 12.5. Results of PBT and vPvB assessment
- No data available.
- 12.6. Endocrine disrupting properties
- No data available.
- 12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

PEBEO SAS

Version 5.2 (20/12/2022) - Page 8/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) : 20 01 27 * paint, inks, adhesives and resins containing dangerous substances

15 01 02 plastic packaging

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Version 5.2 (20/12/2022) - Page 9/9

Artist acrylics auxiliaries : high viscosity modeling paste - FDS095

H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
Abbreviations :	
REACH : Registration, Evaluation, Auth	orization and Restriction of Chemical Substances.
UFI : Unique formulation identifier.	
STEL : Short-term exposure limit	
TWA : Time Weighted Averages	
TMP : French Occupational Illness table	
TLV : Threshold Limit Value (exposure)	
AEV : Average Exposure Value.	
ADR : European agreement concerning t	he international carriage of dangerous goods by Road.
IMDG : International Maritime Dangerou	us Goods.
IATA : International Air Transport Assoc	ciation.
ICAO : International Civil Aviation Orga	anisation
RID : Regulations concerning the Interna	ational carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

Référence	Désignation Référence
521950	ARTIST ACRYL MODELING PASTE 1L
521900	ARTIST ACRYL MODEL.PAST 500ML