

01655-XXXX



SAFETY DATA SHEET

5/4/2021

SECTION I - IDENTIFICATION

Material Name

UTRECHT STUDIO SERIES ACRYLIC COLORS
(Please see last pages for SKU information)

Company Information

Utrecht Manufacturing LLC
4014 1st Ave
Brooklyn, NY 11232
Phone: 800-223-9132
Fax: 800-382-1979
Email: info@utrecht.com

For transportation emergencies only call 1-800-223-9132

For health emergencies call the Poison Control Center: 1-800-222-1222

SECTION II - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Acute toxicity, Oral (Category 4), H302
Acute toxicity, Inhalation (Category 4), H332
Germ cell mutagenicity - Category 2
Carcinogenicity - Category 1B
Reproductive Toxicity - Category 2
Specific Target Organ Toxicity - Repeated or Prolonged Exposure - Category 1
Hazardous to the Aquatic Environment - Chronic - Category 4
Eye Irritation - Category 2
Hazardous to the Aquatic Environment - Chronic - Category 3

GHS Label Elements

Symbol(s)



Signal Word(s)

Warning

Hazard Statement(s)

Causes damage to organs. Causes serious eye irritation. Harmful to aquatic life with long lasting effects May cause cancer.

May cause long lasting harmful effects to aquatic life Suspected of causing genetic defects. Suspected of damaging fertility. Suspected of damaging the unborn child.

H302 + H332 Harmful if swallowed or if inhaled.
 H360 May damage fertility or the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.
 Precautionary statement(s)

Precautionary Statement(s)

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.
 P405 Store locked up.
 P501 Dispose of contents/ container to an approved waste disposal plant.

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Store locked up.

Response

Get medical advice/attention. Get medical advice/attention if you feel unwell. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. IF exposed or concerned: Get medical advice/ attention.

SECTION III - HAZARDOUS INGREDIENTS

| <u>Hazardous Ingredients</u> | <u>CAS/EC #</u> | <u>PEL/TLV (MG/M#)</u> | <u>Max % Weight</u> | <u>NTP</u> | <u>IARC</u> |
|------------------------------|-----------------|----------------------------|-------------------------|------------|-------------|
| LEAD | 7439-92-1 | 0.05 | 0.00260 | Y | Y |

SECTION IV - FIRST AID MEASURES

FIRST AID MEASURES: If swallowed, get prompt medical attention.

SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

AUTOIGNITION TEMPERATURE: N/A

SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: When mixing or handling dry material, use NIOSH-certified mask for dusts or mists.
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED
WORK/HYGIENE PRACTICES: Do not spray apply.
ENGINEERING CONTROLS: **KEEP OUT OF REACH OF CHILDREN.**

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A
VAPOR PRESSURE: N/A
SPECIFIC VAPOR DENSITY (AIR=1): N/A
SOLUBILITY IN WATER: N/A

MELTING POINT: N/A
FLASH POINT (METHOD): N/A
SPECIFIC GRAVITY: N/A
REACTIVITY IN WATER: NON-REACTIVE

SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A
STABILITY: STABLE CONDITIONS TO AVOID: N/A
INCOMPATIBILITY (MATERIALS TO AVOID): N/A
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and smoke

SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: MAY BE HARMFUL IF SWALLOWED.

The summated LD50 is 21735 mg/kg.
The summated LC50 is 15553 mg/cubic meter.
This product is considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

SECTION XII - ECOLOGICAL INFORMATION

HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:
SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:
AMORPHOUS SILICA
COPPER PHTHALOCYANINE
OCTYLPHENOXYPOLYETHOXYETHANOL
PROPYLENE GLYCOL

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

WARNING: MAY BE HARMFUL IF SWALLOWED.
Contains: LEAD

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.
FIRST AID TREATMENT: If swallowed, get prompt medical attention.

SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

LAST REVISION DATE: 05/04/2021

Prepared by Duke OEM Toxicology

COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

| Product Color | SKU | Hazardous Ingredient |
|----------------------------|-----|----------------------|
| 6203 DEEP BLACK | | (NONE) |
| 6225 LEMON YELLOW HUE | | (NONE) |
| 6231 MEDIUM ORANGE | | (NONE) |
| 6243 MEDIUM RED | | (NONE) |
| 6247 CRIMSON | | (NONE) |
| 6251 ULTRAMARINE BLUE | | (NONE) |
| 6254 PHTHALO BLUE | | (NONE) |
| 6267 PHTHALO GREEN | | (NONE) |
| 6275 RED VIOLET DEEP | | (NONE) |
| 6281 YELLOW OCHRE | | (NONE) |
| 6284 BURNT SIENNA | | (NONE) |
| 6288 BURNT UMBER | | LEAD |
| 6297 NEUTRAL GRAY | | (NONE) |
| 6299 BUFF WHITE | | (NONE) |
| 6311 TITANIUM WHITE | | (NONE) |
| 6313 YELLOW GREEN | | (NONE) |
| 6315 LIGHT BLUE | | (NONE) |
| 6317 MEDIUM YELLOW | | (NONE) |
| 6319 MEDIUM GREEN | | (NONE) |
| 6321 RED DEEP | | (NONE) |
| 6323 LIGHT PINK | | (NONE) |
| 6682 CADMIUM RED LIGHT HUE | | (NONE) |
| 6683 NAPLES YELLOW HUE | | (NONE) |
| 6685 PRIMARY RED | | (NONE) |
| 6686 MED MAGENTA | | (NONE) |
| 6687 BRILLIANT PURPLE | | (NONE) |
| 6689 BRIGHT AQUA GREEN | | (NONE) |
| 6690 CERULEAN BLUE | | (NONE) |
| 6691 PRIMARY BLUE | | (NONE) |
| 6692 SILVER | | (NONE) |
| 6693 GOLD | | (NONE) |
| 6694 RAW SIENNA | | (NONE) |

BRAND NAMES

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

| Brand Name | SKU | SKU Description |
|--------------------------------------|------------|--------------------------------|
| UTRECHT STUDIO SERIES ACRYLIC COLORS | 10203 | S.SERIES ACR DEEP BLACK PT |
| | 10225 | S.SERIES ACR LEM YEL HUE QT |
| | 10231 | S.SERIES ACR MED ORANGE QT |
| | 10243 | S.SERIES ACR MEDIUM RED QT |
| | 10247 | S.SERIES ACR CRIMSON QT |
| | 10251 | S.SERIES ACR ULTRA BLUE QT |
| | 10254 | S.SERIES ACR PHTHALO GRN QT |
| | 10267 | S.SERIES ACR PHTHALO BLUE QT |
| | 10275 | S.SERIES ACR RED VIOLET DP QT |
| | 10281 | S.SERIES ACR YELLOW OCHRE QT |
| | 10284 | S.SERIES ACR BURNT SIENNA QT |
| | 10288 | S.SERIES ACR BURNT UMBER QT |
| | 10297 | S.SERIES ACR NEUTRAL GRAY QT |
| | 10299 | S.SERIES ACR BUFF WHITE QT |
| | 10311 | S.SERIES ACR Titanium WHITE QT |
| | 10313 | S.SERIES ACR YELLOW GREEN QT |
| | 10315 | S.SERIES ACR LT BLUE QT |
| | 10317 | S.SERIES ACR MED YELLOW QT |
| | 10319 | S.SERIES ACR MED GREEN QT |
| | 10321 | S.SERIES ACR RED DEEP QT |
| | 10323 | S.SERIES LIGHT PINK QT |
| | 10335 | S.SERIES ACR Gold QT |
| | 10342 | S.SERIES ACR Silver QT |
| | 10343 | S.SERIES ACR Cad Red Lt Hue QT |
| | 10382 | S.SERIES ACR Napl Yell Hue QT |
| | 10383 | S.SERIES ACR Raw Sienna QT |
| | 10385 | S.SERIES ACR Primary Red QT |
| | 10386 | S.SERIES ACR Med Magenta QT |
| | 10387 | S.SERIES ACR Brill Purple QT |

| Brand Name | SKU | SKU Description |
|-------------------|------------|-----------------------------------|
| | 10389 | S.SERIES ACR Brt Aqua Grn QT |
| | 10390 | S.SERIES ACR Cerul Blue Hue QT |
| | 10391 | S.SERIES ACR Primary Blue QT |
| | 4311 | S.SERIES ACR Titanium WHITE GL |
| | 5203 | S.SERIES ACR DEEP BLACK GAL |
| | 6203 | S.SERIES ACR DEEP BLACK PT |
| | 6225 | S.SERIES ACR LEM YEL HUE PT |
| | 6231 | S.SERIES ACR MED ORANGE PT |
| | 6243 | S.SERIES ACR MEDIUM RED PINT |
| | 6247 | S.SERIES ACR CRIMSON PINT |
| | 6251 | S.SERIES ACR ULTRA BLUE PT |
| | 6254 | S.SERIES ACR PHTHALO BLUE PT |
| | 6267 | S.SERIES ACR PHTHALO GRN PT |
| | 6275 | S.SERIES ACR RED VIOLET DP PT |
| | 6281 | S.SERIES ACR YELLOW OCHRE PINT |
| | 6284 | S.SERIES ACR BURNT SIENNA PT |
| | 6288 | S.SERIES ACR BURNT UMBER PT |
| | 6297 | S.SERIES ACR NEUTRAL GRAY PT |
| | 6299 | S.SERIES ACR BUFF WHITE PINT |
| | 6311 | S.SERIES ACR Titanium WHITE PT |
| | 6313 | S.SERIES ACR YEL GRN PINT |
| | 6315 | S.SERIES ACR LT BLUE PT |
| | 6317 | S.SERIES ACR MED YELLOW PINT |
| | 6319 | S.SERIES ACR MED GREEN PINT |
| | 6321 | S.SERIES ACR RED DEEP PINT |
| | 6323 | S.SERIES ACR LT.PINK PT |
| | 6335 | S.SERIES ACR Gold PT |
| | 6342 | S.SERIES ACR Silver PT |
| | 6343 | S.SERIES ACR Cad Red Lt Hue PT |
| | 6382 | S.SERIES ACR Napl Yell Hue Pt |
| | 6383 | S.SERIES ACR Raw Sienna PT |
| | 6385 | S.SERIES ACR Primary Red PT |
| | 6386 | S.SERIES ACR Med Magenta PT |
| | 6387 | S.SERIES ACR Brill Purple PT |

| Brand Name | SKU | SKU Description |
|-------------------|------------|-----------------------------------|
| | 6389 | S.SERIES ACR Brt Aqua Grn PT |
| | 6390 | S.SERIES ACR Cerul Blue Hue PT |
| | 6391 | S.SERIES ACR Primary Blue PT |
| | 6603 | S.SERIES ACR DEEP BLACK 237ML |
| | 6611 | S.SERIES ACR Titanium WHITE 237ML |
| | 6613 | S.SERIES ACR YEL GRN 237ML |
| | 6615 | S.SERIES ACR LT BLUE 237ML |
| | 6617 | S.SERIES ACR MED YELLOW 237ML |
| | 6619 | S.SERIES ACR MED GREEN 237ML |
| | 6621 | S.SERIES ACR RED DEEP 237ML |
| | 6623 | S.SERIES ACR LT. PINK 237ML |
| | 6625 | S.SERIES ACR LEM YEL HUE 237ML |
| | 6631 | S.SERIES ACR MED ORANGE 237ML |
| | 6643 | S.SERIES ACR MEDIUM RED 237ml |
| | 6647 | S.SERIES ACR CRIMSON 237ML |
| | 6651 | S.SERIES ACR ULTRA BLUE 237ML |
| | 6654 | S.SERIES ACR PHTHALO BLUE 237ML |
| | 6667 | S.SERIES ACR PHTHALO GRN 237ML |
| | 6675 | S.SERIES ACR RED VIOLET DP 237ML |
| | 6681 | S.SERIES ACR YELLOW OCHRE 237ML |
| | 6682 | S.SERIES ACR Cad Red Lt Hue 237ml |
| | 6683 | S.SERIES ACR Napl Yell Hue 237ml |
| | 6684 | S.SERIES ACR BURNT SIENNA 237ML |
| | 6685 | S.SERIES ACR Primary Red 237ml |
| | 6686 | S.SERIES ACR Med Magenta 237ML |
| | 6687 | S.SERIES ACR Brill Purple 237ML |
| | 6688 | S.SERIES ACR BURNT UMBER 237ML |
| | 6689 | S.SERIES ACR Brt Aqua Grn 237ml |
| | 6690 | S.SERIES ACR Cerul Blue Hue 237ml |
| | 6691 | S.SERIES ACR Primary Blue 237ML |
| | 6692 | S.SERIES ACR Silver 237ml |
| | 6693 | S.SERIES ACR Gold 237ml |

| Brand Name | SKU | SKU Description |
|-------------------|------------|----------------------------------|
| | 6694 | S.SERIES ACR Raw Sienna 237ml |
| | 6697 | S.SERIES ACR NEUT.GRAY 237ML |
| | 6699 | S.SERIES ACR BUFF WHITE 237ML |