Version 2.1 (04/06/2020) - Page 1/7

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

ECTION 1 : IDENT	IFICATION OF THE	SUBSTANCE/MIXTURE ANI	O OF THE COMPAN	Y/UNDERT	TAKING
1.1. Product identif	ier				
Product name : AB	STRACT LINER GÉNÉ	RIQUE/GENERIC			
Product code : N12	21301. N121301.G.	-			
1.2. Relevant identi	fied uses of the substand	ce or mixture and uses advised	against		
Paint for artist			0		
1.3. Details of the su	pplier of the safety dat	a sheet			
Registered company	y name : MAX SAUER	SAS.			
Address : 2 rue La	narck, CS30204.22000.5	Saint Brieuc.FRANCE.			
Telephone : 00 33	(0)2 96 68 20 00. Fax	: 00 33 (0)2 96 61 77 19.			
regulatory.affairs@	raphael.fr				
1.4. Emergency tele	phone number : +33 (0)	1 45 42 59 59.			
· ·		http://www.centres-antipoison	.net.		
		• •			
	RDS IDENTIFICATIO				
2.1. Classification o	f the substance or mixt	ıre			
In compliance with	EC regulation No. 1272	2/2008 and its amendments.			
May produce an al	lergic reaction (EUH208).			
This mixture does site.	not present a physical h	nazard. Refer to the recommend	ations regarding the o	ther products	s present on the
This mixture does conditions of use.	not present an environ	mental hazard. No known or f	oreseeable environmen	ntal damage	under standard
2.2. Label elements					
In compliance with	EC regulation No. 1272	2/2008 and its amendments.			
Additional labeling	8				
EUH208		ZISOTHIAZOL-3(2H)-ONE. M	ay produce an allergic	reaction.	
EUH208		E OF: 5-CHLORO-2-METHYL OTHIAZOL-3-ONE [EC NO. 22		-	-
EUH208		YL-2H-ISOTHIAZOLE-3-ONE			ergre reaction.
Precautionary state			5 F		
P101		If medical advice is needed,	have product containe	r or label at l	hand.
P102		Keep out of reach of childre	1		
2.3. Other hazards		r			
	not contain substances c	assified as 'Substances of Very	High Concern' (SVH0	2 >= 0.1% r	ublished by the
		er article 57 of REACH: http://ec			
•		the vPvB criteria for mixtures	•		
regulations EC 190		· · · · · · · · · · · · · · · · · · ·			
ECTION 3 : COMP	OSITION/INFORMAT	TION ON INGREDIENTS			
3.2. Mixtures					
Composition :					
entification		(EC) 1272/2008		Note	%
AS: 1317-65-3				[1]	$10 \le x \%$

Composition .			
Identification	(EC) 1272/2008	Note	%
CAS: 1317-65-3		[1]	10 <= x % < 25
EC: 215-279-6			1
REACH: exemption annexe V			1 1
			1
CARBONATE DE CALCIUM NATUREL			
			·

Item Numbers: 01692-1009, 01692-1022, 01692-2042, 0162

Version 2.1 (04/06/2020) - Page 2/7

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

CAS: 107-21-1	GHS07, GHS08	[1]	$2.5 \le x \% \le 10$
EC: 203-473-3	Wng		$2.3 \le x = x = 10$
REACH: 01-2119456816-28-XXXX	Acute Tox. 4, H302		
REACH. 01-2119450810-28-AAAA	STOT RE 2, H373		
MONOETHYLENE GLYCOL	5101 KE 2, 11375		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	$0 \le x \% \le 1$
CAS: 2634-33-5	Dgr	[1]	$0 \leq x / 0 \leq 1$
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
REACH. 01-2120/01540-00-XXXX	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
1,2-BENZISOTTIAZOL-3(211)-ONE	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 55965-84-9	GHS06, GHS05, GHS09		$0 \le x \% \le 1$
CAS: 55905-84-9			$0 \le x \% < 1$
MIXTURE OF:	Dgr Acute Tox. 3. H301		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-			
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.			
220-239-6] (3:1)	Eye Dam. 1, H318		
	Acute Tox. 3, H331		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 2682-20-4	GHS06, GHS05, GHS09	[1]	0 <= x % < 1
EC: 220-239-6	Dgr		
	Acute Tox. 3, H301		
2-METHYL-2H-ISOTHIAZOLE-3-ONE	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1A, H317		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	MAcute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Version 2.1 (04/06/2020) - Page 3/7

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- European Union (2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

107-21-1 52 20 104 40 Peau	CAS	VME-mg/m3:	v ME-ppm :	vLE-mg/m3:	VLE-ppm:	Notes :
	107-21-1	52	20	104	40	Peau

Item Numbers: 01692-1009, 01692-1022, 01692-2042, 0162

Version 2.1 (04/06/2020) - Page 4/7

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

- ACGIH TLV (Am	erican Conferen	ce of Governme	ental Industrial H	Hygienists, Thre	shold Limit Va	lues, 2010) :	
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :		
107-21-1	-	-	100	-	-]	
- Germany - AGW (BAuA - TRGS	900, 08/08/2019	9):				
CAS	VME :	VME :	Excess	Notes			
107-21-1		10 ppm		2(Î TM)			
		26 mg/m ³					
- France (INRS - EE	984 / 2019-148	(7):					
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :]
1317-65-3	-	10	-	-	-	-	
107-21-1	20	52	40	104	*	84	-
- UK / WEL (Workp	lace exposure l	imits, EH40/200	05, 2011) :				
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]	
1317-65-3	- ppm	- ppm					
	4 mg/m ³	- mg/m ³					
107-21-1	20 ppm	40 ppm]	
	52 mg/m^3	104 mg/m ³					

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties General information : Physical state : Viscous liquid. Important health, safety and environmental information pH : Not stated. Slightly basic.

Item Numbers: 01692-1009, 01692-1022, 01692-2042, 01692-2042, 01692-4752, 0162

FETY DATA SHEET (REGULATION (EC) n° 1907/2006 - I	REACH) Version 2.1 (04/06/2020) - Page 5/7
AX SAUER SAS ABSTRACT LINER GÉNÉRIQU	JE/GENERIC - N121301. N121301.G
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Dilutable.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling and	d storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
 10.6. Hazardous decomposition products The thermal decomposition may release/form : - carbon monoxide (CO) - carbon dioxide (CO2) 	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects No data available.	
11.1.1. Substances	
Acute toxicity :	
CARBONATE DE CALCIUM NATUREL (CAS: 1317	(65.3)
	50 > 2000 mg/kg
Spe	ecies : Rat (recommended by the CLP)
11.1.2. Mixture	
Respiratory or skin sensitisation :	
Contains at least one sensitising substance. May cause an a	llergic reaction.
Monograph(s) from the IARC (International Agency for D CAS 7631-86-9 : IARC Group 3 : The agent is not classifia	
¥ C	
SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity	
12.1.1. Substances	
	(65.2)
CARBONATE DE CALCIUM NATUREL (CAS: 1317	
CARBONATE DE CALCIUM NATUREL (CAS: 1317 Fish toxicity : LC:	50 > 10000 mg/l ccies : Oncorhynchus mykiss
CARBONATE DE CALCIUM NATUREL (CAS: 1317 Fish toxicity : LC: Spe	50 > 10000 mg/l

Item Numbers: 01692-1009, 01692-1022, 01692-2042, 0162

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 2.1 (04/06/2020) - Page 6/7 MAX SAUER SAS

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

Species : Daphnia magna Duration of exposure : 48 h

Algae toxicity :

ECr50 > 200 mg/l Species : Desmodesmus subspicatus Duration of exposure : 72 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

CARBONATE DE CALCIUM NATUREL (CAS: 1317-65-3) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

- 14.5. Environmental hazards

Version 2.1 (04/06/2020) - Page 7/7

ABSTRACT LINER GÉNÉRIQUE/GENERIC - N121301. N121301.G

14.6. Special precautions for user

SECTION 15 : REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:
- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)
- Container information:
- No data available.
- Particular provisions : No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
- 15.2. Chemical safety assessment
- No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

- IMDG : International Maritime Dangerous Goods.
- IATA : International Air Transport Association.
- ICAO : International Civil Aviation Organisation
- RID : Regulations concerning the International carriage of Dangerous goods by rail.
- WGK : Wassergefahrdungsklasse (Water Hazard Class).
- PBT: Persistent, bioaccumulable and toxic.
- vPvB : Very persistent, very bioaccumulable.
- SVHC : Substances of very high concern.