# Tr #01750 - OLD HOLLAND OIL MED Picture Varnish glossy

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 24-10-21 Revision date: 20-09-21 Supersedes version of: 28-06-18 Version: 4.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Picture Varnish glossy

Product code : 1112

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Varnish

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Old Holland Classic Colours Since 1664 Nijendal 36 3972 KC Driebergen Rijsenburg Nederland

T 0031 343 518 224 - F 0031 343 516 342 info@oldholland.com - www.oldholland.com

### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Netherlands	Nationaal Vergiftigingen Informatie Centrum	Huispostnummer B.00.118 Postbus 85500 3508 GA Utrecht	+31 88 755 80 00	Only for the purpose of informing medical personnel in cases of acute intoxications

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Skin corrosion/irritation, Category 2

H315

Specific target organ toxicity — Single exposure, Category 3, Narcosis

Specific target organ toxicity — Single exposure, Category 3, Respiratory

tract irritation

Specific target organ toxicity — Repeated exposure, Category 1

H372

Aspiration hazard, Category 1

H304

Hazardous to the aquatic environment — Chronic Hazard, Category 2

H411

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May be fatal if swallowed and enters airways. Highly flammable liquid and vapour. Causes skin irritation. Causes damage to organs through prolonged or repeated exposure. May cause drowsiness or dizziness. May cause respiratory irritation.

20-09-21 (Revision date) EN (English) 1/17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Contains : Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%),

Hydrocarbons, C9, aromatics

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H335 - May cause respiratory irritation. H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours, mist, spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P301+P310+P331 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER. Do

NOT induce vomiting. P391 - Collect spillage.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) substance with a Community workplace exposure limit	CAS-No.: 64742-82-1 EC-No.: 265-185-4 EC Index-No.: 649-330-00-2 REACH-no: 01-2119458049- 33	< 70	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Muta. Not classified Carc. Not classified STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C9, aromatics	CAS-No.: 64742-95-6 EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	20 – 25	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

20-09-21 (Revision date) EN (English) 2/17

Item Numbers: 01750-1601 Page 2 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (NL)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	1 – 2	Flam. Liq. 2, H225
acetone; propan-2-one; propanone substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	0,01 – 0,25	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
methanol substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	0,01 – 0,25	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307-	( 3 ≤C < 10) STOT SE 2, H371 ( 10 ≤C < 100) STOT SE 1, H370	

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have

product container or label at hand. Immediately call a POISON CENTER or doctor. First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial

respiration if necessary. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact Wash with water and soap. Take off immediately all contaminated clothing. If skin irritation

or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. First-aid measures after ingestion

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects May cause drowsiness or dizziness.

Symptoms/effects after inhalation May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. Repeated exposure may cause skin dryness or cracking.

: Risk of lung oedema. Symptoms/effects after ingestion

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

20-09-21 (Revision date) EN (English)

Page 3 of 17 Item Numbers: 01750-1601

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Hazardous decomposition products in case of fire : For further information, refer to section 10 : "Stability and Reactivity".

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Prevent fire fighting water from entering the environment.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid

contact with skin and eyes. Do not breathe vapours, mist, spray.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8:

"Exposure controls/personal protection".

Emergency procedures : Ventilate area

### 6.2. Environmental precautions

Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Sweep or shovel spills into appropriate container

for disposal. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

# SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Concerning personal protective equipment to use, see item 8. Provide good ventilation in

process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Do not

breathe vapours, mist, spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash contaminated clothing before reuse.

20-09-21 (Revision date) EN (English) 4/17

Item Numbers: 01750-1601 Page 4 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Explosion-free electrical equipment and lighting with earth. Ground/bond container and

receiving equipment.

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed

when not in use. Store locked up. Store in a well-ventilated place. Keep cool. Keep

container tightly closed.

: Strong bases. Strong acids. Strong oxidation agent.

Heat and ignition sources : Keep away from heat and direct sunlight. ignition sources.

### 7.3. Specific end use(s)

Incompatible products

Solvent.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) (64742-82-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	White spirit Type 1	
IOEL TWA	116 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	290 mg/m³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin. (Year of adoption 2007)	
Regulatory reference	SCOEL Recommendations	
acetone; propan-2-one; propanone (67-64-1)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Acetone	
IOEL TWA	1210 mg/m³	
IOEL TWA [ppm]	500 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
Netherlands - Occupational Exposure Limits		
Local name	Aceton	
TGG-8u (OEL TWA)	1210 mg/m³	
TGG-15min (OEL STEL)	2420 mg/m³	
Regulatory reference	Arbeidsomstandighedenregeling 2021	
ethanol; ethyl alcohol (64-17-5)		
Netherlands - Occupational Exposure Limits		
Local name	Ethanol	
TGG-8u (OEL TWA)	260 mg/m³	
TGG-15min (OEL STEL)	1900 mg/m³	

20-09-21 (Revision date) EN (English) 5/17

Item Numbers: 01750-1601 Page 5 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ethanol; ethyl alcohol (64-17-5)	
Remark	Kankerverwekkende stof. H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Regulatory reference	Arbeidsomstandighedenregeling 2021
methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA	260 mg/m³
IOEL TWA [ppm]	200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Netherlands - Occupational Exposure Limits	
Local name	Methanol
TGG-8u (OEL TWA)	133 mg/m³
Remark	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een H-aanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Regulatory reference	Arbeidsomstandighedenregeling 2021

### 8.1.2. Recommended monitoring procedures

No additional information available

# 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

# 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

# Personal protective equipment:

Gloves. Safety glasses. Approved respirator.

### Personal protective equipment symbol(s):







# 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses. EN 166

20-09-21 (Revision date) EN (English) 6/17

Item Numbers: 01750-1601 Page 6 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. CEN: EN 340; EN 369; EN 465

### Hand protection:

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves, Disposable gloves	Polyvinylchloride (PVC), Nitrile rubber (NBR)	6 (> 480 minutes)	≥0.11		EN ISO 374

### 8.2.2.3. Respiratory protection

### Respiratory protection:

Wear respiratory protection. EN 143

Respiratory protection			
Device Filter type Condition Standard			Standard
Approved respirator	Type P1	Vapour protection, Protection for Liquid particles	EN 143

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product. Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Colourless.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Not available
Explosive limits	:	Not available
Lower explosive limit (LEL)	:	Not available
Upper explosive limit (UEL)	:	Not available
Flash point	:	Not available
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	Not available
Viscosity, kinematic	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50 °C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20 °C	:	Not available

20-09-21 (Revision date) EN (English) 7/17

Item Numbers: 01750-1601 Page 7 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Particle size Not applicable Particle size distribution Not applicable Particle shape : Not applicable Particle aspect ratio Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable : Not applicable Particle specific surface area Particle dustiness : Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions of use. Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

Keep away from heat and direct sunlight. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

Strong bases. Strong acids. Strong oxidation agent.

# 10.6. Hazardous decomposition products

Combustion generates: Carbon oxides (CO, CO2).

### **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) (64742-82-1)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	6200 mg/kg	
LD50 dermal rabbit	20000 mg/kg	
LC50 Inhalation - Rat (Vapours)	95,6 mg/l/4h	
Hydrocarbons, C9, aromatics (64742-95-6)		
LD50 oral rat	3592 mg/kg	

20-09-21 (Revision date) EN (English) 8/17

Item Numbers: 01750-1601 Page 8 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH negulation (EC) 1907/2006 affection by negulation (EC) 2020/676			
Hydrocarbons, C9, aromatics (64742-95-6)			
LD50 dermal rabbit	> 3160 mg/kg		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: May cause drowsiness or dizziness. May cause respiratory irritation.		
Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) (64742-82-1)			
STOT-single exposure	May cause drowsiness or dizziness.		
acetone; propan-2-one; propanone (67-64-	1)		
STOT-single exposure	May cause drowsiness or dizziness.		
methanol (67-56-1)			
STOT-single exposure	Causes damage to organs.		
Hydrocarbons, C9, aromatics (64742-95-6)			
STOT-single exposure	May cause drowsiness or dizziness. May cause respiratory irritation.		
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.		
Hydrocarbons, C9-C12, n-alkanes, iso-alka	nes, cyclic, aromatic compounds (16.3%) (64742-82-1)		
STOT-repeated exposure	Causes damage to organs (central nervous system) through prolonged or repeated		

STOT-repeated exposure	Causes damage to organs (central nervous system) through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

# 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Other information : Risk of aspiration pneumonia

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

(Chronic)			
Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) (64742-82-1)			
EC50 - Crustacea [1] 7,8 g/l			
EC50 - Other aquatic organisms [1]	3,59 g/l		
ethanol; ethyl alcohol (64-17-5)	ethanol; ethyl alcohol (64-17-5)		
LC50 - Fish [1]	8140 mg/l 48 h		
EC50 - Crustacea [1] 9268 – 14221 mg/l 48 h			
EC50 - Crustacea [2]	65 mg/l 72 h		
ErC50 algae	1450 mg/l 8 d		

20-09-21 (Revision date) EN (English)

Page 9 of 17 Item Numbers: 01750-1601

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hydrocarbons, C9, aromatics (64742-95-6)	
LC50 - Fish [1] 9,2 mg/l	
EC50 - Crustacea [1]	3,2 mg/l
ErC50 algae	2,6 – 2,9 mg/l
NOEC chronic fish	1,23 mg/l

### 12.2. Persistence and degradability

Picture Varnish glossy	
Persistence and degradability Not established.	
ethanol; ethyl alcohol (64-17-5)	
Biochemical oxygen demand (BOD) 0,9 – 1,67 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	94 % ThOD

### 12.3. Bioaccumulative potential

Picture Varnish glossy	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

### **Picture Varnish glossy**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations Additional information

- : Dispose in a safe manner in accordance with local/national regulations.
- : Handle empty containers with care because residual vapours are flammable. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. Flammable vapours may accumulate in the container.
- Ecology waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1263	UN 1263	UN 1263	UN 1263	UN 1263

20-09-21 (Revision date) EN (English) 10/17

Item Numbers: 01750-1601 Page 10 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.2. UN proper shipping	l α name			
PAINT / PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%))	PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%))	Paint (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%))	PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%))	PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%))
Transport document descri	iption			
UN 1263 PAINT / PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%)), 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS  UN 1263 PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%)), 3, II, ENVIRONMENTALLY HAZARDOUS  UN 1263 PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%)), 3, II, ENVIRONMENTALLY HAZARDOUS  UN 1263 PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%)), 3, II, ENVIRONMENTALLY HAZARDOUS  UN 1263 PAINT RELATED MATERIAL (CONTAINS; Hydrocarbons, C9-C12, n- alkanes, iso-alkanes, cyclic, aromatic compounds (2- 25%)), 3, II, ENVIRONMENTALLY HAZARDOUS				
14.3. Transport hazard o	class(es)			
3	3	3	3	3
<b>(1)</b>		<b>№ ¥</b> 2	<b>1 1 1 1 1 1 1 1 1 1</b>	
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: No	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available			1

# 14.6. Special precautions for user

# Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 163, 367, 640D, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20
Hazard identification number (Kemler No.) : 33

Hazard identification number (Kemler No.) : 33
Orange plates :

33 1263

20-09-21 (Revision date) EN (English) 11/17

Item Numbers: 01750-1601 Page 11 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tunnel restriction code (ADR) : D/E

Transport by sea

Special provisions (IMDG) : 163, 367
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire): F-EEmS-No. (Spillage): S-EStowage category (IMDG): B

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

MFAG-No : 127;128

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L

Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 640C, 650

 Limited quantities (ADN)
 : 5 L

 Excepted quantities (ADN)
 : E2

 Equipment required (ADN)
 : PP, EX, A

 Ventilation (ADN)
 : VE01

 Number of blue cones/lights (ADN)
 : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 163, 367, 640C, 650

Excepted quantities (RID) : E2
Packing instructions (RID) : P001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID): L1.5BNTransport category (RID): 2Colis express (express parcels) (RID): CE7Hazard identification number (RID): 33

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

20-09-21 (Revision date) EN (English) 12/17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (RE	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on		
Picture Varnish glossy; Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%); acetone; propan-2-one; propanone; ethanol; ethyl alcohol; methanol; Hydrocarbons, C9, aromatics			
Picture Varnish glossy; Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%); acetone; propan-2-one; propanone; methanol; Hydrocarbons, C9, aromatics			
3(c) Picture Varnish glossy; Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%); Hydrocarbons, C9, aromatics			
40.	Picture Varnish glossy; Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%); acetone; propan-2-one; propanone; ethanol; ethyl alcohol; methanol; Hydrocarbons, C9, aromatics		
69. methanol			

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name		Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code	
Acetone	67-64-1	2914 11 00	ex 3824 99 92	

Please see https://ec.europa.eu/home-affairs/system/files/2021-05/list\_of\_competent\_authorities\_and\_national\_contact\_points\_en.pdf

### Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5a FLAMMABLE LIQUIDS  — Flammable liquids, Category 1, or  — Flammable liquids Category 2 or 3 maintained at a temperature above their boiling point, or  — Other liquids with a flash point ≤ 60 °C, maintained at a temperature above their boiling point	10	50
P5b FLAMMABLE LIQUIDS  — Flammable liquids Category 2 or 3 where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards, or  — Other liquids with a flash point ≤ 60 °C where particular processing conditions, such as high pressure or high temperature, may create major-accident hazards	50	200
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500

20-09-21 (Revision date) EN (English) 13/17

Item Numbers: 01750-1601 Page 13 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### Netherlands

: Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds SZW-lijst van kankerverwekkende stoffen

(16.3%), ethanol; ethyl alcohol are listed

SZW-lijst van mutagene stoffen : Hydrocarbons, C9-C12, n-alkanes, iso-alkanes, cyclic, aromatic compounds (16.3%) is

listed

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling

ethanol; ethyl alcohol is listed : ethanol; ethyl alcohol is listed

: ethanol; ethyl alcohol is listed

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	SDS EU format	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.1	Adverse physicochemical, human health and environmental effects	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after eye contact	Modified	
4.2	Symptoms/effects after skin contact	Modified	
5.1	Suitable extinguishing media	Modified	
5.2	Hazardous decomposition products in case of fire	Modified	
5.3	Protection during firefighting	Modified	
5.3	Firefighting instructions	Added	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	
6.1	Emergency procedures	Added	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
7.2	Incompatible products	Modified	

20-09-21 (Revision date) EN (English) 14/17

Page 14 of 17 Item Numbers: 01750-1601

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
8.2	Skin and body protection	Modified	
8.2	Other information	Modified	
10.1	Reactivity	Modified	
10.3	Possibility of hazardous reactions	Modified	
10.4	Conditions to avoid	Modified	
10.6	Hazardous decomposition products	Modified	
12.2	Persistence and degradability	Added	
12.3	Bioaccumulative potential	Added	
13.1	Waste disposal recommendations	Added	
13.1	Additional information	Modified	
16	Data sources	Modified	
16	Abbreviations and acronyms	Modified	

Abbreviations	and acronyms:	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CAS	CAS (Chemical Abstracts Service) number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
	CMR: Carcinogeen, Mutageen, Reprotoxisch	
	CSA: Chemical Safety Assessment	
	CSR: Chemical Safety Report	
DNEL	Derived-No Effect Level	
	EC50: Median Effective Concentration (required to induce a 50% effect)	
	EINECS: European Inventory of Existing Commercial Chemical Substances	
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals	
	IATA: International Air Transport Association	
	IMDG: International Maritime Code for Dangerous Goods	
	LC50: Lethal concentration, 50 percent	
	LD50: Lethal dose, 50 percent	
PBT	Persistent Bioaccumulative Toxic	
	PNEC: Predicted No Effect Concentration (for environment)	
	REACH: Registration, Evaluation and Authorisation of Chemical substances	
	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
	SVHC: Substances of Very High Concern	
vPvB	Very Persistent and Very Bioaccumulative	
SDS	Safety Data Sheet	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	

20-09-21 (Revision date) EN (English) 15/17

Page 15 of 17 Item Numbers: 01750-1601

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:			
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
PBT	Persistent Bioaccumulative Toxic		
vPvB	Very Persistent and Very Bioaccumulative		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
LC50	Median lethal concentration		
LD50	Median lethal dose		
CAS	CAS (Chemical Abstracts Service) number		
	EG-nr.: EINECS- en ELINCS-number		
	EINECS: European Inventory of Existing Commercial Substances		
	OEL: Occupational Exposure Limit		

Data sources

Other information

- : ECHA (European Chemicals Agency). according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.
- : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).

Full text of H- and EUH-statements:			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. Not classified	Carcinogenicity Not classified		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H301	Toxic if swallowed.		
H304	May be fatal if swallowed and enters airways.		

20-09-21 (Revision date) EN (English) 16/17

Item Numbers: 01750-1601 Page 16 of 17

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H335	May cause respiratory irritation.		
H336	May cause drowsiness or dizziness.		
H370	Causes damage to organs.		
H371	May cause damage to organs.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
Muta. Not classified	Germ cell mutagenicity Not classified		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1		
STOT SE 1	Specific target organ toxicity — single exposure, Category 1		
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2		
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 2	H225	Calculation method		
Skin Irrit. 2	H315	Calculation method		
STOT SE 3	H336	Calculation method		
STOT SE 3	H335	Calculation method		
STOT RE 1	H372	Calculation method		
Asp. Tox. 1	H304	Expert judgment		
Aquatic Chronic 2	H411	Calculation method		

The classification complies with

: ATP 12

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl

20-09-21 (Revision date) EN (English) 17/17

Item Numbers: 01750-1601 Page 17 of 17