Version 13.1 (16/06/2022) - Page 1/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

SAFETY DATA SHEET (REACH regulation (EC) n° 1907/2006 - n° 2020/878) SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product identifier Product name : AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ Product code : N131501.309. UFI: KVDC-HDJ2-RR00-TT0X 1.2. Relevant identified uses of the substance or mixture and uses advised against Paint for artist 1.3. Details of the supplier of the safety data sheet Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr 1.4. Emergency telephone number : +33 (0)1 45 42 59 59. Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net. SECTION 2 : HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture In compliance with EC regulation No. 1272/2008 and its amendments. Skin sensitisation, Category 1 (Skin Sens. 1, H317). This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use. 2.2. Label elements In compliance with EC regulation No. 1272/2008 and its amendments. Hazard pictograms : GHS07 Signal Word : WARNING Product identifiers : PHENACITE BLEU DE SILICATE DE ZINC ET DE COBALT EC 270-208-6 Hazard statements : H317 May cause an allergic skin reaction. Precautionary statements - General : P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Precautionary statements - Prevention : P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ ... Precautionary statements - Response : P321 Specific treatment (see ... on this label). Page 1 of 9 Item Numbers: 01755-5384, 01755-5385 - Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 13.1 (16/06/2022) - Page 2/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

P362 + P364

MAX SAUER SAS

Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal : P501

Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

3.2. Mixtures

omposition	

(EC) 1272/2008	Note	%
GHS07		25 <= x % < 50
Wng		
Skin Sens. 1, H317		
	[1]	10 <= x % < 25
	[1]	10 <= x % < 25
GHS07	[1]	1 <= x % < 2.5
Wng		
Acute Tox. 4, H302		
GHS08, GHS06, GHS05, GHS09	[2]	$0 \le x \% < 1$
Dgr		
Repr. 1B, H360D		
Acute Tox. 2, H330		
Acute Tox. 3, H301		
STOT RE 1, H372		
Eye Dam. 1, H318		
Aquatic Acute 1, H400		
MAcute = 1000		
Aquatic Chronic 1, H410		
M Chronic $= 10$		
	Wng Skin Sens. 1, H317 GHS07 Wng Acute Tox. 4, H302 GHS08, GHS06, GHS05, GHS09 Dgr Repr. 1B, H360D Acute Tox. 2, H330 Acute Tox. 3, H301 STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 1000 Aquatic Chronic 1, H410	GHS07 Wng Skin Sens. 1, H317 [1] [1] [1] GHS07 [1] Wng [1] GHS07 [1] Wng [1] GHS07 [1] Wng [1] Acute Tox. 4, H302 [1] GHS08, GHS06, GHS05, GHS09 [2] Dgr Repr. 1B, H360D Acute Tox. 2, H330 Acute Tox. 3, H301 STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 1000 Mquatic Chronic 1, H410 [1]

Specific concentration limits:		
Identification	Specific concentration limits	ATE
INDEX: 613-333-00-7		inhalation: ATE = $0.14 \text{ mg/l } 4\text{h}$
CAS: 13463-41-7		(dust/mist)
EC: 236-671-3		oral: ATE = 221 mg/kg BW
PYRITHIONE ZINC		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 13.1 (16/06/2022) - Page 3/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

Version 13.1 (16/06/2022) - Page 4/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
471-34-1	10 mg/m3	-	-	-	-	
56-81-5	10 mg/m3					
- Germany - AGW (BAuA - TRGS	900, 08/08/2019	9):			
CAS	VME :	VME :	Excess	Notes]	
56-81-5		200 E mg/m ³		2 (I)]	
111-46-6		10 ppm		4(II)]	
		44 mg/m ³				
- France (INRS - EI	0984 / 2020-154	46) :				
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
471-34-1	-	10	-	-	-	-
56-81-5	-	10	-	-	-	-
- UK / WEL (Work	place exposure l	imits, EH40/20	05, Fourth Edit	ion 2020) :		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]
471-34-1	10 mg/m3	-	-	-	TI	
56-81-5	10 mg/m ³					
111-46-6	23 ppm					
	101 mg/m ³					

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 13 MAX SAUER SAS AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

Version 13.1 (16/06/2022) - Page 5/9

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas. - Eye / face protection Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes Before handling, wear safety goggles in accordance with standard EN166. - Hand protection Wear suitable protective gloves in the event of prolonged or repeated skin contact. Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1. Gloves must be selected according to the application and duration of use at the workstation. Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended : - Natural latex - Body protection Avoid skin contact. Wear suitable protective clothing. Suitable type of protective clothing : In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact. In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed. - Respiratory protection Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 : - A1 (Brown) SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES 9.1. Information on basic physical and chemical properties

Physical state	
Physical state :	Viscous liquid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%) :	Not stated.
Explosive properties, upper explosivity limit (%) :	Not stated.
Flash point	
Flash Point :	101.00 °C.

- Made under licence of European Label System $\mbox{\sc MSDS}$ software from InfoDyne - http://www.infodyne.fr -

Page 5 of 9

6 - REACH) Version 13.1 (16/06/2022) - Page 6/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

Auto-ignition temperature	Not an alfa d
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
pH	
pH :	Not stated.
	Slightly basic.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Dilutable.
Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	> 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard classe	s
No data available.	
9.2.2. Other safety characteristics	
No data available.	
ECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling a	and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
ECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on hazard classes as defined in Regula	ation (EC) No 1272/2008
May cause an allergic reaction by skin contact.	
11.1.1. Substances	

11.1.1. Substances

Acute toxicity :

PYRITHIONE ZINC (CAS: 13463-41-7)

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

ETY DATA SHEET (REGULATION (EC) n° 1907/20	006 - REACH) Version 13.1 (16/06/2022) - Page 7/9
SAUER SAS AOUARELLE EXTRA FINE 1	BLEU DE COBALT FONCÉ - N131501.309
Oral route :	LD50 = 221 mg/kg
Inhalation route (Dusts/mist) :	LC50 = 0.14 mg/l Duration of exposure : 4 h
GLYCEROL (CAS: 56-81-5) Oral route :	LD50 > 27200 mg/kg Species : Rat
Dermal route :	LD50 > 10000 mg/kg
CARBONATE DE CALCIUM (CAS: 471-34-1) Oral route :	LD50 > 2000 mg/kg Species : Rat (recommended by the CLP)
11.1.2. Mixture No toxicological data available for the mixture.	
Monograph(s) from the IARC (International Agency CAS 67-63-0 : IARC Group 3 : The agent is not class CAS 64-17-5 : IARC Group 1 : The agent is carcinog	sifiable as to its carcinogenicity to humans.
CTION 12 : ECOLOGICAL INFORMATION	
ECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.1. Substances	
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5)	
12.1. Toxicity 12.1.1. Substances	EC50 mg/l Duration of exposure : 96 h
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5)	
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity :	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity :	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity :	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda
12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances GLYCEROL (CAS: 56-81-5) 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : Five-day biochemical oxygen demand : 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days DCO = 1.16 g/g DBO5 = 0.87 g/g
 12.1. Toxicity 12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : Crustacean toxicity : Algae toxicity : 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : Five-day biochemical oxygen demand : Biodegradability : 	Duration of exposure : 96 h EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days DCO = 1.16 g/g DBO5 = 0.87 g/g

Page 7 of 9

Version 13.1 (16/06/2022) - Page 8/9

AQUARELLE EXTRA FINE BLEU DE COBALT FONCÉ - N131501.309

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 2 : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:
- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:
- The mixture is contained in packaging that does not exceed 125 ml.
- **Particular provisions :** No data available.

78-93-3 butanone (méthyléthylcétor 67-63-0 propane-2-ol (alcool isopro 15.2. Chemical safety assessment No data available. SECTION 16 : OTHER INFORMATION Since the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than t instructions. It is at all times the responsibility of the user to t regulations. The information in this safety data sheet must be reand not as a guarantee of the properties thereof. Wording of the phrases mentioned in section 3 : H301 H302 Harr H317 May H318 Cause H360D May H372 Cause H400 Very	of hazards for water (W rganic compounds : it d'alcools impropres à l popylique) by us, the information s munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life.	/GK, AwSV vom 18/04/2017, KBws) : a consommation (art. 31 de la loi fédérale sur l'alcool) supplied on this safety data sheet is based on our a 1 without having first obtained written handling ares to comply with legal requirements and local of the safety requirements relating to the mixture action. d. ough prolonged or repeated exposure . h long lasting effects.
WGK 2 : Hazardous for water Swiss ordinance on the incentive tax on volatile or 64-17-5éthanol, seulement s'il s'ag 78-93-3butanone (méthyléthylcétor 67-63-0propane-2-ol (alcool isopro15.2. Chemical safety assessment No data available.SECTION 16 : OTHER INFORMATIONSince the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than t instructions.It is at all times the responsibility of the user to t regulations.The information in this safety data sheet must be re and not as a guarantee of the properties thereof.Wording of the phrases mentioned in section 3 : H301H302Harr H317May H318H300Fata H360DMay H410Very H410Very KAbbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization at 	rganic compounds : it d'alcools impropres à l pylique) by us, the information s munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	a consommation (art. 31 de la loi fédérale sur l'alcool) supplied on this safety data sheet is based on our a 1 without having first obtained written handling res to comply with legal requirements and local of the safety requirements relating to the mixture action. d. ough prolonged or repeated exposure . h long lasting effects.
64-17-5éthanol, seulement s'il s'ag78-93-3butanone (méthyléthylcétor67-63-0propane-2-ol (alcool isopro 15.2. Chemical safety assessment No data available.SECTION 16 : OTHER INFORMATIONSince the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than t instructions.It is at all times the responsibility of the user to t regulations.The information in this safety data sheet must be re and not as a guarantee of the properties thereof.Wording of the phrases mentioned in section 3 : H301H302Harr H317H317May H318H360DMay H372H400Very H410Very H410Very Kabbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance that REACH : Registration, Evaluation, Authorization at EACH : Registration, Evaluation, Authorization at 	it d'alcools impropres à l ne) pyplique) by us, the information s munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. y cause an allergic skin re ses serious eye damage. I if inhaled. y damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	supplied on this safety data sheet is based on our a 1 without having first obtained written handling ares to comply with legal requirements and local of the safety requirements relating to the mixture action. d. rough prolonged or repeated exposure . h long lasting effects.
67-63-0propane-2-ol (alcool isopro15.2. Chemical safety assessment No data available.SECTION 16 : OTHER INFORMATIONSince the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than t instructions.It is at all times the responsibility of the user to t regulations.The information in this safety data sheet must be re and not as a guarantee of the properties thereof.Wording of the phrases mentioned in section 3 : H301H302H317May H318H360DMay H372H400Very H410Very Cols: The dose of a test substance resulting in 50% LC50: The effective concentration of substance that REACH : Registration, Evaluation, Authorization at 	by us, the information sumunity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. a cause an allergic skin re ses serious eye damage. d if inhaled. damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	a 1 without having first obtained written handling areas to comply with legal requirements and local of the safety requirements relating to the mixture action. d. rough prolonged or repeated exposure . h long lasting effects.
No data available. SECTION 16 : OTHER INFORMATION Since the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than trinstructions. It is at all times the responsibility of the user to tregulations. The information in this safety data sheet must be read not as a guarantee of the properties thereof. Wording of the phrases mentioned in section 3 : H301 Toxit H302 Harr H317 May H330 Fata H360D May H372 Caus H400 Very H410 Very Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization at the fact of the substance resulting in 50%	munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. v cause an allergic skin re ses serious eye damage. d if inhaled. v damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	 a 1 without having first obtained written handling area to comply with legal requirements and local of the safety requirements relating to the mixture action. d. ough prolonged or repeated exposure . h long lasting effects.
SECTION 16 : OTHER INFORMATION Since the user's working conditions are not known current level of knowledge and on national and com The instructions. It is at all times the responsibility of the user to the regulations. The information in this safety data sheet must be read not as a guarantee of the properties thereof. Wording of the phrases mentioned in section 3 : H301 Toxit H302 Harr H317 May H330 Fata H360D May H372 Cause H400 Very H410 Very Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization at	munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. v cause an allergic skin re ses serious eye damage. d if inhaled. v damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	 a 1 without having first obtained written handling area to comply with legal requirements and local of the safety requirements relating to the mixture action. d. ough prolonged or repeated exposure . h long lasting effects.
Since the user's working conditions are not known current level of knowledge and on national and com The mixture must not be used for other uses than t instructions.It is at all times the responsibility of the user to t regulations.The information in this safety data sheet must be re and not as a guarantee of the properties thereof.Wording of the phrases mentioned in section 3 : H301H302H317May H318H360DMay H372H400Very H410LD50 : The dose of a test substance resulting in 50% LC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	munity regulations. those specified in section take all necessary measu egarded as a description ic if swallowed. mful if swallowed. v cause an allergic skin re ses serious eye damage. d if inhaled. v damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	 a 1 without having first obtained written handling area to comply with legal requirements and local of the safety requirements relating to the mixture action. d. ough prolonged or repeated exposure . h long lasting effects.
 instructions. It is at all times the responsibility of the user to the regulations. The information in this safety data sheet must be readed and not as a guarantee of the properties thereof. Wording of the phrases mentioned in section 3 : H301 H302 Harr H317 May H318 Cause H330 Fata H360D May H372 Cause H400 Very H410 Very Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance resulting in 50% LC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization at the substance resulting in the substance resulting in the substance that REACH : Registration, Evaluation, Authorization at the substance resulting in the substance that REACH is registration in the substance resulting in the substance that REACH is registration in the substance resulting in the substance that REACH is registration in the substance resulting in the substance resulting in the substance that REACH is registration in the substance resulting in the substance re	take all necessary measu egarded as a description ic if swallowed. mful if swallowed. / cause an allergic skin re ses serious eye damage. ll if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	action. d. rough prolonged or repeated exposure . h long lasting effects.
regulations. The information in this safety data sheet must be ra and not as a guarantee of the properties thereof. Wording of the phrases mentioned in section 3 : H301 Toxi H302 Harr H317 May H318 Caus H330 Fata H360D May H372 Caus H400 Very H410 Very Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance resulting EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	egarded as a description ic if swallowed. mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	of the safety requirements relating to the mixture action. d. rough prolonged or repeated exposure . h long lasting effects.
and not as a guarantee of the properties thereof.Wording of the phrases mentioned in section 3 :H301ToxiH302HarrH317MayH318CausH360DMayH372CausH400VeryH410VeryLD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization at	ic if swallowed. mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	action. d. rough prolonged or repeated exposure . h long lasting effects.
H301ToxiH302HarrH317MayH318CausH330FataH360DMayH372CausH400VeryH410VeryLD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization at	mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	d. rough prolonged or repeated exposure . h long lasting effects.
H302HarrH317MayH317MayH318CausH330FataH360DMayH372CausH400VeryH410VeryAbbreviations :LC50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization at	mful if swallowed. / cause an allergic skin re ses serious eye damage. l if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	d. rough prolonged or repeated exposure . h long lasting effects.
H317MayH318CausH330FataH360DMayH372CausH400VeryH410VeryAbbreviations :LD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization at	 / cause an allergic skin re ses serious eye damage. li finhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with 	d. rough prolonged or repeated exposure . h long lasting effects.
H318CauseH330FataH360DMayH372CauseH400VeryH410VeryAbbreviations :LD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization and	ses serious eye damage. Il if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	d. rough prolonged or repeated exposure . h long lasting effects.
H330FataH360DMayH372CausH400VeryH410VeryAbbreviations :LD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization and	I if inhaled. / damage the unborn child ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	ough prolonged or repeated exposure . h long lasting effects.
H372CauseH400VeryH410VeryAbbreviations :LD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization and	ses damage to organs thr y toxic to aquatic life. y toxic to aquatic life with	ough prolonged or repeated exposure . h long lasting effects.
H400VeryH410VeryAbbreviations :LD50 : The dose of a test substance resulting in 50%LC50 : The concentration of a test substance resultingEC50 : The effective concentration of substance thatREACH : Registration, Evaluation, Authorization and	y toxic to aquatic life. y toxic to aquatic life with	h long lasting effects.
H410 Very Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance resultin EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	y toxic to aquatic life with	
Abbreviations : LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance resultin EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	-	
LD50 : The dose of a test substance resulting in 50% LC50 : The concentration of a test substance resultin EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	6 lethality in a given time	pariod
LC50 : The concentration of a test substance resultin EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization and	6 lethality in a given time	period
EC50 : The effective concentration of substance that REACH : Registration, Evaluation, Authorization at		, period.
REACH : Registration, Evaluation, Authorization and	ng in 50% lethality in a g	iven period.
-	t causes 50% of the maxi	mum response.
	nd Restriction of Chemic	al Substances.
BW : Body Weight		
CMR: Carcinogenic, mutagenic or reprotoxic.		
UFI : Unique formulation identifier.		
STEL : Short-term exposure limit		
TWA : Time Weighted Averages		
TMP : French Occupational Illness table		
TLV : Threshold Limit Value (exposure)		
AEV : Average Exposure Value.	ional carriage of denos	us goods by Road
ADR : European agreement concerning the internati IMDG : International Maritime Dangerous Goods.	ional carriage of dangero	us goods by Road.
IATA : International Air Transport Association.		
ICAO : International Civil Aviation Organisation		
RID : Regulations concerning the International carri	iage of Dangerous goods	by rail.
WGK : Wassergefahrdungsklasse (Water Hazard Cla		
GHS07 : Exclamation mark		
PBT: Persistent, bioaccumulable and toxic.		
vPvB : Very persistent, very bioaccumulable.		
SVHC : Substances of very high concern.		
bers: 01755-5384, 01755-5385 - Made under licence of European Label S	System® MSDS software from InfoDy	ne - http://www.infodyne.fr - Page