

SAFETY DATA SHEET

01902-0000

MSDS for #01902 - SCHMINCKE PIGMENT Regulation (EC) No. 1907/2006 (REACH)

Page 1 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name series 18 - Pigments
Finest artists' pigments

REACH registration No. ---

UFI ---

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use Products for creation of art.

Uses advised against ---

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
Otto-Hahn-Strasse 2
D-40699 Erkrath
Tel +49 (0) 211 - 2509 - 0
Fax +49 (0) 211 - 2509 - 479
info@schmincke.de
www.schmincke.de

Schmincke-lab:
mo-th 8.00-16.30, fr 8.00-13.30
tel. +49 (0) 211-2509-474
sdb@schmincke.de

1.4 Emergency telephone number

Emergencycall Berlin
+49 30-30686700
(24/7 counseling in german and english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2 Label elements

Labelling

Signal word ---

Hazard statements
no hazard labelling required

Safety precautions
P260 Do not breathe dust.

Text for labelling (CLP)

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENT

Page 2 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	2 / 9

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterisation

pigment

CAS-Number	---
EINECS / ELINCS / NLP	---
EU index number	---
REACH registration No.	---
Hazchem-Code	---
CI-Number	---

3.2 Mixtures

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

In case of skin contact

Wash with generous amount of water and soap. May cause sensitisation especially in sensitive humans. Frequently or prolonged contact with skin may cause dermal irritation.

After eye contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if irritation persists.

After swallowing

Rinse mouth thoroughly with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

none

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: sulphur oxides, Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENTS Regulation (EC) No. 1907/2006 (REACH)

Page 3 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	3 / 9

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe dust. Avoid contact with eyes and skin.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Avoid dust formation. Do not breathe dust.

Avoid contact with skin.

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

Storage class

Further details

Protect from moisture contamination.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

Wear a dust mask, in case of excessive dust.

Hand protection

Protect skin by using skin protective cream.

Eye protection

In case of dust formation: tightly sealed goggles according to EN 166

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3400, 01902-3400, 01902-3480, 01902-3510, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5350, 01902-5910, 01902-5940, 01902-5970, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

Page 3 of 10

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENTS Regulation (EC) No. 1907/2006 (REACH)

Page 4 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	4 / 9

General protection and hygiene measures

When using do not eat, drink or smoke. Wash hands before breaks and after work.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	Powder
Colour	-
Odour	odourless not required Product specific

	min	max		
Melting point/freezing point	---	---		
Initial boiling point and boiling range	---	---		
Flammability		---		
Explosion limits	---	---		
Flash point/flash point range	---	---		
Ignition temperature	---	---		
PH	0	0	---	---
Viscosity	---	---	---	---
Solubility		---	---	---
Partition coefficient: n-octanol/water		---		
Vapour pressure		---	---	---
Density and/or relative density		3 - 5 g/ml	20 °C	---
Relative vapour density	---	---	---	---
Auto-ignition temperature	---	---	---	
Refraction index	---	---	---	

Danger of explosion ---

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

heat
On heating or in case of fire toxic gases may form.

10.5 Incompatible materials

strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products such as carbon dioxide, carbon monoxide, fumes, nitrogen oxides may develop with exposure to high temperatures.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3380, 01902-3400, 01902-3480, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930,

Toxicokinetics, metabolism and
01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENT Ecopigment Regulation (EC) No. 1907/2006 (REACH)

Page 5 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	5/ 9

distribution

Acute toxicity
LD50(Rat): AGW
Data arise from reference works and literature.

In case of inhalation
No data available

After swallowing
No data available

In case of skin contact
No data available

After eye contact
No data available

Practical experience

General remarks

11.2 Information on other hazards

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Water Hazard Class WKG 3:
-
.
WKG 2:
105, 367
.
WKG 1:
237, 239, 240, 241, 252, 357, 371, 372, 373, 374, 485, 490, 491, 493, 497, 498, 499, 505,
507, 513, 821, 822, 823, 824, 825, 826
.
nwg:
103, 448, 519, 617, 621, 623, 625, 645, 647, 649, 655, 675, 679, 682, 683, 720, 722, 723,
727, 729

WGK catalog number ---
General information

12.2 Persistence and degradability

Further details
Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)

Partition coefficient: n-octanol/water

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3380, 01902-3400, 01902-3480, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENT Regulation (EC) No. 1907/2006 (REACH)

Page 6 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	6 / 9

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 080112 waste paint and varnish other than those mentioned in 080111

Recommendation

Package

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

Send to a hazardous waste incinerator facility under observation of official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

14.2 UN proper shipping name

ADR, ADN No dangerous good in sense of these transport regulations.

IMDG, IATA ---

14.3 Transport hazard class(es)

ADR, ADN ---

IMDG ---

IATA ---

14.4 Packing group

14.5 Environmental hazards

Marine Pollutant - IMDG ---

Marine Pollutant - ADN ---

14.6 Special precautions for user

Land transport (ADR/RID)

Code: ADR/RID ---

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3380, 01902-3400, 01902-3480, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

Page 6 of 10

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENT

Page 7 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	7 / 9

Hazard label ADR	---
Limited quantities	---
Package: Instructions	---
Package: Special Provisions	---
Special provisions for packing together	---
Portable tanks: Instructions	---
Portable tanks: Special Provisions	---
Tank coding	---
Tunnel restriction	---
Remarks	---
EQ	---
Special Provisions	---

Sea transport (IMDG)

EmS	---
Special Provisions	---
Limited quantities	---
Package: Instructions	---
Package: Special Provisions	---
IBC: Instructions	---
IBC: Provisions	---
Tank instructions IMO	---
Tank instructions UN	---
Tank instructions Special Provisions	---
Stowage and segregation	---
Properties and observations	---
Remarks	---
EQ	---

Air transport (IATA-DGR)

Hazard	---
Passenger	---
Passenger LQ	---
Cargo	---
ERG	---
Remarks	---
EQ	---
Special Provisioning	---

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]	---
Contents of VOC	---
[g/L]	
Further regulations, limitations and legal requirements	---

Germany

Storage class ---

Water Hazard Class WKG 3
01902-1010, 01902-1040, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3380, 01902-3400, 01902-3480, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

SAFETY DATA SHEET

MSDS for #01902 - SCHMINCKE PIGMENT Regulation (EC) No. 1907/2006 (REACH)

Page 8 of 10

series 18 - Pigments

Article No.	series 18	Issue date:	05.01.23
Version	8 (03.01.23)	Page	8 / 9

.
WGK 2:
105, 367
.
WGK 1:
237, 239, 240, 241, 252, 357, 371, 372, 373, 374, 485, 490, 491, 493, 497, 498, 499, 505,
507, 513, 821, 822, 823, 824, 825, 826
.
nwg:
103, 448, 519, 617, 621, 623, 625, 645, 647, 649, 655, 675, 679, 682, 683, 720, 722, 723,
727, 729

WGK catalog number

Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

0 %

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements

Federal Regulations

State Regulations

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

-

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

REGULATION (EU) 2020/217 - ATP 14

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

Item Numbers: 01902-1000, 01902-1010, 01902-1040, 01902-1050, 01902-1120, 01902-1190, 01902-2020, 01902-2190, 01902-2250, 01902-2270, 01902-2290, 01902-3150, 01902-3200, 01902-3210, 01902-3280, 01902-3510, 01902-3510, 01902-3600, 01902-3620, 01902-3630, 01902-3780, 01902-3790, 01902-4040, 01902-4060, 01902-4160, 01902-4190, 01902-4220, 01902-4510, 01902-4560, 01902-4930, 01902-5160, 01902-5200, 01902-5220, 01902-5250, 01902-5300, 01902-5390, 01902-5910, 01902-6640, 01902-6730, 01902-7110, 01902-7210, 01902-7270, 01902-7650, 01902-7820, 01902-8020, 01902-8040, 01902-8050, 01902-8070, 01902-8310, 01902-9030

Die Angaben in diesem Datenblatt sind nach bestem Wissen zusammengestellt und entsprechen dem Stand der Kenntnis zum Überarbeitungsdatum 1902-1010, 1902-1040, 1902-1050, 1902-1120, 1902-1190, 1902-2020, 1902-2190, 1902-2250, 1902-2270, 1902-2290, 1902-3150, 1902-3200, 1902-3210, 1902-3280, 1902-3300, 1902-3310, 1902-3320, 1902-3330, 1902-3340, 1902-3350, 1902-3360, 1902-3370, 1902-3380, 1902-3390, 1902-3400, 1902-3410, 1902-3420, 1902-3430, 1902-3440, 1902-3450, 1902-3460, 1902-3470, 1902-3480, 1902-3490, 1902-3500, 1902-3510, 1902-3520, 1902-3530, 1902-3540, 1902-3550, 1902-3560, 1902-3570, 1902-3580, 1902-3590, 1902-3600, 1902-3610, 1902-3620, 1902-3630, 1902-3640, 1902-3650, 1902-3660, 1902-3670, 1902-3680, 1902-3690, 1902-3700, 1902-3710, 1902-3720, 1902-3730, 1902-3740, 1902-3750, 1902-3760, 1902-3770, 1902-3780, 1902-3790, 1902-3800, 1902-3810, 1902-3820, 1902-3830, 1902-3840, 1902-3850, 1902-3860, 1902-3870, 1902-3880, 1902-3890, 1902-3900, 1902-3910, 1902-3920, 1902-3930, 1902-3940, 1902-3950, 1902-3960, 1902-3970, 1902-3980, 1902-3990, 1902-4000, 1902-4010, 1902-4020, 1902-4030, 1902-4040, 1902-4050, 1902-4060, 1902-4070, 1902-4080, 1902-4090, 1902-4100, 1902-4110, 1902-4120, 1902-4130, 1902-4140, 1902-4150, 1902-4160, 1902-4170, 1902-4180, 1902-4190, 1902-4200, 1902-4210, 1902-4220, 1902-4230, 1902-4240, 1902-4250, 1902-4260, 1902-4270, 1902-4280, 1902-4290, 1902-4300, 1902-4310, 1902-4320, 1902-4330, 1902-4340, 1902-4350, 1902-4360, 1902-4370, 1902-4380, 1902-4390, 1902-4400, 1902-4410, 1902-4420, 1902-4430, 1902-4440, 1902-4450, 1902-4460, 1902-4470, 1902-4480, 1902-4490, 1902-4500, 1902-4510, 1902-4520, 1902-4530, 1902-4540, 1902-4550, 1902-4560, 1902-4570, 1902-4580, 1902-4590, 1902-4600, 1902-4610, 1902-4620, 1902-4630, 1902-4640, 1902-4650, 1902-4660, 1902-4670, 1902-4680, 1902-4690, 1902-4700, 1902-4710, 1902-4720, 1902-4730, 1902-4740, 1902-4750, 1902-4760, 1902-4770, 1902-4780, 1902-4790, 1902-4800, 1902-4810, 1902-4820, 1902-4830, 1902-4840, 1902-4850, 1902-4860, 1902-4870, 1902-4880, 1902-4890, 1902-4900, 1902-4910, 1902-4920, 1902-4930, 1902-4940, 1902-4950, 1902-4960, 1902-4970, 1902-4980, 1902-4990, 1902-5000, 1902-5010, 1902-5020, 1902-5030, 1902-5040, 1902-5050, 1902-5060, 1902-5070, 1902-5080, 1902-5090, 1902-5100, 1902-5110, 1902-5120, 1902-5130, 1902-5140, 1902-5150, 1902-5160, 1902-5170, 1902-5180, 1902-5190, 1902-5200, 1902-5210, 1902-5220, 1902-5230, 1902-5240, 1902-5250, 1902-5260, 1902-5270, 1902-5280, 1902-5290, 1902-5300, 1902-5310, 1902-5320, 1902-5330, 1902-5340, 1902-5350, 1902-5360, 1902-5370, 1902-5380, 1902-5390, 1902-5400, 1902-5410, 1902-5420, 1902-5430, 1902-5440, 1902-5450, 1902-5460, 1902-5470, 1902-5480, 1902-5490, 1902-5500, 1902-5510, 1902-5520, 1902-5530, 1902-5540, 1902-5550, 1902-5560, 1902-5570, 1902-5580, 1902-5590, 1902-5600, 1902-5610, 1902-5620, 1902-5630, 1902-5640, 1902-5650, 1902-5660, 1902-5670, 1902-5680, 1902-5690, 1902-5700, 1902-5710, 1902-5720, 1902-5730, 1902-5740, 1902-5750, 1902-5760, 1902-5770, 1902-5780, 1902-5790, 1902-5800, 1902-5810, 1902-5820, 1902-5830, 1902-5840, 1902-5850, 1902-5860, 1902-5870, 1902-5880, 1902-5890, 1902-5900, 1902-5910, 1902-5920, 1902-5930, 1902-5940, 1902-5950, 1902-5960, 1902-5970, 1902-5980, 1902-5990, 1902-6000, 1902-6010, 1902-6020, 1902-6030, 1902-6040, 1902-6050, 1902-6060, 1902-6070, 1902-6080, 1902-6090, 1902-6100, 1902-6110, 1902-6120, 1902-6130, 1902-6140, 1902-6150, 1902-6160, 1902-6170, 1902-6180, 1902-6190, 1902-6200, 1902-6210, 1902-6220, 1902-6230, 1902-6240, 1902-6250, 1902-6260, 1902-6270, 1902-6280, 1902-6290, 1902-6300, 1902-6310, 1902-6320, 1902-6330, 1902-6340, 1902-6350, 1902-6360, 1902-6370, 1902-6380, 1902-6390, 1902-6400, 1902-6410, 1902-6420, 1902-6430, 1902-6440, 1902-6450, 1902-6460, 1902-6470, 1902-6480, 1902-6490, 1902-6500, 1902-6510, 1902-6520, 1902-6530, 1902-6540, 1902-6550, 1902-6560, 1902-6570, 1902-6580, 1902-6590, 1902-6600, 1902-6610, 1902-6620, 1902-6630, 1902-6640, 1902-6650, 1902-6660, 1902-6670, 1902-6680, 1902-6690, 1902-6700, 1902-6710, 1902-6720, 1902-6730, 1902-6740, 1902-6750, 1902-6760, 1902-6770, 1902-6780, 1902-6790, 1902-6800, 1902-6810, 1902-6820, 1902-6830, 1902-6840, 1902-6850, 1

Appendix for safety data sheet no.: 18000000EN

Art. Nr.	Art. Name	C.I.	
18103	titanium white	PW6	titanium dioxide
18237	lemon yellow	PY3	monoazo yellow
18239	brilliant yellow	PY154	benzimidazolone
18240	Indian yellow	PY153	nickel complex
18241	red orange	PO36	benzimidazolone
18252	orange	PO62	benzimidazolone
18357	ultramarine red	PV15	ultramarine violet
18367	alizarine crimson deep	PR83	anthraquinone, Al
18371	vermilion red	PR255	diketo-Pyrrolo-Pyrrole
18372	naphthol red	PR112	naphthol AS
18373	carmine	PV19	quinacridone
18374	quinacridone magenta	PR122	quinacridone
18485	blue violet	PV23	dioxazine
18488	phthalo blue	PB15:3	phthalocyanine (Cu)
18490	ultramarine blue light	PB29	ultramarine blue
18491	indigo	PB66	indigo, synthetic
18493	Prussian/Paris blue	PB27	iron-cyan-complex
18497	ultramarine violet	PV15	ultramarine violet
18498	azure blue	PB15:3; PW6	phthalocyanine (Cu); titanium dioxide
18499	ultramarine blue deep	PB29	ultramarine blue
18505	chromium oxide green	PG17	hematite (Cr)
18507	chromium oxide green brilliant	PG18	hydrated chromium oxide
18513	phthalo green deep	PG7	phthalocyanine (Cu, Cl)
18519	Bohemian green earth	PG23	earth pigment
18617	yellow ochre	PY43	earth pigment
18621	gold ochre	PY43	earth pigment
18623	raw Sienna	PBr7	earth pigment
18625	ferrite yellow	PY42	hydrated iron oxide
18645	Pompeian red	PR101	iron oxide
18647	caput mortuum deep	PR101	iron oxide
18649	English red light	PR101	iron oxide
18655	Pozzuoli earth	PR101	iron oxide
18675	Cassler/Vandyke brown	PBr8	brown coal
18679	burnt Sienna	PBr7	earth pigment
18682	raw umber, greenish	PBr7	earth pigment
18683	burnt umber	PBr7	earth pigment
18720	graphite	PBk10	graphite
18722	vine black	PBk8	nearly pure amorphous carbon of vegetable origin
18723	ivory black	PBk9	amorphous carbon produced by charring animal bones
18727	mars black	PBk11	black iron oxide
18729	lamp black	PBk7	lamp black
18821	fluorescent yellow	Fluo	org. daylight pigment
18822	fluorescent orange	Fluo	org. daylight pigment
18823	fluorescent red	Fluo	org. daylight pigment
18824	fluorescent pink	Fluo	org. daylight pigment
18825	fluorescent magenta	Fluo	org. daylight pigment
18826	fluorescent green	Fluo	org. daylight pigment