



02031-XXXX

**SAFETY DATA SHEET**

1/14/2025

**SECTION I - IDENTIFICATION****Material Name****UTRECHT PROFESSIONAL GESSO**

(Please see last page for all brand names)

**Company Information**

4014 1<sup>st</sup> Ave  
Brooklyn, NY 11232  
Phone: 800-223-9132  
Fax: 800-382-1979  
Email: [info@utrecht.com](mailto:info@utrecht.com)

For transportation emergencies only call 1-800-223-9132  
For health emergencies call the Poison Control Center: 1-800-222-1222

**SECTION II - HAZARDS IDENTIFICATION****Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

There are no GHS label elements.

**SECTION III - COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS**

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
None					

**SECTION IV - FIRST AID MEASURES**

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

**SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): N/A  
EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE  
EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED  
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

AUTOIGNITION TEMPERATURE: N/A

**SECTION VI - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: NONE REQUIRED  
ENGINEERING CONTROLS: NONE REQUIRED

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: OIL/PASTE (ASTM 4302.0)  
BOILING POINT: N/A  
VAPOR PRESSURE: N/A  
SPECIFIC VAPOR DENSITY (AIR=1): N/A  
SOLUBILITY IN WATER: N/A

MELTING POINT: N/A  
FLASH POINT (METHOD): N/A  
SPECIFIC GRAVITY: N/A  
REACTIVITY IN WATER: NON-REACTIVE

## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
STABILITY: STABLE CONDITIONS TO AVOID: N/A  
INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and smoke

## SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
The summated LD50 is 17679 mg/kg.  
The summated LC50 is 7206.8 mg/cubic meter.  
This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## SECTION XII - ECOLOGICAL INFORMATION

HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## SECTION XIV - TRANSPORTATION INFORMATION

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## SECTION XV - REGULATORY INFORMATION

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:  
SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
AMORPHOUS SILICA  
LINSEED OIL  
PROPYLENE GLYCOL  
ZINC OXIDE

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

NONE

**SECTION XVI - OTHER INFORMATION****AP (Approved Product) Seal****Definition of the AP Seal:**

The AP (Approved Product) Seal identifies art materials that are safe and that are certified in a toxicological evaluation by a board-certified toxicologist (medical expert) to contain no materials in sufficient quantities to be toxic or injurious to humans, including children, or to cause acute or chronic health problems. These products are certified by ACMI to be labeled in accordance with the chronic hazard labeling Standard, ASTM D 4236, and the U.S. Labeling of Hazardous Art Materials Act (LHAMA).

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 01/14/2025**

**Prepared by Duke OEM Toxicology**

COLOR INFORMATION

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

Product Color	SKU	Hazardous Ingredient
05102 PROFESSIONAL GESSO-GALLON		(NONE)
05202 PROFESSIONAL GESSO-PINT		(NONE)
06326 ACRYLIC SIZING-PINT		(NONE)
09000 ARTISTS' GESSO GALLON		(NONE)
09001 ARTISTS' GESSO-PINT		(NONE)
13110 OIL PRIMING WHITE-QUART		(NONE)
34361 RABBIT SKIN GLUE-1LB BAG		(NONE)
9002 STUDIO SERIES ACRYLIC GESSO - GALLON		(NONE)
9004 ARTISTS BLACK GESSO-PINT		(NONE)
9006 ARTISTS BLACK GESSO-QUART		(NONE)
9007 STUDIO SERIES ACRYLIC GESSO - PINT		(NONE)

## BRAND NAMES

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

### **Brand Name**

UTRECHT PROFESSIONAL GESSO  
UTRECHT ARTISTS' GESSO  
UTRECHT RABBIT SKIN GLUE