Identification

Product Identifier:	Mod Podge Resin 25263, 25264
Use:	Component for Mold Making and Casting.
Manufacturer:	Plaid Enterprises
	P.O Box 7600, Norcross, GA 30091-7600
Phone Number:	800-842-4197
Emergency Phone:	CHEMTREC 800-424-9300 or
	+1 703-527-3887
Email:	www.PlaidOnLine.com

2. Hazards Identification

GHS Classification: Eve Irritation Category 2A

Skin Irritation Category 2 Skin Sensitizer Category 1

Hazardous to the Aquatic Environment-Chronic Hazard Category 2

Label Elements: Warning



Hazard Phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Phrases

- Avoid breathing mist, vapor or spray. P261
- Wash hands thoroughly after handling. P264
- Contaminated work clothing should not be allowed out of the P272 work area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333 + P313 If skin irritation or rash occurs: Get medical advice or attention.
- P337+P313 If eye irritation persists: Get medical advice or attention.
- P362+P364 Take off contaminated clothing and wash before reuse. P391 Collect spillage.
- P501 Dispose of contents and container in accordance with local,

regional and national regulations. Supplemental Information: Read and understand the hazard information on Epoxy Hardener before using.

3. Composition/Information on Ingredients

I	8			
Chemical Name	CAS #	%		
Bisphenol A-epichlorohydrin epoxy resin	Proprietary	100		
Other ingredients are not classified as health, physical or environmental hazards, or are present below cut-off/concentration limits.				

4. First-Aid Measures

Eye Contact: Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Remove contact lenses if safe and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Skin Contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation develops or persists.

Inhalation: Remove person to fresh air. Get medical attention if

02061-1001

SAFETY DATA SHEET

symptoms develop or persist.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if you feel unwell. Most Important Symptoms/Effects: Causes skin irritation and serious

eye irritation. May cause an allergic skin reaction.

Indication of Immediate Medical Attention/Special Treatment: Treat symptoms.

Fire-Fighting Measures

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or spread fire. Specific Hazards: Not classified as flammable or combustible. Product will burn under fire conditions. Combustion products include oxides of carbon, phenolics, aldehydes and other toxic organic compounds. Special Protective Equipment & Precautions for Fire-Fighters: Wear

positive pressure, self-contained breathing apparatus and full-body protective clothing.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Clear unnecessary, unprotected personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment. Dispose of in accordance with applicable local and federal environmental laws and regulations.

7. Handling and Storage

Safe Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid breathing mists, vapors, or spray. Wash thoroughly after handling. Do not eat, drink or smoke in the work area. Keep container closed when not in use.

Safe Storage: Store indoors at temperatures below 120°F (49°C). Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: None established.

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Respiratory Protection: If needed, an approved respirator with organic vapor cartridges may be used. Respirator selection and use should be based on contaminant type, form and concentration. For higher exposures or in an emergency, use a supplied-air respirator.

Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.

Eye Protection: Wear chemical safety glasses/goggles.

Other Protective Measures: Prevent skin contact and contamination of personal clothing. An eye wash facility and washing facility should be available in the work area. Follow applicable regulations and good Industrial Hygiene practice.

9. Physical and Chemical Properties

Appearance: Liquid, clear to pale yellow Odor: Epoxy Odor Threshold: No data available **pH:** 6-8 Melting Point: No data available Boiling Point: No data available Flash Point: 266.6°C (511.88°F) Evap. Rate: No data available

Upper/Lower Flammability Limits: No data available

Date Prepared/Revised: October 7, 2020

Page 1 of 4

Item Numbers: 02061-1001, 02061-1002, 02061-1003



SAFETY DATA SHEET

Vapor Pressure: No data available Vapor Density: No data available Relative Density: 1.17 Solubility: No data available Partition Coefficient: n-octanol/Water: No data available Auto-Ignition Temp: No data available Decomposition Temp: No data available Viscosity: 11,000-14,000 cps

10. Stability and Reactivity

Reactivity: Not normally reactive.

Chemical Stability: Stable under recommended conditions. After prolonged storage, may crystallize.

Possibility of Hazardous Reactions: Masses of ≥ 1 lb (0.5 kg) plus aliphatic amine will cause irreversible polymerization with considerable heat build-up. Material will polymerize with sodium hydroxide. **Conditions to Avoid:** Avoid excessive heat.

Incompatible Materials: Avoid contact with strong oxidizing agents, acids, alkalis, amines, mercaptans.

Hazardous Decomposition Products: Uncontrolled exothermic reaction of epoxy resin releases carbon monoxide, carbon dioxide, phenolics, and aldehydes.

11. Toxicological Information

Eye Contact: Causes serious eye irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction. Inhalation: May cause mild respiratory irritation.

Ingestion: No data available.

Chronic Health Effects: May cause allergic skin reaction.

Acute Toxicity Values: Not acutely hazardous.

Respiratory Sensitization: Components are not classified as respiratory sensitizers.

Skin Sensitization: Components are classified as skin sensitizers.

Germ Cell Mutagenicity: Components are not classified as mutagens. Carcinogenicity: Components are not classified as carcinogens.

Reproductive Toxicity: Components are not classified as reproductive toxins.

Specific Target Organ Toxicity: No data available.

12. Ecological Information

Ecotoxicity: Toxic to aquatic life with long lasting effects. Avoid release to the environment.

Persistence and Degradability: Not readily biodegradable. **Bioaccumulative Potential:** Low potential to bioaccumulate in aquatic organisms.

Mobility in Soil: No data available.

13. Disposal Considerations

Do not dump to ground, sewers, or watercourses. Dispose according to local, state and federal regulations.

For U.S.: Upon disposal, this product is not a RCRA hazardous waste (per 40 CFR 261).

14. Transport Information

DOT: Non-bulk packagings (<882 lbs. or <119 gal.) are not regulated for transport

Bulk packaging (>882 lbs. or >119 gal.) are UN 3082, Environmentally hazardous substance, liquid, n.o.s. (epoxy resin), 9, III.

IMDG/IATA: UN 3082, Environmentally hazardous substance, liquid, n.o.s. (epoxy resin), 9, III.

Marine Pollutant: Yes

Excepted from IMDG and IATA regulations in containers of 5 liters or less (see IATA SP A197 and IMDG 2.10.2.7).

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or

+1-703-527-3887

15. Regulatory Information

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements.

SARA TITLE III

Section 311/312: Acute Health Section 313 Toxic Chemicals: This product contains no chemicals subject to SARA Title III Section 313 Reporting requirements. Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: All components in this product are listed on TSCA.

STATE REGULATIONS:

California Proposition 65: WARNING: This product can expose you to chemicals including Epichlorohydrin which is known to the State of California to cause cancer and/or reproductive harm. www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: Mold making and casting. SDS Revision Notes: GHS Format: October 7, 2020

Disclaimer: The information contained herein is considered accurate; however, Plaid Enterprises makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

ITEM INFORMATION

25263 2-PART RESIN 8 OZ 25264 2-PART RESIN 16 OZ 25295E RIVER KIT 25296E COASTERS KIT 25298E TROPICAL LEAF KIT 25340ECC HONEYCOMB KIT 25341ECC CUTTING BOARD KIT 25342ECC CIRCLE KIT 25295ECC RIVER KIT 25296ECC COASTERS KIT 25298ECC TROPICAL LEAF KIT

Date Prepared/Revised: October 7, 2020



Identification

Identification

Product Identifier:	Mod Podge Hardener 25263, 25264
Use:	Component for Mold Making and Casting.
Manufacturer:	Plaid Enterprises
	P.O Box 7600, Norcross, GA 30091-7600
Phone Number:	800-842-4197
Emergency Phone:	CHEMTREC 800-424-9300 or
	+1 703-527-3887
Email:	www.PlaidOnLine.com

2. Hazards Identification

GHS Classification:

Acute Toxicity – Oral Category 4 Skin Corrosion Category 2 Serious Eye Damage Category 1 Skin Sensitization Category 1 Toxic to Reproduction Category 2 Specific Target Organ Toxicity - Repeated Exposure Category 2

Label Elements: Danger



- **Hazard Phrases**
- Harmful if swallowed H302
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- Suspected of damaging fertility or the unborn child. H361
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Phrases

- Obtain, read, and follow all safety instructions before use. P203
- P260 Do not breath fumes, vapors, or mists.
- P264 Wash hands thoroughly after handling.
- P270 Do not eat, drink, or smoke when using this product. P272 Contaminated work clothing should not be allowed out of
- the workplace.
- P280 Wear protective gloves, protective clothing, and eye protection.
- P301+P317 IF SWALLOWED: Get medical help.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P318
- IF exposed or concerned, get medical advice.
- P330 Rinse mouth.
- P333+P317 If skin irritation or rash occurs: Get medical help.
- P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501
- Dispose of contents and container in accordance with local, regional, and national regulations.

Supplemental Information: None.

3. Composition/Information on Ingredients

Chemical Name	CAS #	%		
Modified amine adduct	Proprietary	60-80		
Trade Secret Additives	Proprietary	<20		
Other ingredients are not classified as health, physical or environmental				
hazards, or are present below cut-off/concentration limits.				

First-Aid Measures

Eye Contact: Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Get medical attention immediately.

SAFETY DATA SHEET: Page 1

Skin Contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation develops or persists.

Inhalation: Remove person to fresh air. Get medical attention if symptoms develop or persist.

Ingestion: Rinse mouth. Do not induce vomiting. Get medical attention immediately.

Most Important Symptoms/Effects: Causes serious eye damage. Harmful if swallowed.

Indication of Immediate Medical Attention/Special Treatment: Get immediate medical attention if in eyes or swallowed.

5. **Fire-Fighting Measures**

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or eruption.

Specific Hazards: Not classified as flammable or combustible. Product will burn under fire conditions.

Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus, and full-body protective clothing. Cool fire-exposed containers with water.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Clear non-emergency personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment.

7. Handling and Storage

Safe Handling: Use with adequate ventilation. Do not breathe fumes, vapors, or mists. Avoid contact with the eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink, or smoke in the work area. Keep container closed when not in use.

Safe Storage: Store indoors at temperatures below 120°F. Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: For Trade Secret Additives: ACGIH TLV 1 ppm TWA

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Respiratory Protection: If ventilation is inadequate, use a properly fitted, NIOSH-approved, air-purifying respirator with organic vapor cartridges. For higher exposures or in an emergency, use a supplied-air respirator. Use respirators in accordance with OSHA's Respiratory Protection Standard (29 CFR 1910.134).

Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.

Eye Protection: Wear chemical safety glasses or goggles.

Other Protective Measures: An eye wash facility and washing facility should be available in the work area. Avoid skin contact. Follow good Industrial Hygiene practices.

9. Physical and Chemical Properties

Appearance: Clear, colorless to light purple Odor: Ammonia-like Odor Threshold: No data available pH: Alkaline Melting Point: No data available

Date Prepared/Revised: October 7, 2020

Item Numbers: 02061-1001, 02061-1002, 02061-1003

Partition Coefficient: n-octanol/Water: No data available

Reactivity: No specific data is available for this product.

Possibility of Hazardous Reactions: No data available.

Chemical Stability: Stable under recommended conditions.

storage and use, hazardous decomposition should not occur.

Chronic Health Effects: May cause an allergic skin reaction. **Acute Toxicity Values:** Product is considered Acute Toxicity – Oral Category 4 based on toxicity data for hazardous constituents.

Skin Sensitization: Components are classified as skin sensitizers.

Carcinogenicity: Components are not classified as carcinogens.

Ecotoxicity: No data available. Do not release into waterways.

Persistence and Degradability: Not readily biodegradable. **Bioaccumulative Potential:** Low potential for bioaccumulation.

Incompatible Materials: Reactive or incompatible with acids and epoxy

Hazardous Decomposition Products: Under normal conditions of

Skin Contact: Causes skin irritation. May can allergic reaction to skin.

Respiratory Sensitization: Components are not classified as respiratory

Germ Cell Mutagenicity: Components are not classified as mutagens.

Reproductive Toxicity: Suspected of damaging fertility or the unborn

Specific Target Organ Toxicity: May cause damage to organs through

Minimize waste generation. Dispose of with a licensed waste disposal contractor. Do not dispose of down the drain. Dispose according to local,

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or



Evap. Rate: No data available

Vapor Density: >1 (Air = 1)

Solubility: No data available

Viscosity: No data available

resins.

sensitizers.

child.

Flamm. Limits: No data available

Vapor Pressure: No data available

Relative Density: No data available

Auto-Ignition Temp: No data available

Decomposition Temp: No data available

10. Stability and Reactivity

Conditions to Avoid: No data available.

11. Toxicological Information

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

prolonged or repeated exposure.

12. Ecological Information

Mobility in Soil: No data available.13. Disposal Considerations

14. Transport Information Not regulated for transport in any mode.

state, and federal regulations.

+1-703-527-3887.

Inhalation: May cause respiratory irritation.

Flash Point: >205°F

SAFETY DATA SHEET: Page 2

15. Regulatory Information

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: Components are not subject to these reporting requirements. Some states may have more stringent reporting requirements.

SARA TITLE III Section 311/312: Acute/Chronic HealthSection 313 Toxic Chemicals: This product contains chemicals subjectto SARA Title III Section 313 Reporting requirements:4-nonyl phenol, branched60-80%

Section 302 Extremely Hazardous Substances (TPQ): None EPA Toxic Substances Control Act (TSCA) Status: Components in this product are listed on TSCA.

STATE REGULATIONS:

California Proposition 65: WARNING: This product can expose you to chemicals including Propylene oxide which is known to the State of California to cause cancer. www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: This product is intended for industrial/professional use only.

SDS Revision Notes: GHS format: October 7, 2020

Disclaimer: The information contained herein is considered accurate; however, Plaid Enterprises makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

ITEM INFORMATION

25263 2-PART RESIN 8 OZ 25264 2-PART RESIN 16 OZ 25295E RIVER KIT 25296E COASTERS KIT 25298E TROPICAL LEAF KIT 25340ECC HONEYCOMB KIT 25341ECC CUTTING BOARD KIT 25342ECC CIRCLE KIT 25295ECC RIVER KIT 25296ECC COASTERS KIT 25298ECC TROPICAL LEAF KIT

Item Numbers: 02061-1001, 02061-1002, 02061-1003

Date Prepared/Revised: October 7, 2020

Page 4 of 4