

MATERIAL SAFETY DATA SHEET

02100-1006

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect sprayArticle No.
Version

8 (02.10.18)

Issue date:
Page02.10.18
1 / 9**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name 50 735 - AQUA effect spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG
 Otto-Hahn-Str. 2
 D - 40699 Erkrath
 Tel. +49 (0) 211-2509-0
 Fax. +49 (0) 211-2509-497
 info@schmincke.de
 www.schmincke.de

Dept. responsible for information

Schmincke-Labor:
 Mo-Do 8.00-16.30, Fr 8.00-13.30
 Tel. +49 (0) 211-2509-474
 labor@schmincke.de

1.4 Emergency telephone number

Emergency
 Information
 Phone #

Emergencycall Berlin
 (24h - counseling in german and english)
 +49 (0) 30-30686700

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to EC regulation 1272/2008 (CLP)**

Eye Irrit. 2; H319 Causes serious eye irritation.

Flam. Liq. 2; H225 Highly flammable liquid and vapour.

2.2 Label elements**Labelling (CLP)****Signal word**

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Safety precautions

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.
Version

8 (02.10.18)

Issue date:
Page02.10.18
2 / 9

P251 Do not pierce or burn, even after use.
P403+P235 Store in a well-ventilated place. Keep cool.

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

Alcohols
Water
Additive
CAS-Number
EINECS / ELINCS / NLP
EU index number
Customs tariff number
REACH registration No.
RTECS-no.
Hazchem-Code
CI-Number

3.2 Mixtures

Substance 1

ethanol: > 90 %
CAS: 64-17-5
REACH: 01-2119457610-43-XXXX
Eye Irrit. 2; H319 / Flam. Liq. 2; H225

Substance 2

lemon, ext.: < 0,1 %
CAS: 84929-31-7
Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / Skin Irrit. 2; H315 / Skin Sens. 1; H317

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Seek medical treatment in case of troubles.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	3 / 9

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons
strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters
Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose. Provide adequate ventilation.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on naked flames or any incandescent material.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep in a cool, well-ventilated place.

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

64-17-5 ethanol

DEU	WEL	500,000	mL/m³	-
DEU	WEL	960,000	mg/m³	2(II); DGF; Y
USA	PEL (US)	1.000,000	ppm	8h (long term)
USA	PEL (US)	1.900,000	mg/m³	8h (long term)

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	4 / 9

With correct and proper use, and under normal conditions, breathing protection is not required.
Respiratory protection must be worn whenever the WEL levels have been exceeded.
Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

Hand protection

Qualified materials: Butyl caoutchouc (butyl rubber)

Layer thickness > 0,50 mm

Breakthrough time > 480 min

Butoflex 650 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de

All information was derived in accordance with EU directive 89/686/EWG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves. This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided.

Eye protection

Goggles

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form	liquid		
Colour	colourless		
Odour	alcoholic		
	min	max	
Initial boiling point and boiling range			
Melting point/freezing point			
Flash point/flash point range		12 °C	
Flammability			
Ignition temperature	235 °C	235 °C	
Auto-ignition temperature			
Explosion limits	3 Vol%	15 Vol%	
Refraction index			
Partition coefficient: n-octanol/water			
Danger of explosion			
Vapour pressure	3500 hPa	20 °C	
Density	0,79 g/ml	20 °C	
PH value			
Viscosity dynamic of			
Viscosity dynamic up to			
Viscosity kinematic of			
Viscosity kinematic up to			

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	5 / 9

Protect from frost and exposure to sun.

10.5 Incompatible materials

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

64-17-5 ethanol

oral	LD50	Rat		5000,000	mg/kg	-
inhalative	LC50	Rat	>	1800,000	mg/l	4h
dermal	LD50	Rabbit	>	10000,000	mg/kg	-

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity
In case of inhalation
After swallowing
In case of skin contact
After eye contact

Practical experience

General remarks

Toxicological tests

64-17-5 ethanol

not required	LC50	fish		8150,000	mg/l	48h
not required	EC50	Daphnia magna	>	14221,000	mg/l	48h

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity
Water Hazard Class 1
WGK catalog number
General information

12.2 Persistence and degradability

Further details
Product is partially biodegradable.
Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	6 / 9

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080111

Waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

Contaminated packaging

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number

1170

14.2 UN proper shipping name

ADR, ADN

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

IMDG, IATA

ETHANOL SOLUTION

14.3 Transport hazard class(es)

ADR, ADN

3

IMDG

3

IATA

3

14.4 Packing group

II

14.5 Environmental hazards

Marine Pollutant - IMDG

Marine Pollutant - ADN

No

14.6 Special precautions for user

Land transport

Code: ADR/RID

F1

Kemmler-number

33

Hazard label ADR

3

Limited quantities

1L

Contaminated packaging: Instructions

P001 - IBC02 - R001

Contaminated packaging: Special provisions

-

Special provisions for packing together

MP19

Portable tanks: Instructions

T4

Portable tanks: Special provisions

TP1

Tank coding

LGBF

Tunnel restriction

D/E

Remarks

EQ

E2

Special provisions

144 - 601

Inland waterway craft

Hazard label

Limited quantities

Transport permitted
 Item Numbers: 02100-1000
 Equipment necessary

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	7 / 9

Ventilation
Remarks
EQ
Special provisions

Sea transport

EmS	F-E, S-D
Special provisions	144
Limited quantities	1L
Contaminated packaging: Instructions	P001
Contaminated packaging: Special provisions	-
IBC: Instructions	IBC02
IBC: Provisions	-
Tank instructions IMO	-
Tank instructions UN	T4
Tank instructions Special provisions	TP1
Stowage and segregation	category A
Properties and observations	
Remarks	
EQ	E2

Air transport

Hazard	Flammable Liquid
Passenger	353 (5L)
Passenger LQ	Y341 (1L)
Cargo	364 (60L)
ERG	3L
Remarks	
EQ	E2
Special Provisioning	A3

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information**Bezeichner in aktueller Sprache fehlt!****National regulations****Europe**

Contents of VOC [%]
Contents of VOC
[g/L]
Further regulations, limitations and legal requirements

Germany

Storage class
Water Hazard Class 1
WGK catalog number
Incident regulation
Information on working limitations
Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Item Numbers: 02100-1006

Hungary

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.		Issue date:	02.10.18
Version	8 (02.10.18)	Page	8 / 9

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]

~ 96

Further regulations, limitations and legal requirements

USA

Signal Word

WARNING!

Principal Hazards

Flammable. Causes eye irritation.

Hazardous Ingredients

Contains denatured ethanol.

Hazard Statement

Vapor harmful. Harmful if swallowed. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Causes eye, skin, nose and throat irritation.

Precaution Statement

Keep away from heat sparks and flame. Vapors may cause flash fire. Do not smoke. Prevent build-up of vapors by opening all windows and doors to achieve cross ventilation. Use only with adequate ventilation. Do not breathe vapors or spray mist. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

First aid Statements

If swallowed, do not induce vomiting. Get medical attention immediately. If you experience difficulty in breathing, leave the area to obtain fresh air. If continued difficulty is experienced, get medical attention immediately. In case of eye contact, immediately flush eyes with plenty of water for 15 minutes and get medical attention immediately. For skin, wash thoroughly with soap and water.

Children's Statement

Keep out of reach of children.

Required Statements

Conforms to ASTM D-4236. For additional health information call the Poison Control Center 1-800-222-1222.

State Regulations

Japan

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP)

H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H411 Toxic to aquatic life with long lasting effects.

Further information

This information is based on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of

MATERIAL SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

50 735 - AQUA effect spray

Article No.
Version

8 (02.10.18)

Issue date:
Page02.10.18
9 / 9

specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change**Additional information**

Die Angaben in diesem Datenblatt sind nach bestem Wissen zusammengestellt und entsprechen dem Stand der Kenntnis zum Überarbeitungsdatum.

Sie sichern jedoch nicht die Einhaltung bestimmter Eigenschaften im Sinne der Rechtsverbindlichkeit zu.