



## SAFETY DATA SHEET

2023-8-16

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved OMB No.1218-0072

### § 1 - IDENTITY INFORMATION

Product Name (as used on label and list) : **HOLBEIN ACRYLIC INK** (HAI)

Manufacturer : **HOLBEIN Works, Ltd.**  
Address : **2-2-5, Ueshio, Chuo-ku, Osaka-shi  
OSAKA 542-0064 JAPAN**

Telephone Number for information : **81-6-6191-7722**  
Emergency Telephone Number : **81-72-985-1221 (HOLBEIN Labo, Ltd)**  
Preparer : **ALAKI, Yutaka**

### § 2 - HAZARD IDENTIFICATION

This product is water-based and not classified as dangerous for supply or conveyance.  
The ingredients are water-reducible and falls well within the acceptable safety limits.

Classification : **Non-regulated**  
Danger : **Nonflammable**  
Hazard information : **Especially none (cf. § 11 - Toxicological Information)**  
Ecological consideration : **Especially none**  
GHS label elements : **Void**

### § 3 - COMPOSITION / INGREDIENTS

Substance/Mixture : Mixture (\*, \*\* and \*\*\* are Main Ingredients.)

| Components  | (Specific Chemical Identity, Common Name(s)) | CAS        |
|-------------|--|------------|
| Colorant *  | (Pigment / Table on catalogue)               |            |
| Binder **   | (Alkaline Salt of Modified Acrylic Polymers) | Registered |
| Moisturizer | (Propylene Glycol)                           | 57-55-6    |
| Thickener   | (Polyacrylate)                               | 9003-01-4  |
| Dispersant  | (Modified Copolymer)                         | Registered |
| Water ***   |  |            |

### § 4 - FIRST AID MEASURES

Eyes : In case of eye contact, never rub. Rinse with plenty of water and if necessary consult an eye specialist.

Skin : Upon skin contact, wash with plenty of water, soap or other non-irritating cleansing agents.

Ingestion : In case of swallowing, drink plenty of water. Induce vomiting.  
If you feel unwell, seek medical advice.

Inhalation : Upon inhalation of aerosol/vapor/dust, take the person to fresh air.  
If there is difficulty in breathing, medical advice is required.

### § 5 - FIRE AND EXPLOSION HAZARD DATA

Flammability : **Not combustible**  
Flash Point, Ignition Point : **N/A**

Combustion Products : Carbon dioxide and oxide of metal according to pigment or ash.

## § 6 - ACCIDENTAL RELEASE MEASURES

Especially none

## § 7 - HANDLING AND STORAGE

Precautions for Handling : Especially none. Wash mouth or hands after use.  
Precautions for Storing and Transport : Especially none

## § 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Avoid invasion to the eyes or body. Avoid prolonged or repeated contact with skin.

## § 9 - PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance : Colored Liquid  
Odor : Faint acrylic odor with ammonium smell  
Specific Gravity (H<sub>2</sub>O = 1) : 1.02~1.38 (Av. 1.09)  
Boiling Point : Same as water  
Vapor Density (Air = 1) : ---  
Vapor Pressure (Butyl Acetate = 1) : Same as water  
pH : ca. 7.5  
Solubility in Water : ∞. Not so, after dried.

## § 10 - HAZARD INFORMATION AND STABILITY

Stability : Inert and stable under normal state  
Incompatibility (Materials to Avoid) : None  
Hazardous Decomposition or Byproducts : No thermal decomposition when stored and handled correctly.

## § 11 - TOXICOLOGICAL INFORMATION

Primary Routes of Entry : Dermal, eye contact, inhalation, swallowing  
Eye irritation : Irritant, and may induce keratitis, but essentially not damage the organization.  
Skin irritation : May irritate by repeated or prolonged contact, and may cause inflammation.  
Inhalation Toxicity : Although some of raw materials stimulate eyes and respiratory organs with their vapor or mists under highly concentrated state, the toxic act of this colors is not confirmed.  
Oral Toxicity : The toxicity of this products is not confirmed.

## § 12 - ECOLOGICAL INFORMATION

Biodegradability : Not readily biodegradable.  
Persistency : Not been confirmed.  
Aquatic environment toxicity : Not expected to be toxic to aquatic environment.  
Fish Toxicity : Not been certified.

## § 13 - DISPOSAL CONSIDERATIONS

Disposal Considerations : Dispose in accordance with national and/or local regulations.

## § 14 - TRANSPORT INFORMATION

UN Proper Shipping Name : Not applicable  
UN Number : Not applicable

UN Hazard Class : Not applicable  
 Packing Group : Not applicable  
 ADR/RID : Not classified

ADR : Transportation of Dangerous Goods on Roads  
 RID : Transportation of Dangerous Goods on Railways

## § 15 - REGULATORY INFORMATION

Danger Class : N/A. (Not flammable liquid)  
 Law : Fire law : ditto

Conforms to ACMI under ASTM D 4236, and is classified into AP genre of ACMI system  
 (See the table of Appendix).

ACMI : The Art & Creative Materials Institute, Inc.

ASTM : ASTM International (Former "American Society for Testing and Materials")

AP : Approved Product : Contain no materials in sufficient quantities to be toxic or injurious to humans.

## § 16 - OTHER INFORMATION

Notice: All information contained herein is for references and guidance for normal use, and not for all conceivable conditions of handling and use. The responsibility for irregular use belongs to user individuals. All information are under our knowledge of today. All information may change according to circumstances.

## APPENDIX

Table Information of Acrylic Ink

AP (Approved Product) : Contain no materials in sufficient quantities to be toxic or injurious to humans.

| Name of Color        | Hazardous ingredient | Classification | Name of Color        | Hazardous ingredient | Classification |
|----------------------|----------------------|----------------|----------------------|----------------------|----------------|
| Bamboo Green         | —                    | AP             | Phthalo Green        | —                    | AP             |
| Burnt Sienna         | —                    | AP             | Phthalo Turquoise    | —                    | AP             |
| Burnt Umber          | —                    | AP             | Primary Black        | —                    | AP             |
| Cobalt Blue          | —                    | AP             | Primary Cyan         | —                    | AP             |
| Dioxazine Violet     | —                    | AP             | Primary Magenta      | —                    | AP             |
| Greenish Yellow      | —                    | AP             | Primary White        | —                    | AP             |
| Hansa Yellow         | —                    | AP             | Primary Yellow       | —                    | AP             |
| Hansa Yellow Lemon   | —                    | AP             | Pyrrole Orange       | —                    | AP             |
| Hooker's Green       | —                    | AP             | Pyrrole Red          | —                    | AP             |
| Imidazolone Brown    | —                    | AP             | Quinacridone Crimson | —                    | AP             |
| Imidazolone Yellow   | —                    | AP             | Quinacridone Gold    | —                    | AP             |
| Indanthrene Blue     | —                    | AP             | Quinacridone Magenta | —                    | AP             |
| Isoindolinone Yellow | —                    | AP             | Quinacridone Red     | —                    | AP             |
| Lamp Black           | —                    | AP             | Raw Sienna           | —                    | AP             |
| Luminous Lemon       | —                    | AP             | Raw Umber            | —                    | AP             |
| Luminous Opera       | —                    | AP             | Sap Green            | —                    | AP             |
| Mauve                | —                    | AP             | Sepia                | —                    | AP             |
| Naphthol Red Deep    | —                    | AP             | Shadow Green         | —                    | AP             |
| Naphthol Red Light   | —                    | AP             | Super Opaque Black   | —                    | AP             |
| Nickel Azo Yellow    | —                    | AP             | Super Opaque White   | —                    | AP             |
| Oxide of Chromium    | —                    | AP             | Titanium White       | —                    | AP             |
| Pearl Gold           | —                    | AP             | Ultramarine Blue     | —                    | AP             |
| Pearl Silver         | —                    | AP             | Viridian Hue         | —                    | AP             |
| Pearl White          | —                    | AP             | Yellow Ochre         | —                    | AP             |
| Phthalo Blue         | —                    | AP             |                      |                      |                |