SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Max Sauer SAS Version 1.1 (15/02/2019) - Page 1/7

ACRYLIC INK - N134110. - GENERIC SDS

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: ACRYLIC INK Product codes: N134110.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : Max Sauer SAS.

Address : 2 rue Lamarck CS30204.22000.Saint Brieuc.France.

Telephone : 0033(0)296682000. Fax : 0033(0)296770065.

mail@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

EUH208 EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. Contains REACTION MASS OF: 5-CHLORO-2- METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7]AND 2-METHYL-2H -ISOTHIAZOL-3- ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Precautionary statements - General :

P101 P102 If medical advice is needed, have product container or label at hand. Keep out of reach of children.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition .			
Identification	(EC) 1272/2008	Note	%
INDEX: 603-027-00-1	GHS07	[1]	2.5 <= x % < 10
CAS: 107-21-1	Wng		
EC: 203-473-3	Acute Tox. 4, H302		
ETHANEDIOL			

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217-1023, 02217-4123, 02217-4123, 02217-4283, 02217-4593, 02217-4593, 02217-4593, 02217-4593, 02217-4593, 02217-4593, 02217-4513, 02217-4513, 02217-4513, 02217-4513, 02217-4513, 02217-4513, 02217-4513, 02217-7433, 02217-803, 02217-803, 02217-8033, 0221

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Max Sauer SAS ACRYLIC INK - N134110. - GENERIC SDS

INDEX: 613-088-00-6 GHS05, GHS07, GHS09 $0 \le x \% < 1$ CAS: 2634-33-5 Dgr Acute Tox. 4, H302 EC: 220-120-9 Skin Irrit, 2, H315 1,2-BENZISOTHIAZOL-3(2H)-ONE Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 M Acute = 1 INDEX: 613-167-00-5 GHS06, GHS05, GHS09 0 <= x % < 1 CAS: 55965-84-9 Dgr Acute Tox. 3, H331 **REACTION MASS OF: 5-CHLORO-2-**Acute Tox. 3, H311 METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. Acute Tox. 3, H301 247-500-71AND 2-METHYL-2H Skin Corr. 1B, H314 -ISOTHIAZOL-3- ONE [EC NO. 220-239-6] Skin Sens. 1, H317 Aquatic Acute 1, H400 (3:1)M Acute = 1 Aquatic Chronic 1, H410

M Chronic = 1

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Consult the safety measures listed under headings 7 and 8.

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217-4023, 0221

Version 1.1 (15/02/2019) - Page 2/7

Version 1.1 (15/02/2019) - Page 3/7

ACRYLIC INK - N134110. - GENERIC SDS

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

1 1							
- European Union (2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :							
CAS	VME-mg/m3:	VME-ppm :	VLE-mg/m3:	VLE-ppm :	Notes :		
107-21-1	52	20	104	40	Peau		
- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :							
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :		
107-21-1	-	-	100	-	-		
- Germany - AGW (BAuA - TRGS 900, 29/01/2018) :							
CAS	VME :	VME :	Excess	Notes			
107-21-1		10 ppm		2(I)			
		26 mg/m ³					
- France (INRS - ED984 :2016) :							
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :	
107-21-1	20	52	40	104	*	84	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217,1023, 02217,1023, 02217,1023, 02217,3713, 02217-3713, 0221 3723, 02217-3743, 02217-3763, 02217-4043, 02217-4143, 02217-4183, 02217-4223, 02217-4283, 02217-4563, 02217-4753, 02217-4913, 02217-523, 02217-513, 02217-513, 02217-513, 02217-513, 02217-513, 02217-513, 02217-513, 02217-523, 02217-523, 02217-513, 02217-5 02217-5913, 02217-5923, 02217-6003, 02217-7123, 02217-7433, 02217-7803, 02217-7863, 02217-8053, 02217-8063, 02217-8083, 02217-8523, 02217-8713, 02217-9013, 02217-9313

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Max Sauer SAS

Version 1.1 (15/02/2019) - Page 4/7

ACRYLIC INK - N134110. - GENERIC SDS

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
107-21-1	20 ppm	40 ppm			
	52 mg/m^3	104 mg/m ³			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

Type of gloves recomme

- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical propert	ies	
General information :		
Physical state :	Viscous liquid.	
Important health, safety and environmental information	l de la constante d	
pH :	Not stated.	
	Slightly basic.	
Boiling point/boiling range :	Not specified.	
Flash point interval :	Not relevant.	
Vapour pressure (50°C) :	Not relevant.	
Density :	> 1	
Water solubility :	Dilutable.	
Melting point/melting range :	Not specified.	
Self-ignition temperature :	Not specified.	
Decomposition point/decomposition range :	Not specified.	
9.2. Other information		
No data available.		

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217-1023, 02217-4023, 0221

Max Sauer SAS

EACH)

Version 1.1 (15/02/2019) - Page 5/7

no degradability data is available, the substance is considered as not degrading quickly.

ACRYLIC INK - N134110. - GENERIC SDS

SECTION 10 : STABILITY AND REACTIVITY 10.1. Reactivity No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No data available.

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Acute toxicity :

Species : Rat LD50 = 177 mg/kg Species : Rat LC50 = 140 mg/m3

Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity 12.1.2. Mixtures

12.2. Persistence and degradability 12.2.2. Mixtures

Biodegradability :

12.3. Bioaccumulative potential No data available.
12.4. Mobility in soil No data available.
12.5. Results of PBT and vPvB assessment No data available.
12.6. Other adverse effects No data available.

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217-1023, 02217-4123, 02217-412423, 02417-4253, 02217-4543, 02217-4143, 02

Max Sauer SAS

ACRYLIC INK - N134110. - GENERIC SDS

Version 1.1 (15/02/2019) - Page 6/7

ACKILICINK - NI34110 GENERIC SDS
SECTION 13 : DISPOSAL CONSIDERATIONS
Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.
13.1. Waste treatment methods
Do not pour into drains or waterways.
Waste : Waste management is carried out without endangering human health, without harming the environment and, in particula without risk to water, air, soil, plants or animals.
Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.
Do not contaminate the ground or water with waste, do not dispose of waste into the environment.
Soiled packaging :
Empty container completely. Keep label(s) on container.
Give to a certified disposal contractor.
-
SECTION 14 : TRANSPORT INFORMATION
Exempt from transport classification and labelling.
14.1. UN number
-
14.2. UN proper shipping name
-
14.3. Transport hazard class(es)
-
14.4. Packing group
-
14.5. Environmental hazards
-
14.6. Special precautions for user
-
SECTION 15 : REGULATORY INFORMATION
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:
The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2018/669 (ATP 11)
- EO Regulation No. 1272/2008 amended by EO Regulation No. 2018/009 (ATP 11) - Container information:
No data available.
- Particular provisions : No data available.
- Standardised American system for the identification of hazards presented by the product in view of emergency

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



- Swiss ordinance on the incentive tax on volatile organic compounds : 34590-94-8 2-(3-méthoxypropoxy)propane-1-ol

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217-1023, 02217-4123, 02217-4123, 02217-4283, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4533, 02217-4513, 02217-5133, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-7433, 02217-5133, 0221

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Max Sauer SAS

ACRYLIC INK - N134110. - GENERIC SDS

Version 1.1 (15/02/2019) - Page 7/7

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

Item Numbers: 02217-1003, 02217-1006, 02217-1023, 02217,1023, 02217,1023, 02217,1023, 02217,3713, 02217-3713, 0221 3723, 02217-3743, 02217-3763, 02217-4043, 02217-4143, 02217-4183, 02217-4223, 02217-4283, 02217-4563, 02217-4753, 02217-4913, 02217-513, 02217-513, 02217-5193, 022 02217-5913, 02217-5923, 02217-6003, 02217-7123, 02217-7433, 02217-7803, 02217-7863, 02217-8053, 02217-8063, 02217-8083, 02217-8053, 02217-8073, 02217-912, 02217-912, 02217-912, 02217-912, 02217-912, 02217-912, 02217-912, 02217-912, 02217-912,