02221-XXXX

Safety Data Sheet acc. to OSHA HCS



Printing date 04/03/2018 Reviewed on 04/03/2018

1 Identification

- · Product identifier
- · Trade name: Drawing Pen Ink Pastel Colors(4-89-A Charcoal, 4-89-B Winter Sky Gray, 4-89-C2 Wild Rose Pink, 4-89-E1 Periwinkle Blue, 4-89-F1 Spring Green, 4-89-G1 Peach Blush, 4-89-J1 French Lavendar, 4-89-K2 Wisteria)
- · Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified.

 Application of the substance / the mixture Drawing Pen Ink
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ziller's 9209 Cypress Cove Drive Orlando, Florida 32819 USA Information department: Email: info@zillers.com

• Emergency telephone number: Tel.:407-217-2649

2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements none
- Hazard pictograms none
- Signal word none
- · Hazard statements none
- Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Mixture of the following substances, containing non-hazardous substances and colouring agents.
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.

 After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed
- further relevant information avai

.Numbers: 02221-1011, 02221-1021, 02221-1031, 02221-1041, 02221-2021, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4511, 02221-4511, 02221-2631, 02221-361, 02221-3061, 02221-3711, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4511, 02221-4511, 02221-371 4611,02221-4921,02221-5161,02221-5251,02221-5801,02221-5801,02221-5901,02221-5911,02221-6041,02221-6061,02221-6441,02221-7931,0221-7931,0221

acc. to OSHA HCS



Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Pastel Colors(4-89-A Charcoal, 4-89-B Winter Sky Gray, 4-89-C2 Wild Rose Pink, 4-89-E1 Periwinkle Blue, 4-89-F1 Spring Green, 4-89-G1 Peach Blush, 4-89-J1 French Lavendar, 4-89-K2 Wisteria)

(Contd. of page 1)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:
- Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections

 See Section 7 for information on safe handling.

 See Section 8 for information on personal protection equipment.

 See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1:
 - None of the ingredients is listed.
- · PAC-2:
 - None of the ingredients is listed.
- · PAC-3:
 - None of the ingredients is listed.

7 Handling and storage

- Handling:
- Precautions for safe handling No special measures required.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: 12
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

n Numbers: 02521-9017, 📆 2529-903, 52529-9031, 02221-1041, 02221-2021, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4891, 02221-4891, 02221-271, 0

4611, 02221-4921, 02221-5161, 02221-5251, 02221-5801, 02221-5901, 02221-5911, 02221-6041, 02221-6061, 02221-6441, 02221-7331, 02221-7911, 02221-7911, 02221-8031, 02221-8031, 02221-9181, 02 02221-6191



Page 3/5 Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Pastel Colors(4-89-A Charcoal, 4-89-B Winter Sky Gray, 4-89-C2 Wild Rose Pink, 4-89-E1 Periwinkle Blue, 4-89-F1 Spring Green, 4-89-G1 Peach Blush, 4-89-J1 French Lavendar, 4-89-K2 Wisteria)

(Contd. of page 2)

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with

wearability for the better acceptance of the users are recommended.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

 Penetration time of glove material
 The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical and chemical pr	roperties
General Information Appearance: Form:	Fluid
Color:	According to product specification
Odor:	Product specific
Odor threshold:	Not determined.
Important information on protection of health environment, and on safety.	n and -
pH-value at 20 °C (68 °F):	8-8.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1-1.2 g/cm³ (8.3-10 lbs/gal)
Relative density Vapor density	Not determined. Not determined.
Vapor density Evaporation rate	Not determined.
Solubility in / Miscibility with	not accommend.
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20 °C (68 °F):	4-15 mPas
Kinematic:	Not determined.
Solvent content: Water:	55.7 %
Solids content: Other information	30.4 % The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.
numbers: 02221-1011, 02221-1021, 02221-1031, 02221-1041, 02221-2021, 02221-2071, 02221-2031, 02221-2631, 02221-3631, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4881, 02221-4881, 02221-2031, 02221-2031, 02221-2031, 02221-2031, 02221-3031, 02221-3031, 02221-3721, 02221-3721, 02221-3721, 02221-4011, 02221-4481, 02221-4881, 022 02221-6191



Page 4/5 Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Pastel Colors(4-89-A Charcoal, 4-89-B Winter Sky Gray, 4-89-C2 Wild Rose Pink, 4-89-E1 Periwinkle Blue, 4-89-F1 Spring Green, 4-89-G1 Peach Blush, 4-89-J1 French Lavendar, 4-89-K2 Wisteria)

(Contd. of page 3)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met. Additional toxicological information:

shows the following dangers according to internally approved calculation methods for preparations:
The product is not subject to classification according to internally approved calculation methods

for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available. Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	not applicable	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not applicable	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	not applicable	
· Packing group · DOT, ADR, IMDG, IATA	not applicable	
· Environmental hazards: · Marine pollutant:	No	

m Numbers: 02221-1011, 02221-1021, 02221-1031, 02221-1041, 02221-1041, 02221-2021, 0221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3021, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4881; 02224-971, 0224-4701 4b11, 02221-4921, 02221-5161, 02221-5251, 02221-5801, 02221-5901, 02221-5901, 02221-5911, 02221-6041, 02221-6061, 02221-6441, 02221-7331, 02221-7911, 02221-7931, 02221-8301, 02221-8031, 02221-8181, 02221-9181, 02221-9331 02221-6191

acc. to OSHA HCS



Page 5/5

Trade name: Drawing Pen Ink Pastel Colors (4-89-A Charcoal, 4-89-B Winter Sky Gray, 4-89-C2 Wild Rose Pink, 4-89-E1 Periwinkle Blue, 4-89-F1 Spring Green, 4-89-G1 Peach Blush, 4-89-J1 French Lavendar, 4-89-K2 Wisteria)

(Contd. of page 4)

· Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation": not applicable

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- TSCA new (21st Century Act) (Substances not listed)
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

- None of the ingredients is listed.
- DSL/NDSL (Canada) All ingredients are listed
- · Cancerogenity categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- GHS label elements none Hazard pictograms none
- Signal word none
- · Hazard statements none
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 04/03/2018 /

Date of preparation / last revision 04/03/2018 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

VPVB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

FEL: Persissible Exposure Limit

PEL: Permissible Exposure Limit
nNumbers: Oggzh:1014e-0gzzh:4014-02221-4941, 02221-4941, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3211, 02221-3711, 02221-3721, 02221-4011, 02221-4811, 02221-4511, 02221-

02221-6191



Page 1/6 Printing date 04/03/2018 Reviewed on 04/03/2018

1 Identification

- · Product identifier
- Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black, 39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange, 4-89-H Prairie Fire Orange, 4-89-I Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)
- · Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified.
- · Application of the substance / the mixture Drawing Pen Ink
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ziller's 9209 Cypress Cove Drive Orlando, Florida 32819 USA Information department: Email: info@zillers.com

Emergency telephone number: Tel.:407-217-2649

2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).
- Label elements
- GHS label elements none
- Hazard pictograms none
- Signal word none
- Hazard statements none
- Classification system:
- NFPA ratings (scale 0 4)



Health = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Mixture of the following substances, containing non-hazardous substances and colouring agents.
- Description: Mixture of the substances listed below with nonhazardous additions.
- Dangerous components: none
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

. 02221-1011, 02221-1021, 02221-1031, 02221-1041, 02221-2021, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-3711, 02221-4011, 02221-4481, 02221-4481, 02221-4511, 0221 4611, 02221-4921, 02221-5161, 02221-5251, 02221-5801, 02221-5901, 02221-5911, 02221-6041, 02221-6061, 02221-6441, 02221-7331, 02221-7931, 02221-7931, 02221-8301, 02221-8631, 02221-9181, 02221-9331,

acc. to OSHA HCS



Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black, 39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange, 4-89-H Prairie Fire Orange, 4-89-I Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)

(Contd. of page 1)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:
- Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- Reference to other sections

 See Section 7 for information on safe handling.

 See Section 8 for information on personal protection equipment.

 See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals
- PAC-1:
 - None of the ingredients is listed.
- PAC-2:
 - None of the ingredients is listed.
- · PAC-3:
 - None of the ingredients is listed.

7 Handling and storage

- Handling:
- Precautions for safe handling No special measures required.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: 12
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

n Numbers: 02521-9017, 📆 2529-903, 52529-9031, 02221-1041, 02221-2021, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4891, 02221-2891, 02221-2891, 02221-3721, 02221-3721, 02221-4011, 02221-4891, 02221-4891, 02221-2891, 02221-2891, 02221-3721, 02221-3721, 02221-3721, 02221-4011, 02221-4891, 02221-4891, 02221-2891, 02221-2891, 02221-3721, 0221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 02221-3721, 0221-3721, 0221-3721, 0221-3721, 0221-3721, 0221-3721, 0221-3721, 0 4611, 02221-4921, 02221-5161, 02221-5251, 02221-5801, 02221-5901, 02221-5911, 02221-6041, 02221-6061, 02221-6441, 02221-7331, 02221-7911, 02221-7911, 02221-8031, 02221-8031, 02221-9181, 02

acc. to OSHA HCS



Page 3/6 Printing date 04/03/2018

Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black,39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange , 4-89-H Prairie Fire Orange, 4-89-I Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)

(Contd. of page 2)

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Fluid Color: According to product specification Odor: Product specific Odor threshold: Not determined. Important information on protection of health and environment, and on safety. · pH-value at 20 °C (68 °F): 8-8.5 Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Ignition temperature: Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. Danger of explosion: Not determined. · Explosion limits: Not determined. Lower: Upper: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 $^{\circ}C$ (68 $^{\circ}F$): 1-1.2 g/cm³ (8.3-10 lbs/gal) Relative density Not determined. Vapor density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic at 20 °C (68 °F): 4-15 mPas Kinematic: Not determined. Solvent content: Water Other information The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
 - No decomposition if used according to specifications

Possibility of hazardous reactions No dangerous reactions known.

Hem Numbers: 02221-1021, 02221-1021, 02221-1021, 02221-1021, 02221-1021, 02221-1021, 02221-2021, 02221-2021, 02221-2031, 02221-2031, 02221-2031, 02221-3031, 02221-3031, 02221-371, 02221-3



Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black,39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange, 4-89-H Prairie Fire Orange, 4-89-I Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)

- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
 on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for

The product is not subject to classification according to internally approved calculation methods for preparations:

used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- UN-Number
- DOT, ADR, ADN, IMDG, IATA not applicable
- UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA not applicable
- · Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA
- · Class

not applicable

vis: 02221-1011, 02221-1021, 02221-1031, 02221-4041, 02221-2021, 02221-2021, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4481, 02221-4511, 0 4611, 02221-4921, 02221-5161, 02221-5251, 02221-5801, 02221-5901, 02221-5911, 02221-6041, 02221-6061, 02221-6441, 02221-7331, 02221-7931, 02221-7931, 02221-8301, 02221-8631, 02221-9181, 02221-9331,

acc. to OSHA HCS



Page 5/6 Printing date 04/03/2018 Reviewed on 04/03/2018

Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black,39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange, 4-89-H Prairie Fire Orange, Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)

(Contd. of page 4) Packing group · DOT, ADR, IMDG, IATA not applicable Environmental hazards: Marine pollutant: No Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. UN "Model Regulation": not applicable

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- TSCA new (21st Century Act) (Substances not listed)
- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- DSL/NDSL (Canada) All ingredients are listed
- · Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements none
- · Hazard pictograms none
- Signal word none
- · Hazard statements none
- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 04/03/2018 / -
- Abbreviations and acronyms:

ADDreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 6)

Item Numbers: 02221-1011, 02221-1021, 02221-1031, 02221-1031, 02221-1041, 02221-2021, 02221-2021, 02221-2071, 02221-2131, 02221-2631, 02221-3061, 02221-3221, 02221-3711, 02221-3721, 02221-4011, 02221-4481, 02221-4511, 0221 4611,02221-4921,02221-5161,02221-5251,02221-5801,02221-5801,02221-5911,02221-5911,02221-6061,02221-6041,02221-6441,02221-7911,0221-7911,



Page 6/6 Printing date 04/03/2018

Trade name: Drawing Pen Ink Standard Colors(39-50-D Flat Black,39-51-E Glossy Black, 39-50-A1 Red, 39-50-B Blue, 39-51-D2 Green, 39-51-A Yellow, 39-51-B Orange, 4-89-H Prairie Fire Orange, 4-89-I Buffalo Brown, 39-51-C4 Purple, 39-50-E2 White)

(Contd. of page 5)

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HNIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

us