Version 8.1 (15/04/2022) - Page 1/9

Colorex: white - FDS242



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Colorex : white Product code : FDS242.

See list of references in appendix. UFI: QVD0-Y0T6-500C-60FQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints & Varnishes for artists

1.3. Details of the supplier of the safety data sheet

Registered company name: PEBEO SAS.

Address: CS 10106 .13881.GEMENOS CEDEX.FRANCE. Telephone: 33 (0) 4.42.32.08.08. Fax: 33 (0) 4.42.32.01.70.

reglementation@pebeo.com

www.pebeo.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

Other emergency numbers

United Kingdom: 0870 600 6266 Ireland: 01 809 25 66

>SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

|> In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

|> In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Hazard statements:

|> 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) \geq 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances= 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Version 8.1 (15/04/2022) - Page 2/9

Colorex: white - FDS242

>SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

> Composition:

Identification	(EC) 1272/2008	Note	%
INDEX: 022-006-00-2	GHS08	[1]	25 <= x % < 50
CAS: 13463-67-7	Wng	[10]	
EC: 236-675-5	Carc. 2, H351		
TITANIUM DIOXIDE [IN POWDER FORM			
CONTAINING 1 % OR MORE OF PARTICLES			
WITH AERODYNAMIC DIAMETER <= 10			
μM]			
CAS: 77-99-6	GHS08	[1]	$0 \le x \% < 2.5$
EC: 201-074-9	Wng	[2]	
REACH: 01-2119486799-10-XXXX	Repr. 2, H361fd		
2-ETHYL-2-(HYDROXYMETHYL)PROPANE-			
1,3-DIOL			

> Information on ingredients :

(Full text of H-phrases: see section 16)

- [1] Substance for which maximum workplace exposure limits are available.
- [2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\ll 10 \ \mu m$.

>SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Version 8.1 (15/04/2022) - Page 3/9

Colorex: white - FDS242

Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

Version 8.1 (15/04/2022) - Page 4/9

Colorex: white - FDS242

7.3. Specific end use(s)

No data available.

>SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

|> Occupational exposure limits :

- ACGIH TLV (A	American Confere	nce of Governm	ental Industrial	Hygienists, Thre	shold Limit Va	lues, 2010):
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m3			A4		
- South Africa / I	OOL RL (Departm	ent of Labour, I	Recommended l	imits, 1995):		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m3					
- Australia (NOH	SC: 3008, 1995) :					
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m3			Н		
	é du 19/11/2020) :	'	<u>'</u>		'	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m ³					
	a (Occupational h	ealth and safety	code 2009) ·			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	
13463-67-7	10 mg/m3	BILL.	Cennig .	Definition :	Criteria .	
	n Colombia (2009)		-1	-1	1	
- Canada / Britist CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	\neg
13463-67-7	10 (N) mg/m3		Cennig .	Definition .	Cintella.	_
		•		. 1	401/2000	
	o (Control of expo					\neg
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	_
13463-67-7	10 mg/m3	<u> -</u>	<u> -</u>	-	Т	
	c (Regulations on				1	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	
13463-67-7	10 mg/m3			Pt. note 1		
- China (GBZ 2.1	, 2007):					
CAS	TWA:	STEL:	Anm:	TWA:	STEL:	Anm:
13463-67-7	8 mg/m3					
- Denmark (2020):					
Stof	TWA	VSTEL	Loftvaerdi	Anm		
13463-67-7	- ppm			K		
	6 mg/m ³					
- France (INRS -	ED984 / 2020-15	46):				
CAS	VME-ppm:	VME-mg/m3	: VLE-ppm :	VLE-mg/m3:	Notes:	TMP No:
13463-67-7	-	10	-	-	-	-
- Spain (Instituto	Nacional de Segu	ridad e Higiene	en el Trabajo (1	NSHT) 2019) ·		•
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m ³	DIEE.	- Coming .	D Ullimition !	CITICITIA I	
	ode of practice on	control of air in	murities (Chem	icale substances)	in the workpla	
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria:	7
13463-67-7	10 mg/m3	JIEE.	- Cennig .	-	I	_
		Thomaical Actua	Dogulation - 2	2016) .	1.	
	f practice for the C				Cmitoni - :	\neg
CAS 13463-67-7	TWA:	STEL:	Ceiling:	Definition:	Criteria :	=
	4 mg/m³				1	
- Japan (JSOH, 1		T	T =	I= a	I	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	_
13463-67-7	0.3 mg/m^3				1	

Version 8.1 (15/04/2022) - Page 5/9

Colorex: white - FDS242

- Mexico :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3	20 mg/m3	-	-	-
- Norway (Veilednin	g om administr	ative normer for	forurensning i	arbeidsatmosfæi	re, 2019):
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	5 mg/m ³				
- New Zealand (Wor	kplace Exposur	e standards, 200	2):		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10(a) mg/m3				
- Netherlands / MAC	C-waarde (10 de	cember 2014):			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3	-	-	-	-
- Poland (Dz. U. z 20	018 r. poz. 917,	1000 i 1076) :			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3	-	-	-	TI
- Slovakia (Règleme	nt 300/2007, 47	1/2011 23/11/2	011):		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	5 mg/m ³				
- Switzerland (SUV)	APRO 2019) :				
CAS	VME	VLE	Valeur plafond	Notations	
13463-67-7	3 ppm				
- Sweden (AFS 2018	3:1):				_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	5 mg/m ³				
77-99-6	5 mg/m ³				
- UK / WEL (Workp	lace exposure li	imits, EH40/200	5, Fourth Editio	on 2020):	
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	4 mg/m³				
- USA / NIOSH ID	LH (National	Institute for Occ	cupational Safe	ty and Health,	Immediately Da
Concentrations):	`		•		,
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	-	-	5000	-	-

8.2. Exposure controls

CAS

13463-67-7

Personal protection measures, such as personal protective equipment

 $Pictogram(s)\ indicating\ the\ obligation\ of\ wearing\ personal\ protective\ equipment\ (PPE):$



TWA:

15 mg/m3



STEL:



Ceiling:

- USA / OSHA PEL (Occupational Safety and Health Administration, Permissible Exposure Limits):

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Definition:

Criteria:

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

|> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Version 8.1 (15/04/2022) - Page 6/9

Colorex: white - FDS242

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

|>

>SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
9.1. Information on basic physical and chemical properties	
Physical state	
Physical state :	Fluid liquid.
> Colour	
Unspecified	
> Odour	
Odour threshold:	Not stated.
> Melting point	
Melting point/melting range :	Not relevant.
> Freezing point	
Freezing point / Freezing range:	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range:	Not relevant.
> Flammability	
Flammability (solid, gas):	Not stated.
> Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
> Flash point	
Flash point interval:	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not relevant.
Decomposition temperature	37 . 1
Decomposition point/decomposition range:	Not relevant.
> pH	
pH (aqueous solution):	Not stated.
pH:	7.50 .
TZ*	Neutral.
> Kinematic viscosity	Not stated.
Viscosity:	Not stated.
> Solubility Water solubility:	Dilutable.
Fat solubility:	Not stated.
> Partition coefficient n-octanol/water (log value)	Not stated.
Partition coefficient: n-octanol/water (log value)	Not stated.
Vapour pressure	1100 500000
· upour pressure	

Vapour pressure (50°C):

Not relevant.

Version 8.1 (15/04/2022) - Page 7/9

PEBEO SAS

Colorex: white - FDS242

Density and/or relative density

Density: 1.35

|> Relative vapour density

Vapour density: Not stated.

|> 9.2. Other information

VOC(g/l): 16.66

|> 9.2.1. Information with regard to physical hazard classes

No data available.

> 9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

>SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

No toxicological data available for the substances.

|> 11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

\mid Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 88-12-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 67-63-0: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

 ${\it CAS~9003-39-8: IARC~Group~3: The~agent~is~not~classifiable~as~to~its~carcinogenicity~to~humans.}$

CAS 13463-67-7: IARC Group 2B: The agent is possibly carcinogenic to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

Version 8.1 (15/04/2022) - Page 8/9

Colorex: white - FDS242

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste):

20 01 27 * paint, inks, adhesives and resins containing dangerous substances

15 01 02 plastic packaging

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

112

14.3. Transport hazard class(es)

14.4. Packing group

14.4. I acking gi

14.5. Environmental hazards

_ _ .

14.6. Special precautions for user

_

>SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

|> - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Particular provisions :

No data available.

Version 8.1 (15/04/2022) - Page 9/9

Colorex: white - FDS242

15.2. Chemical safety assessment

No data available.

>SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

|> Wording of the phrases mentioned in section 3 :

H351 Suspected of causing cancer.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

|> Abbreviations :

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI: Unique formulation identifier.

STEL : Short-term exposure limit

TWA: Time Weighted Averages

TMP: French Occupational Illness table

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

 $WGK: Wasserge fahrdungsklasse \ (Water\ Hazard\ Class).$

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.

|> Modification compared to the previous version

Référence	Désignation Référence		
300611	AQUARELLE FINE COFFRET COLLECTION		
417054	COLOREX 5X45ML BLANC		
417154	COLOREX 250ML BLANC		
417254	COLOREX 1L BLANC		
417401	COLOREX SET 5X45ML PRIMAIRE		
417403	SET COLOREX 12X20ML ESSENTIEL		
417430	COLOREX COFFRET EQUIPEMENT		
417406	ASSORTIMENT COLOREX 10 X250ML		

Item Numbers: 02237-1025 Page 10 of 10