	SAFETY DA	TA SHEET	According to EC Direction	ve 91/155/EEC	page. 1/3	-	
	Trade name: DECOFABRIC INK #01 BLACK (#222, #223)						
	Serial No.	100622-01	Revision Date	Nov.04.2020			
	Version	1.14	Print Date	Nov.04.2020			
. ]	IDENTIFICATION ( Identification of th		CE/PREPARATION AND THI	E COMPANY/UNE	)ERTAKING	ł	
	Product name	: DEC	OFABRIC INK #01 BLACK (#2	222, #223)			

Company/undertaking identific	cation
Company	: UCHIDA OF AMERICA, CORP.
	3535 Del Amo Blvd., Torrance, CA 90503

5555 Berrinie Brea, Terranee,
: +1-800-541-5877
: +1-800-229-7017
: +1-800-541-5877

### Use of the substance/preparation

: For markers.

# 2. HAZARDS IDENTIFICATION

Not applicable.

1.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Black 7	Trade Secret	5.0 to 10.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

# 4. FIRST AID MEASURES

### Inhalation

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible. **Skin contact** Immediately rinse through with soap and water. Stains of skin with these inks are somewhat difficult to remove. So, attention may be paid not to stain the skin. **Eye contact** Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

### page. 2/3

Trade name:	DECOFABRIC	C INK #01 BLACK (
Serial No.	100622-01	Revision Date

According to EC Directive 91/155/EEC **CK (#222, #223)** 

Nov.04.2020

Nov.04.2020

They may be discarded the same as ordinary waste.

1.14

# 5. FIRE-FIGHTING MEASURES

Version

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

# Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Print Date

# Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal precautions**

Wear suitable clothing and gloves.

# **Environmental precautions**

At room temperature, no volatile materials are present in these inks.

# Methods for cleaning up

Wipe the material with cloth and wash water.

# 7. HANDLING AND STORAGE

# Handling

Wear suitable protective clothing and gloves.

# Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Personal protective equipment

At room temperature, no volatile materials are present in these inks.

- Hand protection
- protective gloves Eye protection

safety glasses with side-shields

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Аррсагансс	
Form	liquid
Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

# According to EC Directive 91/155/EEC page. 3/3

SALLIDAI		According to EC Directi	VE 91/133/EEC
Trade name: DE	<b>ECOFABRIC INK</b>	#01 BLACK (#222	2, #223)
Serial No.	100622-01	Revision Date	Nov.04.2020
Version	1.14	Print Date	Nov.04.2020

# **10. STABILITY AND REACTIVITY**

# Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

# Hazardous reactions

no.

# **11. TOXICOLOGICAL INFORMATION**

# Acute toxicity

The main components of this ink are pigments, ethylene glycol, resins and several additives. Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

## Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

# 13. DISPOSAL CONSIDERATIONS

# **Product** Disposal according to local authority regulations. **Packaging** Disposal according to local authority regulations.

# **14. TRANSPORT INFORMATION**

Not available.

# **15. REGULATORY INFORMATION**

Not available.

# **16. OTHER INFORMATION**

			, #223)	
al No.	100622-03	Revision Date	Nov.04.2020	
sion	1.14	Print Date	Nov.04.2020	

## 1. Identification of the product

Product name

: DECOFABRIC INK #03 BLUE (#222, #223)

# Company/undertaking identification

Company	: UCHIDA OF AMERICA, CORP.
	3535 Del Amo Blvd., Torrance, CA 90503
Telephone	: +1-800-541-5877
Telefax	: +1-800-229-7017
Emergency telephone number	: +1-800-541-5877

# Use of the substance/preparation

: For markers.

# 2. HAZARDS IDENTIFICATION

Not applicable.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS** ~ . ~ ...

Ingredient	CAS#	Content (wt%)
C. I. Pigment Blue 15	Trade Secret	1.0 to 3.0
C. I. Pigment Blue 15:3	Trade Secret	1.0 to 5.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

# 4. FIRST AID MEASURES

# Inhalation

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

# Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

# According to EC Directive 91/155/EEC

<b>Trade name:</b>	]
Serial No.	
Version	

me: DECOFABRIC INK #03 BLUE (#222, #223) **Revision** Date Print Date

Nov.04.2020

Nov.04.2020

### Ingestion

They may be discarded the same as ordinary waste.

1.14

100622-03

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

# Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal precautions**

Wear suitable clothing and gloves. **Environmental precautions** At room temperature, no volatile materials are present in these inks. Methods for cleaning up Wipe the material with cloth and wash water.

# 7. HANDLING AND STORAGE

# Handling

Wear suitable protective clothing and gloves. Storage Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Personal protective equipment

At room temperature, no volatile materials are present in these inks. Hand protection protective gloves Eye protection safety glasses with side-shields

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid
Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

According to EC Directive 91/155/EEC	pa
NK #03 BLUE (#222, #223)	

Nov.04.2020

Nov.04.2020

Trade name	e: DECOFABRIC II	NK #03 BLUE (#2
Serial No.	100622-03	Revision Date
Version	1.14	Print Date

# **10. STABILITY AND REACTIVITY**

### Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place. Hazardous reactions

no.

# 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

The main components of this ink are pigments, ethylene glycol, resins and several additives. Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available. **Further ecologic data** 

### Do not allow entrance in waters, wastewater, or soil.

### **13. DISPOSAL CONSIDERATIONS**

### Product

Disposal according to local authority regulations. **Packaging** 

Disposal according to local authority regulations.

# **14. TRANSPORT INFORMATION**

Not available.

# **15. REGULATORY INFORMATION**

Not available.

# **16. OTHER INFORMATION**

Serial No.	100622-02	Revision Date	Nov.04.2020	
Version	1.14	Print Date	Nov.04.2020	

## 1. Identification of the product

Product name

: DECOFABRIC INK #02 RED (#222, #223)

# Company/undertaking identification

Company	: UCHIDA OF AMERICA, CORP.
	3535 Del Amo Blvd., Torrance, CA 90503
Telephone	: +1-800-541-5877
Telefax	: +1-800-229-7017
Emergency telephone number	: +1-800-541-5877

# Use of the substance/preparation

: For markers.

# 2. HAZARDS IDENTIFICATION

Not applicable.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS#	Content (wt%)
C. I. Pigment Red 17	Trade Secret	3.0 to 5.0
C. I. Pigment Yellow 83	Trade Secret	0.0 to 2.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

# 4. FIRST AID MEASURES

# Inhalation

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

# Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

# According to EC Directive 91/155/EEC

page. 2/3

<b>Trade name:</b>
Serial No.
Version

100622-02

# **DECOFABRIC INK #02 RED (#222, #223) Revision** Date

Print Date

Nov.04.2020 Nov.04.2020

# Ingestion

They may be discarded the same as ordinary waste.

1.14

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

# Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

# 6. ACCIDENTAL RELEASE MEASURES

# **Personal precautions**

Wear suitable clothing and gloves. **Environmental precautions** At room temperature, no volatile materials are present in these inks. Methods for cleaning up Wipe the material with cloth and wash water.

# 7. HANDLING AND STORAGE

# Handling

Wear suitable protective clothing and gloves. Storage Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Personal protective equipment

At room temperature, no volatile materials are present in these inks. Hand protection protective gloves Eye protection safety glasses with side-shields

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid
Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

According to EC Directive 91/155/EEC	

Nov.04.2020

Nov.04.2020

page.	3/3
page.	0,0

<b>Trade name:</b>	DECOFABRIC	E INK #02 RED (#222, #22	23)
Serial No.	100622-02	Revision Date	Ń
Version	1.14	Print Date	N

# **10. STABILITY AND REACTIVITY**

### Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place. Hazardous reactions

no.

# 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

The main components of this ink are pigments, ethylene glycol, resins and several additives. Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available. **Further ecologic data** 

### Do not allow entrance in waters, wastewater, or soil.

### 13. DISPOSAL CONSIDERATIONS

### Product

Disposal according to local authority regulations. **Packaging** 

Disposal according to local authority regulations.

# **14. TRANSPORT INFORMATION**

Not available.

# **15. REGULATORY INFORMATION**

Not available.

# **16. OTHER INFORMATION**

page. 1/4

# Company/undertaking identification

: UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503
: +1-800-541-5877
: +1-800-229-7017
: +1-800-541-5877

# Use of the substance/preparation

: For markers.

# 2. HAZARDS IDENTIFICATION

Not applicable.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
Mica	Trade Secret	5.0 to 10.0
Titanium dioxide	Trade Secret	5.0 to 30.0
Silicon dioxide	Trade Secret	2.0 to 5.0
Ethanol	Trade Secret	2.0 to 5.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 5.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

# 4. FIRST AID MEASURES

# Inhalation

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible. **Skin contact** 

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

# SAFETY DATA SHEETAccording to EC Directive 91/155/EECpage. 2/4Trade name: DECOFABRIC INK #0 WHITE (#222, #223)Serial No.100622-00Revision DateNov.04.2020Version1.14Print DateNov.04.2020Nov.04.2020

Immediately rinse the stained eye with plenty of water, and call on a physician.

# Ingestion

They may be discarded the same as ordinary waste.

# **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

## Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

### Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions

Wear suitable clothing and gloves. **Environmental precautions** At room temperature, no volatile materials are present in these inks. **Methods for cleaning up** Wipe the material with cloth and wash water.

# 7. HANDLING AND STORAGE

### Handling

Wear suitable protective clothing and gloves. **Storage** 

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection protective gloves Eye protection safety glasses with side-shields

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid

<b>SAFETY DATA SHEET</b> <u>According to EC Directive 91/155/EEC</u>			page. 3/4	
Trade name: DECOFABRIC INK #0 WHITE (#222, #223)				
Serial No.	100622-00	Revision Date	Nov.04.2020	
Version	1.14	Print Date	Nov.04.2020	

Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

# 10. STABILITY AND REACTIVITY

# Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place. Hazardous reactions

no.

# 11. TOXICOLOGICAL INFORMATION

# Acute toxicity

Quantitative data on the toxicological effect of this product are not available.

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available. **Further ecologic data** Do not allow entrance in waters, wastewater, or soil.

# 13. DISPOSAL CONSIDERATIONS

# Product

Disposal according to local authority regulations. **Packaging** 

Disposal according to local authority regulations.

# **14. TRANSPORT INFORMATION**

Not available.

# **15. REGULATORY INFORMATION**

Not available.

# SAFETY DATA SHEETAccording to EC Directive 91/155/EECpage. 4/4Trade name: DECOFABRIC INK #0 WHITE (#222, #223)Serial No.100622-00Revision DateNov.04.2020Version1.14Print DateNov.04.2020

# **16. OTHER INFORMATION**