## MSDS for #02824 - DECEBRC MRKR 223 SRS

	DATA SHEET :: DECOFABRIC II	According to EC Direct NK #03 BLUE (#222,		page. 1/
Serial No.	100622-03	Revision Date	Nov.04.2020	
Version	1.14	Print Date	Nov.04.2020	
			110000 112020	
DENTIFICATIO	ON OF THE SUBSTANCE	PREPARATION AND TH		DERTAKI
	ON OF THE SUBSTANCE f the product		E COMPANY/UNI	DERTAK

Company/undertaking identification		
Company	: UCHIDA OF AMERICA, CORP.	
	3535 Del Amo Blvd., Torrance, CA 90503	
Telephone	: +1-800-541-5877	
Telefax	: +1-800-229-7017	
Emergency telephone number	: +1-800-541-5877	

#### Use of the substance/preparation

: For markers.

#### 2. HAZARDS IDENTIFICATION

Not applicable.

1.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient	CAS#	Content (wt%
C. I. Pigment Blue 15	Trade Secret	1.0 to 3.0
C. I. Pigment Blue 15:3	Trade Secret	1.0 to 5.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

#### 4. FIRST AID MEASURES

#### Inhalation

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

#### Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

SAFETY DATA SHEET

# According to EC Directive 91/155/EEC

page.	2/3
page.	<i>2</i> / 3

Trade	name
Serial No	).
Version	

100622-03 1.14

: DECOFABRIC INK #03 BLUE (#222, #223) **Revision** Date Print Date

Nov.04.2020

Nov.04.2020

#### Ingestion

They may be discarded the same as ordinary waste.

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

# Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

#### 6. ACCIDENTAL RELEASE MEASURES

#### **Personal precautions**

Wear suitable clothing and gloves. **Environmental precautions** At room temperature, no volatile materials are present in these inks. Methods for cleaning up Wipe the material with cloth and wash water.

## 7. HANDLING AND STORAGE

## Handling

Wear suitable protective clothing and gloves. Storage Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Personal protective equipment

At room temperature, no volatile materials are present in these inks. Hand protection protective gloves Eye protection safety glasses with side-shields

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid
Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

#### According to EC Directive 91/155/EEC

page.	3/3
-------	-----

SAFETY D	ATA SHEET	According to EC Directi	ve 91/155
Trade name:	<b>DECOFABRIC I</b>	NK #03 BLUE (#222,	#223)
Serial No.	100622-03	Revision Date	Nov
Version	1.14	Print Date	Nov

Nov.04.2020 Nov.04.2020

# **10. STABILITY AND REACTIVITY**

## Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place. **Hazardous** reactions

no.

## **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

The main components of this ink are pigments, ethylene glycol, resins and several additives. Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available. Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

#### 13. DISPOSAL CONSIDERATIONS

#### Product

Disposal according to local authority regulations. Packaging

Disposal according to local authority regulations.

## **14. TRANSPORT INFORMATION**

Not available.

## **15. REGULATORY INFORMATION**

Not available.

#### **16. OTHER INFORMATION**

Keep out reach of baby or children. For further information, please contact us.