

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

02959-6624



SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT

Product Name: Manganese Violet Dry Pigment
Product Description: Pigment, colorant
Intended Use: Fine art painting and decorative coatings

COMPANY

Company Name: Gamblin Artists Colors
Company Address: 2734 SE Raymond St.
Portland, OR 97202
USA
Company Phone: 503-235-1945
Emergency Phone: Local Emergency Room

SECTION 2: HAZARDS IDENTIFICATION

Physical hazards: Not classified
Health hazards: Not classified
Environmental hazards: Not classified
OSHA defined hazards: Not classified
Label elements: Not assigned
Hazard symbol: None
Signal word: Not assigned
Hazard statement: Not assigned
Precautionary statement
Prevention: Not assigned
Response: Not assigned
Storage: Not assigned
Disposal: Not assigned

Hazard(s) not otherwise classified (HNOC):

Not assigned

Supplemental information Substance(s) formed under the condition of use:

NA

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

Chemical Name	Common name	CAS#	Concentration (%)
Manganese ammonium pyrophosphate	V10011T Mangano violet #11 CI Constitution #77742 CI Pigment Violet 16	10101-66-3	100%

Composition comments:

This product is the result of high temperature calcination of the component substances. Due to its unique crystalline structure the properties of this finished pigment do not necessarily reflect the properties of the component metals or oxides.

SECTION 4: FIRST AID MEASURES

Eyes: Wash with clean water for at least 15 minutes. If irritation persists, get medical attention.

Skin: Wash skin thoroughly with soap and water.

Inhalation: Remove to fresh air. If the affected person is not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician if symptoms develop or persist.

Ingestion: Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting. Give several glasses of water to dilute contents of stomach and call a physician.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: No additional information available.

SECTION 5: FIRE FIGHTING MEASURES**FIRE FIGHTING**

Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media:

NA

Special Fire Fighting Procedures:

Use protective equipment appropriate for surrounding materials.

Not a fire hazard.

This product is not flammable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate personal protective equipment. Avoid inhalation of dust from the spilled material.

Environmental Precautions:

Prevent contamination of soil, drains, and surface waters.

Methods for clean up: Avoid dust formation. Following product recovery, flush area with water. Collect

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

powder using special dust vacuum cleaner with particle filter or carefully sweep into the closed container.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling:

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Keep formation of airborne dusts to a minimum. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Cautions for Safe Storage:

Store in closed original container in a dry place. Room temperature-normal conditions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

US OSHA Table z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Metals	Type	Value	Percent (%)	Form
Manganese compounds	Ceiling	5mg/m ³	20-30	(as Mn) Fume.

US. ACGIH Threshold Limit Values

Metals	Type	Value	Percent (%)	Form
Manganese compounds	TWA	0.1 mg/m ³	20-30	(as Mn) Inhalable fraction.
		0.02 mg/m ³	20-30	(as Mn) Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Metals	Type	Value	Percent (%)	Form
Manganese compounds	STEL	3 mg/m ³	20-30	(as Mn) Fume.
	TWA	1 mg/m ³	20-30	(as Mn) Fume.

BIOLOGICAL LIMIT VALUES No biological exposure limits noted for the ingredient(s).

PERSONAL PROTECTION

Respiratory Protection: If engineering controls do not maintain airborne concentrations below recommended

exposure limits (where applicable) or acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a particulate filter respirator for particulate concentrations exceeding the Occupational Exposure Limit. A respiratory protection program that meets OSHA's 29CFR 1910.134 and ANSI Z288.2 requirements must be followed whenever workplace conditions

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

Skin Protection: warrant respirator use. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. MSHA/NIOSH respirators approved for dusts TC-1c or NIOSH approved cartridges for non-oil aerosols, N95, N99, N100 (42 CFR84).

Eye Protection: Rubber or plastic gloves. PVC disposable gloves. Use impervious gloves. Normal work clothing (long sleeved shirt and pants) is recommended. Safety glasses with side-shields

ENGINEERING CONTROLS

Ventilation: Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Hygiene: Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking .

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

Physical State: Powder
Color: Purple/violet
Odor: None
Odor Threshold: N/D

IMPORTANT HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION

Boiling Point: N/A
Melting Point: N/A
Freezing Point: N/A
Vapor Pressure: N/A
Vapor Density: N/A
Relative Density: 2.7
Evaporation Rate: N/A
Solubility in Water: Slightly
Solids by Weight: N/D
Volatile: N/A
Molecular Weight: N/A
Viscosity: N/A
Decomposition Temp: 700-750°F (371.1-398.9°C)
pH: 3.8

SECTION 10: STABILITY AND REACTIVITY

Stability: Material is stable under normal conditions
Conditions to Avoid: None known
Materials to Avoid: No additional information
Hazardous Decomposition or Bi-Products: No hazardous decomposition products are known.

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

Possibility of Hazardous Reactions:

Hazardous polymerization does not occur.

SECTION 11: TOXICOLOGICAL INFORMATION**INFORMATION ON TOXICOLOGICAL EFFECTS**

Inhalation: May cause irritation to the respiratory system.
Ingestion: No adverse effects due to ingestion are expected.
Skin: May cause irritation.
Eye: May cause irritation.
Other: Early symptoms of chronic manganese poisoning includes: languor, sleepiness and weakness in the legs. A stolid mask-like appearance of the face, emotional disturbances such as uncontrollable laughter and spastic gait with tendency to fall in walking are findings in more advanced cases.

HAZARD CLASS	CONCLUSION/REMARKS
Inhalation	May cause respiratory irritation
Ingestion	No adverse effects due to ingestion are expected. Oral LD50: 12900 mg/kg (rat)
Skin	Contact with skin may cause irritation
Eye	May irritate eyes
Sensitization	No sensitizing effects known
Specific Target Organ Toxicity (STOT)	
Single Exposure	Not classified (No Data Available)
Repeated Exposure	Not classified (No Data Available)

Further information: Overexposure to the dust of manganese compounds may cause chronic manganese poisoning, which is unlikely in the normal workplace setting. This product is the result of high temperature calcination of the component substances. Due to the unique crystalline structure of the properties of this finished material do not necessarily reflect the properties of the component metals or oxides.

SECTION 12: ECOLOGICAL INFORMATION**ECOLOGICAL INFORMATION**

Ecotoxicity: Not expected to be harmful to aquatic organisms
EC50 40 mg/l, 48 hours (daphnia magna)
Mobility: No information available

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

PERSISTENCE AND MOBILITY

Biodegradation: Not expected to be biodegradable

Bioaccumulative potential:

Does not contain any substance expected to be bioaccumulating

SECTION 13: DISPOSAL CONSIDERATIONS

NOTE: Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.

Waste Disposal: Dispose of in accordance with national, state, and local regulations.

Empty Container: Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations.

SECTION 14: TRANSPORT INFORMATION

LAND (DOT): Not regulated

SEA (IMDG): Not regulated

AIR (IATA): Not regulated

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS TSCA (TOXIC SUBSTANCE CONTROL ACT):

Not regulated

CERCLA HAZARDOUS SUBSTANCE LIST (40 CFR 302.4):

Not listed

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

Immediate Hazards - Yes

Delayed Hazards - No

Fire Hazards - No

Pressure Hazards - No

Reactivity Hazards - No

SARA 302 Extremely hazardous substances - No

SARA 311/312 Hazardous chemical - Yes

SARA 313 (TRI reporting) - Chemical name: Manganese compounds CAS number 7439-96-5 100% by weight.

CLEAN AIR ACT (CAA) SECTION 112 HAZARDOUS AIR POLLUTANTS (HAPs) LIST:

Manganese compounds (CAS 7439-96-5)

STATE REGULATIONS:

Massachusetts RTK - Substance List:

SAFETY DATA SHEET: Manganese Violet Dry Pigment
REVISED: 4/28/2023

Manganese compounds (CAS 7439-96-5)
New Jersey Worker and Community Right-to-Know Act:
 Manganese compounds (CAS 7439-96-5) 500 lbs
Pennsylvania RTK - Hazardous Substances:
 Manganese compounds (CAS 7439-96-5)
Rhode Island RTK:
 Manganese compounds (CAS 7439-96-5)
California Proposition 65:
 Not listed

INTERNATIONAL REGULATIONS:

<u>Country(s) or Region</u>	<u>Inventory Name</u>	<u>On Inventory (yes/no)*</u>
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINCES)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	
No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s). A

"No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: OTHER INFORMATION

N/D = Not determined, N/A = Not applicable

THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS:

Updates made in accordance with implementation of GHS requirements.

The information and recommendations contained herein are, to the best of Gamblin's knowledge and belief, accurate and reliable, but it is not warranted to be. You can contact Gamblin to ensure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use and it is the user's responsibility to carefully read the product label and follow instructions for safe use of the product.