SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS Version 3.1 (04/11/2022) - Page 1/8

PIGMENT BLANC DE ZINC - N133001.119

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product identifier

Product name : PIGMENT BLANC DE ZINC Product code : N133001.119.

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Paint for artist

# 1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS.

Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19.

regulatory.affairs@raphael.fr

# 1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

#### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS09 Signal Word : WARNING Product identifiers : ZINC OXIDE 030-013-00-7 Hazard statements : H410 Very toxic to aquatic life with long lasting effects. Precautionary statements - General : P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Precautionary statements - Disposal : P501 Dispose of contents/container to ...

# 2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

Version 3.1 (04/11/2022) - Page 2/8

#### PIGMENT BLANC DE ZINC - N133001.119

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures ....

0

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 030-013-00-7	GHS09	[1]	100%
CAS: 1314-13-2	Wng		
EC: 215-222-5	Aquatic Acute 1, H400		
	M Acute $= 1$		
ZINC OXIDE	Aquatic Chronic 1, H410		
	M Chronic $= 1$		

# Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

## SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

## 4.1. description of first aid measures

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

# In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of swallowing :

Seek medical attention, showing the label.

- 4.2. Most important symptoms and effects, both acute and delayed
- No data available.
- 4.3. Indication of any immediate medical attention and special treatment needed No data available.

# SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

#### 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

# 5.3. Advice for firefighters

No data available.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Consult the safety measures listed under headings 7 and 8.

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

MAX SAUER SAS

## PIGMENT BLANC DE ZINC - N133001.119

Version 3.1 (04/11/2022) - Page 3/8

# For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming) : do not generate dust.

# 6.4. Reference to other sections

No data available.

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Anyone suffering from respiratory problems or allergies must not handle or be exposed to powdered paints

# 7.1. Precautions for safe handling

#### Always wash hands after handling.

# Fire prevention :

Precautions must be taken to prevent any dust formation at a concentration higher than ignition or explosion concentration or the occupational exposure limits.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

# Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

## 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep well away from all sources of ignition, heat and direct sunlight.

#### Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1. Control parameters

#### Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

	CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
	1314-13-2	2 (R) mg/m3	10 (R) mg/m3			
- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :						

CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1314-13-2	-	5	-	-	-	-

#### 8.2. Exposure controls

Personal protection measures, such as personal protective equipment

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (04/11/2022) - Page 4/8

## PIGMENT BLANC DE ZINC - N133001.119

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection
- Avoid inhaling dust.
- Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

#### SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties Physical state Physical state : Powder or dust. Colour Unspecified Odour Odour threshold : Not stated. Melting point Melting point/melting range : Not specified. **Freezing point** Not stated. Freezing point / Freezing range : Boiling point or initial boiling point and boiling range Boiling point/boiling range : Not specified. Flammability Flammability (solid, gas) : Not stated. Lower and upper explosion limit Explosive properties, lower explosivity limit (%) : Not stated. Explosive properties, upper explosivity limit (%): Not stated. Flash point Not relevant Flash point interval : Auto-ignition temperature Not specified. Self-ignition temperature : **Decomposition temperature** Decomposition point/decomposition range : Not specified.

Item Numbers: 02993-1030

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version	3.1	(04/1)	1/2022) -	Page 5/8

	PIGMENT BLANC DE ZINC - N133001.119
pH	
pH :	Not relevant.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Insoluble.
Fat solubility :	Not stated.
Partition coefficient n-octanol/wat	er (log value)
Partition coefficient: n-octanol/wat	ter : Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	< 1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to p	ohysical hazard classes
No data available.	

9.2.2. Other safety characteristics No data available.

# SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

#### **10.2.** Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Avoid :

- formation of dusts

- frost

Dusts can form an explosive mixture with air.

#### 10.5. Incompatible materials

No data available.

# 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Powdered paints may cause local skin irritation, in folds in the skin or on contact with tight clothing (too tight fitting)

# 11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

No toxicological data available for the mixture.

11.2. Information on other hazards

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 5 of 8

Version 3.1 (04/11/2022) - Page 6/8

# PIGMENT BLANC DE ZINC - N133001.119

# SECTION 12 : ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

# 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

# 12.7. Other adverse effects

No data available.

# German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 2 : Hazardous for water.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 [40-20] - ICAO/IATA 2022 [63]).

# 14.1. UN number or ID number

3077

# 14.2. UN proper shipping name

UN3077=ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(zinc oxide)

#### 14.3. Transport hazard class(es)

- Classification :



## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (04/11/2022) - Page 7/8

PIGMENT BLANC DE ZINC - N133001.119

# 14.4. Packing group

Ш

#### 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M7	III	9	90	5 kg	274 335 375	E1	3	-
							601			

Not subject to this regulation if Q  $\leq 51/5$  kg (ADR 3.3.1 - DS 375)

IMI	DG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
				_					Handling	
		9	-	III	5 kg	F-A. S-F	274 335 966	E1	Category A	-
							967 969		SW23	

Not subject to this regulation if Q <= 51/5 kg (IMDG 3.3.1 - 2.10.2.7)

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	Ш	956	400 kg	956	400 kg	A97 A158	E1
							-	A179 A197	
								A215	
	9	-	III	Y956	30 kg G	-	-	A97 A158	E1
								A179 A197	
								A215	

Not subject to this regulation if  $Q \le 5 l / 5 kg$  (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(zinc oxide)

14.7. Maritime transport in bulk according to IMO instruments

No data available.

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)
- Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

- Particular provisions :
- No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws) : WGK 2 : Hazardous for water.

# 15.2. Chemical safety assessment

No data available.

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

ar brielie brib

#### PIGMENT BLANC DE ZINC - N133001.119

# SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3 :

H400	
H410	

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

#### Abbreviations :

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

Page 8 of 8

Version 3.1 (04/11/2022) - Page 8/8