Version 4.1 (08/10/2021) - Page 1/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : GESSO BLANC SENNELIER (500ML / 1L) Product code : N125013.500 .1L. UFI : P76D-Q9QK-TT0C-TPN7

1.2. Relevant identified uses of the substance or mixture and uses advised against Additive for artistical use

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



× .		
GHS07		
Signal Word :		
WARNING		
Product identifiers :		
613-088-00-6	1,2-BENZISOTHIAZOL-3(2H)	
EC 220-239-6	2-MÉTHYL-2H-ISOTHIAZOL	E-3-ONE
EC 220-239-6	2-MÉTHYL-2H-ISOTHIAZOL	E-3-ONE
Hazard statements :		
H317	May caus	se an allergic skin reaction.
Precautionary stateme	nts - General :	
P101	If medica	l advice is needed, have product container or label at hand.
P102	Keep out	of reach of children.
Precautionary stateme	nts - Prevention :	
P261	Avoid br	eathing dust/fume/gas/mist/vapours/spray.
P272	Contamin	nated work clothing should not be allowed out of the workplace.
P280		tective gloves/protective clothing/eye protection/face n/hearing protection/

Version 4.1 (08/10/2021) - Page 2/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

Precautionary statements - Response :	
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to
Other information :	

2.3. Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture contains substances subject to authorization according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/en/authorisation-list

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 13463-67-7		[1]	10 <= x % < 25
EC: 236-675-5	EUH:210-212		
REACH: 01-2119489379-17-XXXX			
DIOXYDE DE TITANE			
CAS: 57-55-6		[1]	2.5 <= x % < 10
EC: 200-338-0			
REACH: 01-2119456809-23-XXXX			
PROPANE-1,2-DIOL			
CAS: 56-81-5		[1]	1 <= x % < 2.5
EC: 200-289-5			
REACH: exemption (annexe V)			
GLYCEROL			
CAS: 9036-19-5	GHS07, GHS05	[6]	0 <= x % < 1
	Dgr	[XIV]	
OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANO	Acute Tox. 4, H302		
L	Eye Dam. 1, H318		
	Aquatic Chronic 3, H412		
INDEX: 007-001-01-2	GHS05, GHS09	В	$0 \le x \% < 1$
CAS: 1336-21-6	Dgr		
EC: 215-647-6	Skin Corr. 1B, H314		
	Aquatic Acute 1, H400		
AMMONIA	M Acute = 1		
CAS: 13463-41-7	GHS06, GHS05, GHS09		$0 \le x \% < 1$
EC: 236-671-3	Dgr		
	Acute Tox. 3, H301		
PYRITHIONE DE ZINC	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 10		

Version 4.1 (08/10/2021) - Page 3/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	$0 \le x \% < 1$
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	MAcute = 1		
CAS: 2682-20-4	GHS06, GHS05, GHS09	[1]	$0 \le x \% < 1$
EC: 220-239-6	Dgr		
	Acute Tox. 4, H302		
2-MÉTHYL-2H-ISOTHIAZOLE-3-ONE	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Acute Tox. 3, H331		
	STOT SE 3, H335		
	Aquatic Acute 1, H400		
	M Acute = 1		
CAS: 2682-20-4	GHS06, GHS05, GHS09	[1]	$0 \le x \% < 1$
EC: 220-239-6	Dgr		
REACH: 01-2120764690-50-XXXX	Acute Tox. 3, H301		
	Skin Corr. 1B, H314		
2-MÉTHYL-2H-ISOTHIAZOLE-3-ONE	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Chronic 2, H411		
	Aquatic Acute 1, H400		
	M Acute = 10		

(Full text of H-phrases: see section 16)

Information on ingredients :

[XIV] Substance subject to authorization according to Annex XIV of REACH Regulation (EC) No 1907/2006.

[1] Substance for which maximum workplace exposure limits are available.

[6] Substances of very high concern (SVHC).

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Item Numbers: 03506-1020

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Version 4.1 (08/10/2021) - Page 4/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

- phosgene (CCl2O)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

Version 4.1 (08/10/2021) - Page 5/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
13463-67-7	10 mg/m3			A4		
56-81-5	10 mg/m3					
- Germany - AGW (1	BAuA - TRGS	900, 08/08/2019	ə):			
CAS	VME :	VME :	Excess	Notes]	
56-81-5		200 mg/m ³		2 (I)		
- France (INRS - ED	984 / 2020-154	6) :			-	
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
13463-67-7	-	10	-	-	-	-
56-81-5	-	10	-	-	-	-
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
13463-67-7	4 mg/m ³					
57-55-6	10 mg/m ³					
56-81-5	10 mg/m ³					

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN ISO 374-2

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

FETY DATA SHEET (REGULATION (EC) n° 1907/2006 -	- REACH) Version 4.1 (08/10/2021) - Page
AX SAUER SAS	Version 4.1 (06/10/2021) - Fage
GESSO BLANC SENNELIE	R (500ML / 1L) - N125013.500 .1L
Work clothing worn by personnel shall be laundered regu	
After contact with the product, all parts of the body that h	ave been soiled must be washed.
SECTION 9 : PHYSICAL AND CHEMICAL PROPERT	IES
9.1. Information on basic physical and chemical propert	ies
General information :	
Physical state :	Viscous liquid.
Important health, safety and environmental information	L
pH :	Not stated.
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash Point Interval :	$FP > 100^{\circ}C.$
Vapour pressure (50°C) :	Not relevant.
Density :	> 1
Water solubility :	Dilutable.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	
No data available.	
10.2. Chemical stability This mixture is stable under the recommended handling a10.3. Possibility of hazardous reactions No data available.	nd storage conditions in section 7.
10.4. Conditions to avoid No data available.	
10.5. Incompatible materials No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
- phosgene (CCl2O)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects May cause an allergic reaction by skin contact.	
11.1.1. Substances	
11.1.1. Substances	
Acute toxicity : GLYCEROL (CAS: 56-81-5) Oral route : Ll	D50 > 27200 mg/kg pecies : Rat
Acute toxicity : GLYCEROL (CAS: 56-81-5) Oral route : SI	

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500.1L Species : Rat (recommended by the CLP) 11.12. Mixture Notoxicological data available for the mixture. One agent is not classifiable as to its carcinogenicity to humans. CAS 7631-86-9: LARC Group 3 : The agent is not classifiable as to its carcinogenic to humans. CAS 7631-86-9: LARC Group 3 : The agent is not classifiable as to its carcinogenic to humans. SECTION 12: ECOLOGICAL INFORMATION 12.1 Toxicity Duration of exposure : 96 h Crustacean toxicity : EC50 mg/l Species: Daphnia magna Duration of exposure : 96 h Crustacean toxicity : EC50 mg/l Species: Scendesmus quadricauda Duration of exposure : 96 h Curstacean toxicity : LEC50 mg/l Duration of exposure : 96 h CL50> S00 mg/l Duration of exposure : 96 h CL50> S00 mg/l Duration of exposure : 96 h Duration of exposure : 96 h DUCI (CAS: 57-55-6) Diodegradability <th>AFETY DATA SHEET (REGULATION (EC) n° 1907 AX SAUER SAS</th> <th>/2006 - REACH)</th> <th>Version 4.1 (08/10/2021) - Page 7/9</th>	AFETY DATA SHEET (REGULATION (EC) n° 1907 AX SAUER SAS	/2006 - REACH)	Version 4.1 (08/10/2021) - Page 7/9
11.1.2. Mixture No toxicological data available for the mixture. Monograph(s) from the LARC (International Agency for Research on Cancer) : CAS 7631-86-9 : IARC Group 2 B : The agent is not classifiable as to its carcinogenicity to humans. CAS 13463-67-7 : LARC Group 2 B : The agent is possibly carcinogenic to humans. SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Toxicity 12.1. Substances GINCEROL (CAS: 56-81-5) Fish toxicity : Duration of exposure : 96 h Crustacean toxicity : Bage toxicity : EC50 mg/l Species: Dephnia magna Duration of exposure : 24 h Algae toxicity : EC50 mg/l Species: Scenedesmus quadricauda Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.1. Definition StypOLYTETIONYTETITIONYTETITIONYTETITIONYTETITIONY (CAS: 9036-19-5) Biodegradability: no degradability data is available, the substance is considered as not degrading quickly. GINCERCOL (CAS:		NELIER (500ML / 1L) - N12501	13.500 .1L
No toxicological data available for the mixture. Monograph(s) from the LARC (International Agents for Research on Cancer) : CAS 7631-86-59 : LARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 13463-67-7: IARC Group 2 B: The agent is possibly carcinogenic to humans. SETURE 12: ECOLOCICAL INFORMATION 12.1. Toxicity 12.1. Substances Grustacean toxicity : Crustacean to degradability tota is available for the mixture. Crustacean toxicity data available for the mixture. Crustacean toxicity data available for the mixture. Crustacean toxicity data available for the mixture. Crustacean toricity data available for the mixture. Crustacean toricity data available for the mixture. Crustacean degradability data is available, the substance is considered as not degradability Crustacean doxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DCO = 0.16 g/g Biodegradability : Crustacean doxygen demand : DCO = 0.16 g/g Crustacean doxygen demand : DCO = 0.16 g/g Crust		Species : Rat (recommended	by the CLP)
No toxicological data available for the mixture: CAS 7631-86-9: 1ARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 7631-86-9: 1ARC Group 3: The agent is possibly carcinogenic to humans. CAS 7631-86-9: 1ARC Group 3: The agent is possibly carcinogenic to humans. CAS 7631-86-9: 1ARC Group 3: The agent is possibly carcinogenic to humans. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity: Crustacean toxicity: EC50 mg/l Species: Daphnia mggna Duration of exposure: 96 h Crustacean toxicity: EC50 mg/l Species: Scenedesmus quadricauda Duration of exposure: 7 days PROPANE-1.2.DIOL (CAS: 57-55-6) Fish toxicity: 12.2. Persistence and degradability 12.3. Substances OCTYLEPHENOXYPOLYÉTHANUL (CAS: 9036-19-5) Biodegradability: CL2. Persistence and degradability PROPANE-1.2-DIOL (CAS: 57-55-6) Biodegradability: COTYLEPHENOXYPOLYÉTHANUL (CAS: 9036-19-5) Biodegradability: COTYLEPHENOXYPOLYÉTHANUL (CAS: 9036-19-5) Biodegradability: Chemical oxygen demanad: DCO = 1.16 g/g Five-day biochemical oxygen demanad: DCO = 1.16 g/g Biodegradability: Rapidly degradability data is available, the substance is considered as not degradability data is available, the substance is considered as not degradability Chemical oxygen demanad: DCO = 1.16 g/g Biodegradability: Rapidly degradable. Biodegradability: Chemical oxygen demanad: DCO = 1.16 g/g Biodegradability: Rapidly degradable. Biodegradability: Rapidly degradable. Biodegradability: Rapidly degradable. Biodegradab	11.1.0.3.6.4		
Monography of the LARC (International Agency for Research on Cancer) : CAS 7631-86-9: LARC Group 3: The agent is not classifiable as to its carcinogenicity to humans. CAS 1343-67-7: LARC Group 2: The agent is possibly carcinogenic to humans. SECTION 12: ECOLOGICAL INFORMATION 13.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : EC50 mg/l Duration of exposure : 96 h Crustacean toxicity : EC50 mg/l Duration of exposure : 24 h Algae toxicity : EC50 mg/l Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2 Mixtures No aquatic toxicity data available for the mixture. 12.2.2 Persistence and degradability 12.1.3 Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) mo degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) mo degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS:			
CAS 76,31-86-9: LARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans. CAS 76,31-86-9: LARC Group 2 B : The agent is possibly carcinogenic to humans. SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : EC50 mg/l Duration of exposure : 96 h Crustacean toxicity : EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h Algae toxicity : EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2.1 Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : Rapidly dgata is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 56-81-5) Chemical oxygen demand : DEO = 1.16 g/g Five-day biochemical oxygen demand : DEO = 0.87 g/g Biodegradability : Rapidly dgradable. 12.3.1 Substances GLYCEROL (CAS: 56-81-5) Octamol/water partial 12.3.1 Substances	C	ncy for Research on Cancer) :	
SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity : EC50 mg/l Duration of exposure : 96 h Crustacean toxicity : EC50 mg/l Algae toxicity : EC50 mg/l Algae toxicity : EC50 mg/l PROPANE-1,2-DIOL (CAS: 57-55-6) EC50 > 500 mg/l Fish toxicity : EC50 > 500 mg/l Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Fish toxicity : LC50 > 500 mg/l Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2.1. Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g GLYCEROL (CAS: 56-81-5) <td></td> <td>-</td> <td>city to humans.</td>		-	city to humans.
12.1. Toxicity12.1.1. SubstancesGLYCEROL (CAS: 56-81-5)EC50 mg/l Duration of exposure : 96 hCrustacean toxicity :EC50 mg/l Species : Daphnia magna Duration of exposure : 24 hAlgae toxicity :EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 daysPROPANE-1,2-DIOL (CAS: 57-55-6)EC50 sp/l Species : Scenedesmus quadricauda Duration of exposure : 96 h12.1.2. Mixtures No aquatic toxicity data available for the mixture.LC50 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures No aquatic toxicity data available for the mixture.LC50 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures No aquatic toxicity data available for the mixture.LC50 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures No aquatic toxicity data available for the mixture.IC50 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures No equatic toxicity data available for the mixture.IC50 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures OCTYLEPHENOXYPOLYETHOXYFTHANOL (CAS: 9036-19-5) Biodegradability :no degradability data is available, the substance is considered as not degrading quickly.12.2. Presistence and degradability :no degradability data is available, the substance is considered as not degrading quickly.GLYCEROL (CAS: 56-81-5) Chemical oxygen demand :DCO = 1.16 g/gFive-day biochemical oxygen demand :DBO5 = 0.87 g/gBiodegradability :Rapidly degradable.12.3. Bioaccumulative potentialICAS: 56-81-50 Chemical oxygen demand :CHYCEROL (CAS: 56-81-5) Chemical oxygen de	CAS 13463-67-7 : IARC Group 2B : The agent is	possibly carcinogenic to humans.	
12.1.1. Substances GLYCEROL (CAS: 56-81-5) Fish toxicity :EC50 mg/l Duration of exposure : 96 hCrustacean toxicity :EC50 mg/l Species :: Daphnia magna Duration of exposure : 24 hAlgae toxicity :EC50 mg/l Species :: Scenedesmus quadricauda Duration of exposure : 7 daysPROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity :LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture.LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Presistence and degradability HOOPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability :LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture.LC50 > 500 mg/l Duration of exposure : 96 h 12.2. Presistence and degradability Biodegradability :no degradability data is available, the substance is considered as not degradance quickly. 12.2. Presistence and degradability Biodegradability :no degradability data is available, the substance is considered as not degradance quickly. 12.2. Presistence and degradability Biodegradability :DCO = 1.16 g/gChemical oxygen demand :DCO = 0.87 g/gBiodegradability :Rapidly degradable. 12.3. Substances GLYCEROL (CAS: 56-81-5) Chemical oxygen demand :DEOS = 0.87 g/gBiodegradability :Rapidly degradable. 12.3. Substances GLYCEROL (CAS: 56-81-5) Chemical oxygen demand :DEOS = 0.87 g/gBiodegradability :Rapidly degradable. 12.3. Substances OUCCAS: 56-81-5) Chemical oxygen demand :DEOS = 0.87 g/g<	SECTION 12 : ECOLOGICAL INFORMATION		
GLYCEROL (CAS: 56-81-5) Fish toxicity :EC50 mg/l Duration of exposure : 96 hCrustacean toxicity :EC50 mg/l Species : Daphnia magna Duration of exposure : 24 hAlgae toxicity :EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 24 hAlgae toxicity :EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 daysPROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity :LCS0 > 500 mg/l Duration of exposure : 96 h12.1.2. Mixtures No aquatic toxicity data available for the mixture.LCS0 > 500 mg/l Duration of exposure : 96 h12.1.3. Substances OCTYLEPHENOXYPOLYÉTHANOL (CAS: 9036-19-5) Biodegradability :no degradability data is available, the substance is considered as not degrading quickly.PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability :no degradability data is available, the substance is considered as not degrading quickly.GLYCEROL (CAS: 56-81-5) Chemical oxygen demand :DCO = 1.16 g/gFive-day biochemical oxygen demand :DBO5 = 0.87 g/gBiodegradability :Rapidly degradable.12.3. Bioaccumulative potentialEX5 = 0.87 g/g12.3. Substances GLYCEROL (CAS: 56-81-5) Oct ential oxygen demand :DBO5 = 0.87 g/gBiodegradability eptentialFive-day biochemical oxygen demand :DBO5 = 0.87 g/gRapidly degradable.12.3. Substances OCT enticel oxygen demand :DBO5 = 0.87 g/gBiodegradability eptentialSo Koe = -1.75	12.1. Toxicity		
Fish toxicity : ECS0 mg/l Duration of exposure : 96 h Crustacean toxicity : ECS0 mg/l Species : Daphnia magna Duration of exposure : 24 h Algae toxicity : ECS0 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days PROPANE.1.2-DIOL (CAS: 57-55-6) Fish toxicity : LCS0 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LCS0 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LCS0 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability Intervent of exposure : 96 h 12.1.3. Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. QLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential L2.3. Substances GLYCEROL (CAS: 56-81-5) Octanol/water patition coefficient : Ingo Koe = -1.75	12.1.1. Substances		
Duration of exposure : 96 h Crustacean toxicity : Sec50 mg/l Species : Daphnia magna Duration of exposure : 24 h Algae toxicity : EC50 mg/l Species : Daphnia magna Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. Image: Comparison of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. Image: Comparison of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. Image: Comparison of exposure : 96 h 12.2.1. Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DEO = 0.87 g/g Biodegradability : Rapidly degradable. 12.3.1. Substances OLTON/water partition coefficient : Image: So Koe = -1.75			
Species: Daphnia magna Duration of exposure : 24 h Algae toxicity: EC50 mg/l Species: Scenedesmus quadricauda Duration of exposure : 7 days PROPANE-1.2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Justice can degradability 12.2.1. Substances OCTYLLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1.2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1.2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Biosecumulative potential LCS0 = 1.16 g/g I2.3. Biosecumulative potential DBO5 = 0.87 g/g Biodegradability : Rapidly degradable.	Fish toxicity :		
Species: Daphnia magna Duration of exposure : 24 h Algae toxicity: EC50 mg/l Species: Scenedesmus quadricauda Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Justice can degradability 12.2.1. Substances OCTYLLEPHÉNOXYPOLYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Biosecumulative potential LCAS: 56-81-5) Octanol/water partition coefficient : ICAS: 56-81-5) Octanol/water partition coefficient : Iog Koe = -1.75	Crustacean toxicity :	EC50 mg/l	
Algae toxicity : EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Persistence and degradability usation of exposure : 96 h 12.1.2. Nubstances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential JBO5 = 0.87 g/g Biodegradability : Rapidly degradable.		Species : Daphnia magna	
Species : Šcenedesmus quadricauda Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Persistence and degradability I.2.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential I2.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :		Duration of exposure : 24 h	
Duration of exposure : 7 days PROPANE-1,2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Persistence and degradability Image: 100 mixture in the mixture. 12.2.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Jassi Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : Ictanol/water partition coefficient : Iog Koe = -1.75	Algae toxicity :		
PROPANE-1,2-DIOL (CAS: 57-55-6) LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Persistence and degradability 12.2. Persistence and degradability 12.1.3. Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : Iction (CAS: 56-81-5) Doctanol/water partition coefficient : Iog Koe = -1.75			
Fish toxicity : LC50 > 500 mg/l Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. Image: 100 mixture in the mixture. 12.2. Persistence and degradability Image: 100 mixture in the mixture. 12.2. Persistence and degradability Image: 100 mixture in the mixture. 12.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Image: 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : Iog Koe = -1.75		Duration of exposure : 7 day	'S
Duration of exposure : 96 h 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1 Substances OCTYLEPHENOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) mo degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : Iog Koe = -1.75 No degradability :	PROPANE-1,2-DIOL (CAS: 57-55-6)		
Y 12.1.2. Mixtures No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75			
No aquatic toxicity data available for the mixture. 12.2. Persistence and degradability 12.2.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75		Duration of exposure : 96 h	
12.2. Persistence and degradability 12.2.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :	12.1.2. Mixtures		
12.2.1. Substances OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential IIII (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75	No aquatic toxicity data available for the mixture.		
OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANOL (CAS: 9036-19-5) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Izan. Substances GLYCEROL (CAS: 56-81-5) Log Koe = -1.75	12.2. Persistence and degradability		
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential I2.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :	12.2.1. Substances		
quickly. PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :			
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) DCO = 1.16 g/g Chemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Image: Case of the substance of	Biodegradability :		lable, the substance is considered as not degrading
Biodegradability : no degradability data is available, the substance is considered as not degrading quickly. GLYCEROL (CAS: 56-81-5) DCO = 1.16 g/g Chemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Image: Case of the substance of	PROPANE-1.2-DIOL (CAS: 57-55-6)		
GLYCEROL (CAS: 56-81-5) Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75			lable, the substance is considered as not degrading
Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Image: Comparison of the second secon		quickly.	
Chemical oxygen demand : DCO = 1.16 g/g Five-day biochemical oxygen demand : DBO5 = 0.87 g/g Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential Image: Comparison of the second secon	GLYCEROL (CAS: 56-81-5)		
Biodegradability : Rapidly degradable. 12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75		DCO = 1.16 g/g	
12.3. Bioaccumulative potential 12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75	Five-day biochemical oxygen demand :	DBO5 = 0.87 g/g	
12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75	Biodegradability :	Rapidly degradable.	
12.3.1. Substances GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient : log Koe = -1.75	12.3. Bioaccumulative potential		
Octanol/water partition coefficient : log Koe = -1.75	_		
Octanol/water partition coefficient : $\log \text{Koe} = -1.75$			
			ion Coefficient (n-octanol / water), Shake Flask Met
	12.4. Mobility in soil		

No data available.

Item Numbers: 03506-1020

- Made under licence of European Label System MSDS software from InfoDyne - http://www.infodyne.fr -

Page 7 of 9

Version 4.1 (08/10/2021) - Page 8/9

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

_

14.5. Environmental hazards

-

14.6. Special precautions for user

SECTION 15 : REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:
- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/1182 (ATP 15)
- Container information: No data available
- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
- **15.2. Chemical safety assessment** No data available.

Version 4.1 (08/10/2021) - Page 9/9

IAA SAUEK SAS

GESSO BLANC SENNELIER (500ML / 1L) - N125013.500 .1L

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Abbreviations :

UFI : Unique Formula Identifier

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.