

04523-1001

# Safety Data Sheet

## Section 1 - Identification

### Neutralizer Solution

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: Second step in removing solids from paint water  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Inhalation Toxicity	4	Gases>2500+<=20000ppm, Vapors>10+<=20mg/l
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days
Organ toxin single exposure	3	Transient target organ effects- Respiratory tract irritation

### GHS Hazards

H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation

### GHS Precautions

P261	Avoid breathing mist/vapors/spray
P264	Wash hands with soap and water thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment, see Section 4
P362	Take off contaminated clothing and wash before reuse
P302+P352	IF ON SKIN: Wash with soap and water
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P337+P313	If eye irritation persists, get medical advice/attention
P405	Store locked up
P403+P233	Store in a well ventilated place. Keep container tightly closed
P501	Dispose of contents/container according to Section 13

**Signal Word: Warning**

### **Section 3 - Hazardous Composition**

Chemical Name	CAS number	Weight Concentration %
Sodium Carbonate	497-19-8	10.00% - 20.00%

### **Section 4 - First Aid**

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

### **Section 5 - Fire Fighting**

Flash Point: N/A

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

### **Section 6 - Release**

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material.

Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

### Section 7 - Handling

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

### Section 8 - Exposure Control

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Sodium Carbonate 497-19-8	Not Established	Not Established	Not Established

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when there is a risk of eye exposure.

### Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> Not available</p> <p><b>Vapor Density:</b> Not available</p> <p><b>Density:</b> 1.17</p> <p><b>Freezing point:</b> Not available</p> <p><b>Boiling range:</b> Not available</p> <p><b>Evaporation rate:</b> Not available</p> <p><b>Explosive Limits:</b> Not available</p> <p><b>Auto ignition temperature:</b> Not available</p> <p><b>Viscosity:</b> Not available</p>	<p><b>Odor:</b> Odorless</p> <p><b>Odor threshold:</b> Not available</p> <p><b>pH:</b> &lt;11.5</p> <p><b>Melting point:</b> Not applicable</p> <p><b>Solubility:</b> Soluble</p> <p><b>Flash point:</b> Not applicable</p> <p><b>Flammability:</b> Not applicable</p> <p><b>Partition coefficient (n-octanol/water):</b> Not available</p> <p><b>Decomposition temperature:</b> Not available</p>
--	--

### Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

### Section 11 - Toxicology

**Mixture Toxicity**

**Component Toxicity**

497-19-8 Sodium Carbonate  
Oral LD50: 2,800 mg/kg (RAT)

**Possible routes of entry or exposure:**

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

### Section 12 - Ecological Toxicity

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

Sodium Carbonate LC50 Bluegill 300 mg/l 96h  
EC50 Water Flea 265 mg/l 48h

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes

SDS for: Neutralizer Solution

Item Numbers: 04523-1001, 04523-1002

Page 4 of 5  
Page 4 of 10  
Printed: 5/2/2025 at 1:50:09 PM

CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

### **Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2025-05-02

Reviewer Revision 2

Date Prepared: 5/2/2025

# Safety Data Sheet

## Section 1 - Identification

### Crash Solution

GOLDEN ARTIST COLORS, INC.  
188 BELL ROAD  
NEW BERLIN, NY 13411

Phone: (607)847-6154  
In US only: (800)959-6543

Prepared by: Regulatory Department

Product Use: First step in removing solids from paint water  
Not recommended for: Use by children

## Section 2 - Hazards Identification

### GHS Ratings:

Corrosive to metals	1	Corrosive to metals
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3$ < 4.0 or persistent inflammation
Eye corrosive	2A	Eye irritant: Subcategory 2A, Reversible in 21 days

### GHS Hazards

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation

### GHS Precautions

P234	Keep only in original container
P264	Wash hands with soap and water thoroughly after handling
P280	Wear protective gloves/protective clothing/eye protection/face protection
P321	Specific treatment, see Section 4
P362	Take off contaminated clothing and wash before reuse
P390	Absorb spillage to prevent material damage
P302+P352	IF ON SKIN: Wash with soap and water
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P332+P313	If skin irritation occurs: Get medical advice/attention
P337+P313	If eye irritation persists, get medical advice/attention
P406	Store in a corrosive resistant/... container with a resistant inner liner

**Signal Word: Warning**



### Section 3 - Hazardous Composition

Chemical Name	CAS number	Weight Concentration %
ALUMINUM SULFATE	10043-01-3	40.00% - 50.00%

### Section 4 - First Aid

**Inhalation:** Remove subject to fresh air. Give artificial respiration if breathing has stopped. Seek medical attention.

**Eye:** Flush with water for 15 minutes. Remove contact lenses, if present and easy to do so. If symptoms develop and persist seek medical attention.

**Skin:** Wash with soap and water. Remove contaminated clothing. Seek medical attention for irritation.

**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! Do not induce vomiting. Seek medical attention IMMEDIATELY.

### Section 5 - Fire Fighting

Flash Point: N/A

LEL: N/A

UEL: N/A

**Extinguishing Media:** Water, Foam, Carbon Dioxide, Dry Chemical, Powder. Do NOT use high pressure Water Spray, as this may spread the fire.

**Unusual Fire and Explosion Hazards:** Closed containers may rupture via pressure build-up when exposed to fire or extreme heat. During a fire, irritating and highly toxic gases and/ or fumes may generate during combustion or decomposition.

**Hazardous Byproducts:** Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume.

**Fire Fighting Procedures:** Move containers promptly out of fire zone. If removal is impossible, keep containers cool with water spray. Remain upwind and avoid breathing smoke or fumes.

**Special Precautions:** Wear self-contained breathing apparatus and full protective gear.

### Section 6 - Release

**Personal precautions, protective equipment and emergency procedures:** Appropriate protective equipment must be worn when handling a spill of this material. See Section - 8 Exposure Control for recommendations. If exposed to material during clean-up operations, see Section 4 - First Aid for actions to follow.

**Environmental precautions:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

**Methods and materials for containment and clean-up:** Evacuate personnel to safe areas. Ventilate the area to dissipate vapor. Floor may be slippery; use care to avoid falling. Soak up spills with inert absorbent material. Sweep up and collect in suitable container for disposal. Avoid breathing vapor.

### Section 7 - Handling

**Precautions and safe handling:** Use only in well-ventilated areas. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear appropriate personal protective equipment. Read label before use.

**Conditions for safe storage:** Store in a cool, well-ventilated place. Keep out of the reach of children.

### Section 8 - Exposure Control

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
ALUMINUM SULFATE 10043-01-3	Not Established	Not Established	NIOSH TWA 2 mg/m3

**Engineering Controls:** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of possible vapor. Provide easy access to water supply, eye wash or emergency shower.

**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and work clothes should be kept separate.

**Personal Protective Equipment:** None required under normal use. For techniques requiring continual hand exposure, gloves are recommended. Safety glasses or goggles recommended when there is a risk of eye exposure.

### Section 9 - Properties

Properties listed are typical and not to be used as a specification.

<p><b>Appearance:</b> Liquid</p> <p><b>Vapor Pressure:</b> Not available</p> <p><b>Vapor Density:</b> Not available</p> <p><b>Density:</b> 1.34</p> <p><b>Freezing point:</b> Not available</p> <p><b>Boiling range:</b> Not available</p> <p><b>Evaporation rate:</b> Not available</p> <p><b>Explosive Limits:</b> Not available</p> <p><b>Auto ignition temperature:</b> Not available</p> <p><b>Viscosity:</b> Not available</p>	<p><b>Odor:</b> Odorless</p> <p><b>Odor threshold:</b> Not available</p> <p><b>pH:</b> &gt;2</p> <p><b>Melting point:</b> Not applicable</p> <p><b>Solubility:</b> Soluble</p> <p><b>Flash point:</b> Not applicable</p> <p><b>Flammability:</b> Not applicable</p> <p><b>Partition coefficient (n-octanol/water):</b> Not available</p> <p><b>Decomposition temperature:</b> Not available</p>
--	---

### Section 10 - Reactivity

Under normal conditions this mixture is considered to be:

STABLE

Materials that are known to be incompatible with this mixture and should be avoided, if applicable:

Not Applicable

Risk of hazardous decomposition:

Not Applicable

Hazardous polymerization will not occur.

### Section 11 - Toxicology

**Mixture Toxicity**

**Component Toxicity**

10043-01-3	ALUMINUM SULFATE
	Oral LD50: 5,000 mg/kg (RAT)

**Possible routes of entry or exposure:**

*SDS for: Crash Solution*

Item Numbers: 04523-1001, 04523-1002

*Page 3 of 5*

*Page 8 of 10*  
Printed: 5/2/2025 at 1:30:02 PM

Not Applicable

**Possible target organs of exposure to this mixture:**

Not Applicable

**Effects of Overexposure**

**Carcinogenicity:** This mixture as a whole has not been tested to determine its carcinogenic properties. The components of this mixture that are reported as possible or known carcinogens are as follows:

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			Not Applicable

### Section 12 - Ecological Toxicity

**Ecotoxicity:** This mixture as a whole has not been tested to determine its ecological toxicity. The components of this mixture with documented ecological data are as follows:

**Component Ecotoxicity**

ALUMINUM SULFATE	LC50 Water Flea 38.2 mg/l 48h
------------------	-------------------------------

### Section 13 - Disposal

**Disposal Instructions:** Dispose as per local regulations. It is best to use all material, rather than dispose of it.

### Section 14 - Transport

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing</u>	<u>Hazard Class</u>
DOT	Not Regulated			

### Section 15 - Regulatory

**State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):** WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

Not Applicable

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
AUSTRALIA	AICS- Australian Inventory of Chemical Substances	Yes
CANADA	Domestic Substances List (DSL) and Non-Domestic	Yes
EUROPE	European Inventory of Existing Commercial Chemical	Yes
EUROPE	European List of Notified Chemical Substances	No
JAPAN	Inventory of Existing and New Chemical Substances	No
CHINA	Inventory of Existing Chemical Substances in China	Yes
KOREA	Korean Existing Chemicals Inventory (KECI)	Yes
NEW ZEALAND	New Zealand Inventory of Chemicals (NZIoC)	Yes
PHILIPPINES	Philippine Inventory of Chemicals and Chemical	Yes
USA	Active-Toxic Substances Control Act (TSCA) Inventory	Yes

**Section 16 - Other Information**

While Golden Artist Colors, Inc. believes the data set forth herein is accurate as of the date hereof, Golden Artist Colors, Inc. makes no warranty with respect to the accuracy of this data and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.

Date revised: 2025-05-02

Reviewer Revision 2

Date Prepared: 5/2/2025