

09429-1056

Date: December 29, 2022

Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 1 of 7

1. Identification of the Preparation and of The Company

Maker Pro Paints: White-FL, Yellow-FL, Sunburst-FL, Orange-FL, Hot Pink-FL, 1.1 Product Name and/or code:

Red-FL, Magenta-FL, Raspberry-FL, Violet-FL, Blue-FL, Green-FL, Lime Green-FL

Smooth-On, Inc.

1.2 Manufacturer: 5600 Lower Macungie Road

Macungie, PA 18062

1800-762-0744 Information Contact: 800-255-3924

1.3 Emergency Contact: 813-248-0573

Emergency Response Service: ChemTel Inc.

1305 North Florida Avenue

Tampa, FL 33602 USA

813-248-0573

www.chemtelinc.com

Within the United States, Canada, Puerto

Rico, and the U.S. Virgin Islands:

1-800-255-3924

Outside the United States, Canada, Puerto +01-813-248-0585

Rico, and the U.S. Virgin Islands:

China: 400-120-0751 Brazil: 0-800-591-6042 India: 000-800-100-4086 01-800-099-0731 Mexico:

For Health Emergencies: Contact your local Poison Control Center.

1.4 Product Use: Art Material - Consumer Product

2. Hazards Identification

Emergency Overview

CAUTION! MAY CAUSE EYE AND SKIN IRRITANTION.

2.1 Classification of the Product:

Label Elements Conforms to ASTM D-4236

Hazard Pictograms



Signal Word

CAUTION!



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 2 of 7

Hazard Statement May cause nose and throat irritation.

Precaution Statement: Avoid contact with eyes, skin, and clothing. Do not inhale spray

mist. Do not eat, drink or smoke when using this product. Avoid $% \left(1\right) =\left(1\right) \left(1\right) \left($

release to the environment. Wash thoroughly after using.

Classification for the mixture under CLP Labelling:

Children's Statement KEEP OUT OF REACH OF CHILDREN.

2.2 Other hazards

HMIS

NFPA Health: 1

Flammability: 0 Reactivity: 0 Health: 1

Flammability: 0

Reactivity: 0

Signal Word Code (CLP Labelling) Warning (category 2B)

H- Statements Causes eye irritation (H320)

P-Statements Wash thoroughly after handling (P264); Wear eye protection.

(P280); IF IN EYES: rinse cautiously with water for several minutes. (P305, P351); Remove contact lenses, if present and easy to do. Continue rinsing. (P338); If eye irritation persists: Get medical

attention. (P337, P313).

Substances of very high concern (SVHC) No classification for the hazardous ingredient.

3.Composition/Information on Ingredients:

3.1 Substances:

Mixture of the following chemicals: Dipropylene Glycol Monomethyl Ether (CAS No. 34590-94-8) <

3.00%

The remainder of the formulation is composed of non-hazardous

ingredients.

Regulation (EC) No. 1272/2008 (CLP)

2.3 Regulation (EC) No. 1272/2008

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures

4.1 Description of first aid measures

Inhalation If affected, remove to fresh air.

Skin Contact Wash the affected area thoroughly with plenty of soap and water.

Eye Contact Carefully flush with water for 15 minutes. If irritation occurs,

contact a physician.



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

If swallowed, do not induce vomiting. Contact a physician

Page 3 of 7

_	immediately.		
	5. Firefighting Measures		
5.1 Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.		
5.2 Fire/Explosion Hazards	This product is not known to present any fire hazard.		
5.3 Flashpoint/Flammability	Not flammable		
	6. Accidental Release Measures		
6.1 Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.		
	7. Handling and Storage		
7.1 Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.		
7.2 Environmental precautions	No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage.		
7.3 Storage	Store containers in a cool, dry, well ventilated area.		
	posure Controls/Personal Protection		
8.1 Personal Protective Equipment	Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.		

8.2 Exposure Limits (USA)

Ingestion

Substance	OSHA PEL	OSHA PEL	ACGHI	ACGHI
Substance	USHA PEL	STEL	TWA	STEL
Dipropylene glycol methyl ether	600 mg/m³; 100 PPM	100 PPM	150 PPM	100 PPM

8.3 Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or

vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 4 of 7

9.1 Information on basic physical and chemical properties	9.1	Information o	n basic phy	vsical and d	chemical p	roperties
--	-----	---------------	-------------	--------------	------------	-----------

Appearance Liquid Physical State Liquid

VOC Content 40.8g/L Regulatory

Color Various

Odor Ether-like odor
Boiling Point Not determined
Freezing Point Not determined

State (pH) 8.5

Specific Gravity

Viscosity

Flashpoint

Vapor Pressure

Vapor Density

Solubility in water

No data available

No data available

Not Flammable

Not determined

Not determined

Miscible

10. Stability and Reactivity

10.1 Reactivity No dangerous reaction known under conditions of normal use.

10.2 Chemical Stability Stable under recommended storage conditions.

10.3 Conditions to Avoid Avoid all sources of ignition.

10.4 Incompatible materials Strong oxidizing agents, strong acids, strong bases, amines,

ammonia, halogenated compounds.

10.5 Hazardous Decomposition Products Carbon monoxide, carbon dioxide.

11. Toxicological Information

11.1 Information on toxicological effects

Health Effects None known for the usual and ordinary uses of this product.

Acute Toxicity May be harmful if swallowed. May affect the brain or nervous

system causing dizziness, headache or nausea.

*Studies have not been performed on this particular mixture. The information below is based on data on the

individual ingredients.

<u>Dipropylene Glycol Monomethyl Ether: (literature value)</u>: LD50 Oral - 5,000 mg/kg (Rat); LD50 Dermal - 9,500 mg/kg (Rat); LC50

Inhalation - 72.6 mg/l - 4 hrs. (Rat).

Eye Effects May cause eye irritation

Skin Effects May cause skin irritation on sensitive individuals.

Inhalation May cause respiratory irritation.

Dipropylene Glycol Monomethyl Ether: May cause mild CNS depression. Exposure to vapor may cause irritation of the eyes,

nose or throat.



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 5 of 7

Sensitization No effects are likely to occur during the foreseeable and

reasonable use of the product.

Ingestion No effects are likely to occur during the foreseeable and

reasonable use of the product.

Chronic Effects No effects are likely to occur during the foreseeable and

reasonable use of the product.

Additional toxicological information: When used and handled according to specifications, the product

does not have any harmful effects according to past experience

and the information provided.

12. Ecological Information

12.1 Toxicity: Not expected to be harmful to the environment. No product

should be released to the environment.

Aquatic toxicity Non-hazardous to water.

12.2 Persistence and degradability Not persistent. Biodegradable. *Not relevant to this mixture.*

12.3 Bio accumulative potential Does not occur. *Not relevant to this mixture.*

12.4 Mobility in soil Mixture is similar to water. *Not relevant to this mixture.*

12.5 PBT and vPvB This mixture is not PBT/vPvB

12.6 Additional ecological information As a general rule, no product should be released to the

environment.

13. Disposal Considerations

13.1 Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.

14. Transport Information

14.1 The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT This regulation does not apply to the non-bulk material.
 IMDG This regulation does not apply to the non-bulk material.
 ICAO/IATA This regulation does not apply to the non-bulk material.

14.2 This information is not intended to convey all specific regulatory or operational

requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA Not applicable to this mixture. Section 355 (extremely hazardous Not applicable to this mixture.

substances)

Section 313 (specific toxic chemical listing) Not applicable to this mixture.

TSCA (Toxic Substance Control Act)

All ingredients are listed.



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 6 of 7

California Proposition 65

MARNING: This product can expose you to chemicals including formaldehyde, which is known to the State of California to cause cancer. For more information go to

www.P65Warnings.ca.gov.

Carcinogenicity categories

EPA (Environmental Protection Agency)

Not applicable to this mixture. Not applicable to this mixture.

TLV (Threshold Limit Value established by

ACGIH)

Not applicable to this mixture. Refer to section 8 for further

information on individual substances of this mixture.

NIOSH (National Institute for Occupational

Safety & Health)

Not applicable to this mixture.

OSHA (Occupational Safety & Health

Administration)

Not applicable to this mixture.

MAK (German Maximum Workplace

Concentration)

Not applicable to this mixture.

16. Other Information

Rev: 1 December 29, 2022

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection

Association (USA)

Health: 1 - Caution. May be irritating.

Fire: 0 - Not combustible.

Reactivity: 0 - Stable. Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials

Identification System (USA)



Safety Data Sheet

Maker Pro Paint Scenic Paint System

Fluorescent Colors

Page 7 of 7

Health: 1 - Slight hazard: Irritation or minor reversible injury possible.

Fire: 0 - Minimal hazard: Materials that will not burn.

Physical Hazard: 0 - Minimal hazard: This material is normally stable, even under

fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Exposure Limits

TWA - Time Weighted Average (8 hr.) STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit
PEL - Permissible Exposure Limit
IDLH - Immediately Dangerous to Life or
Health

COLOR INFORMATION

This SDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

Product Color	Hazardous Ingredient
Maker Pro Paint White-FL	(None)
Maker Pro Paint Yellow-FL	(None)
Maker Pro Paint Sunburst-FL	(None)
Maker Pro Paint Orange-FL	(None)
Maker Pro Paint Hot Pink-FL	(None)
Maker Pro Paint Red-FL	(None)
Maker Pro Paint Magenta-FL	(None)
Maker Pro Paint Raspberry-FL	(None)
Maker Pro Paint Violet-FL	(None)
Maker Pro Paint Blue-FL	(None)
Maker Pro Paint Green-FL	(None)
Maker Pro Paint Lime Green-FL	(None)