

09458-1019

09458-3082

This Safety Data Sheet (SDS) has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (CFR 29 1910.1200),
United States

SAFETY DATA SHEET**NATURAL EARTH PAINT**

eco-friendly paint kits

Natural Acrylik Paint**Section 1. Identification**

GHS product identifier	: Natural Acrylik Paint - Scarlet Red, Ercolano Orange, Brilliant Yellow
Other means of identification	: Not available.
Chemical formula	: Not applicable.
Product type	: Liquid.
Material uses	: Artist Paint
Supplier	: Natural Earth Paint 330 E. Hersey St. #7 Ashland, OR 97520 541-631-3437
e-mail address of person responsible for this SDS	: info@naturearthpaint.com (Communication in English only please)
Emergency telephone number	: (802)472-8700 Medical Emergency For chemical emergency, spill, leak, fire, exposure or accident, call CHEMTREC day or night. DOMESTIC NORTH AMERICA 800-424-9300; INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

Section 2. Hazards identification

OSHA/HCS status	: While this Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains information on safe handling and proper use of product.
Classification of the substance or mixture	: Not Classified
<u>GHS label elements</u>	
Hazard pictograms	: 
Signal word	: No signal word
Hazard statements	: No Known Significant effects or critical hazards
<u>Precautionary statements</u>	
Prevention	: Wear eye or face protection. Wear protective clothing.
Response	: Not applicable
Storage	: Not applicable
Disposal	: Not applicable
Hazards not otherwise classified	: None known.

Date of issue/Date of revision : 7/01/2023

Version :1

Page: 1/12

Safety Data Sheet	Natural Acrylik Paint
	

HMIS® IV
Hazardous Material
Information System (U.S.A.)

Health	/ 1
Flammability	0
Physical hazards	0

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient Name	%	CAS number
Bio-based Resin	43-56%	N/A
Bio-based Additives	5-7%	N/A
Scarlet Red, Ercolano Orange, Brilliant Yellow Pigments	39-54%	184632-65-5, 31837-42-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200). All ingredients are trade secret as authorized by 29 CFR 1910.1200(i) (1). Specific information will be made available to health-care professionals, employees or representatives as required by 29 CFR 1910.1200(i) (1) (iv) for medical evaluation of treatment.

Section 4. First aid measures

Description of necessary first aid measures

- | | |
|---------------------|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention. |

Date of issue/Date of revision : 07/01/23

Version : 1

Page: 2/12

Safety Data Sheet Natural Acrylik Paint  eco-friendly paint kits
--

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- | | |
|--------------|---|
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |

Over-exposure signs/symptoms

- | | |
|--------------|---------------------|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

- | | |
|----------------------------|--|
| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- | | |
|--------------------------------|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |

- | | |
|--|---|
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
|--|---|

- | | |
|--|--|
| Hazardous thermal decomposition products | : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
sulfur oxides
metal oxide/oxides
(dense) black smoke
aldehydes
organic acids |
|--|--|

- | | |
|--|---|
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|--|---|

- | | |
|--|---|
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
|--|---|

- | | |
|---------|---|
| Remarks | : The material will not support combustion unless the water has evaporated. |
|---------|---|

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 3/12

Safety Data Sheet

Natural Acrylic Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.
- Remarks** : Keep away from heat and direct sunlight.
- Remarks** : Sensitive to frost.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 4/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT
 eco-friendly paint kits

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Not available.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): nitrile rubber (0.5 mm)

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Remarks

: If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10.

Section 9. Physical and chemical properties

Appearance

Physical state

: cream

Color

: Red, Orange, Yellow

Odor

: mild

Odor threshold

: Not available.

pH

: Not available.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 5/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT
 eco-friendly paint kits

Melting point	: 0 °C
Boiling point	: >100 °C
Flash point	: Closed cup: >212°F (>100°C) [(estimate)]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 2.3 kPa
Vapor density	: Not available.
Relative density	: 1.2 (Water = 1)
Density (g/cm³)	: 1.2 g/cm³ (23°C)
Bulk density	: Not available.
Solubility	: Partially soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Solubility at room temperature	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Remarks	: Miscible in water.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: No specific data.

Section 11. Toxicological information
Information on toxicological effects
Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Not applicable.					

Sensitization

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 6/12

Safety Data Sheet Natural Acrylik Paint			
			

Product/ingredient name	Route of exposure	Species	Result
Not applicable.			

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Not applicable.			

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				

Classification

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 7/12

Safety Data Sheet	Natural Acrylik Paint
NATURAL EARTH PAINT eco-friendly paint kits	

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Not available.				

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Not available.			

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Not available.			

Mobility in soil

Date of issue/Date of revision : 7/01/2023	Version : 1	Page: 8/12
--	-------------	------------

Safety Data Sheet	Natural Acrylic Paint
	
eco-friendly paint kits	

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 9/12

Safety Data Sheet Natural Acrylik Paint			
			

	Product/ingredient name	CAS #	%
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not Hazardous		

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Not Hazardous		
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65 : N/A

Ingredient name	No significant risk level	Maximum acceptable dosage level
N/A		

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 10/12
----------------------------------	-----------	-------------	-------------

Safety Data Sheet Natural Acrylik Paint	
NATURAL EARTH PAINT eco-friendly paint kits	

Ingredient name	List name	Status
Not listed.		

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Ingredient name	List name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Ingredient name	List name	Status
Not listed.		

International lists

Canada inventory : At least one component is not listed.

Section 16. Other information

National Fire Protection Association (U.S.A.)



NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Code : VNCV#3.3
 Date of printing : 8/17/2020
 Date of issue/Date of revision : 8/17/2020
 Date of previous issue : 6/21/2019
 Version : 3.3
 Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations

Procedure used to derive the classification

Date of issue/Date of revision :	7/01/2023	Version :	1	Page:	11/12
----------------------------------	-----------	-----------	---	-------	-------

Safety Data Sheet	Natural Acrylik Paint
NATURAL EARTH PAINT eco-friendly paint kits	

Classification	Justification
N/A	

References : Not available.

Notice to reader

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications. The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Date of Issue/Date of revision : 7/01/2023

Version : 1

Page: 12/12

MSDS for #09458 - NATURAL ACRYLK PNT

This Safety Data Sheet (SDS) has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (CFR 29 1910.1200).

United States

SAFETY DATA SHEET

NATURAL EARTH PAINT
eco-friendly paint kits

Natural Acrylik Paint

Section 1. Identification

GHS product identifier : Natural Acrylik Paint - Emerald Green & Titanium Dioxide

Other means of identification : Not available.

Chemical formula : Not applicable.

Product type : Liquid.

Material uses : Artist Paint

Supplier : Natural Earth Paint
330 E. Hersey St. #7
Ashland, OR 97520
541-631-3437

e-mail address of person responsible for this SDS : info@natureearthpaint.com (Communication in English only please)

Emergency telephone number : (802)472-8700 Medical Emergency

For chemical emergency, spill, leak, fire, exposure or accident: call CHEMTREC day or night. DOMESTIC NORTH AMERICA 800-424-9300; INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

Section 2. Hazards identification

OSHA/HCS status : While this Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains information on safe handling and proper use of product.

Classification of the substance or mixture : Not Classified

GHS label elements

Hazard pictograms :



Signal word : No signal word

Hazard statements : No Known Significant effects or critical hazards

Precautionary statements

Prevention : Wear eye or face protection. Wear protective clothing.

Response : Not applicable

Storage : Not applicable

Disposal : Not applicable

Hazards not otherwise classified : None known.

Date of issue/Date of revision : 7/01/2023

Version :1

Page: 1/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT

eco-friendly paint kits

HMIS® IV
Hazardous Material
Information System (U.S.A.)

Health	/	1
Flammability		0
Physical hazards		0

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient Name	%	CAS number
Bio-based Resin	43-58%	N/A
Bio-based Additives	3-5%	N/A
Emerald Green & Titanium Dioxide Pigment	37-53%	1308-38-9, 13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200). All ingredients are trade secret as authorized by 29 CFR 1910.1200(i) (1). Specific information will be made available to health-care professionals, employees or representatives as required by 29 CFR 1910.1200(i) (1) (iv) for medical evaluation of treatment.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention.

Date of issue/Date of revision : 07/01/23

Version : 1

Page: 2/12

Safety Data Sheet **Natural Acrylik Paint****NATURAL EARTH PAINT**
eco-friendly paint kits

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments : No specific treatment.
Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures**Extinguishing media**

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
sulfur oxides
metal oxide/oxides
(dense) black smoke
aldehydes
organic acids

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

- Remarks** : The material will not support combustion unless the water has evaporated.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 3/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.
Keep away from heat and direct sunlight.
- Remarks** : Sensitive to frost.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 4/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT
 eco-friendly paint kits

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Not available.

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): nitrile rubber (0.5 mm)
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Remarks** : If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10.

Section 9. Physical and chemical properties

Appearance

- Physical state** : cream
- Color** : Green and White
- Odor** : mild
- Odor threshold** : Not available.
- pH** : Not available.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 5/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT
 eco-friendly paint kits

Melting point	: 0 °C
Boiling point	: >100 °C
Flash point	: Closed cup: >212°F (>100°C) [(estimate)]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 2.3 kPa
Vapor density	: Not available.
Relative density	: 1.2 (Water = 1)
Density (g/cm³)	: 1.2 g/cm³ (23°C)
Bulk density	: Not available.
Solubility	: Partially soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Solubility at room temperature	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Remarks	: Miscible in water.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: No specific data.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Not applicable.					

Sensitization

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 6/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT
eco-friendly paint kits

Product/ingredient name	Route of exposure	Species	Result
Not applicable.			

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Not applicable.			

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				

Classification

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 7/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT
eco-friendly paint kits

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Not available.				

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity**Acute toxicity estimates**

Not available.

Section 12. Ecological information**Toxicity**

Product/ingredient name	Result	Species	Exposure
Not available.			

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Not available.			

Mobility in soil

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 8/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **United States inventory (TSCA 8b):** Not determined.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 9/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT

eco-friendly paint kits

	Product/ingredient name	CAS #	%
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not Hazardous		

Clean Air Act Section 602
Class I Substances : Not listed

Clean Air Act Section 602
Class II Substances : Not listed

DEA List I Chemicals
(Precursor Chemicals) : Not listed

DEA List II Chemicals
(Essential Chemicals) : Not listed

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Not Hazardous		
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

: None of the components are listed.

Pennsylvania

California Prop. 65

N/A

Ingredient name	No significant risk level	Maximum acceptable dosage level
N/A		

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 10/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Ingredient name	List name	Status
Not listed.		

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Ingredient name	List name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Ingredient name	List name	Status
Not listed.		

International lists

Canada inventory : At least one component is not listed.

Section 16. Other information

National Fire Protection Association (U.S.A.)

NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Code : VNCV#3.3
 Date of printing : 8/17/2020
 Date of issue/Date of revision : 8/17/2020
 Date of previous issue : 6/21/2019
 Version : 3.3

Key to abbreviations :

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- UN = United Nations

Procedure used to derive the classification

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 11/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT
eco-friendly paint kits

Classification	Justification
N/A	

References : Not available.**Notice to reader**

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 12/12

09458-5232

This Safety Data Sheet (SDS) has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (CFR 29 1910.1200),

United States

SAFETY DATA SHEET**NATURAL EARTH PAINT**

eco-friendly paint kits

Natural Acrylik Paint**Section 1. Identification**

GHS product identifier	: Natural Acrylik Paint - Ultramarine Blue & Ultramarine Purple
Other means of identification	: Not available.
Chemical formula	: Not applicable.
Product type	: Liquid.
Material uses	: Artist Paint
Supplier	: Natural Earth Paint 330 E. Hersey St. #7 Ashland, OR 97520 541-631-3437
e-mail address of person responsible for this SDS	: info@naturearthpaint.com (Communication in English only please)
Emergency telephone number	: (802)472-8700 Medical Emergency For chemical emergency, spill, leak, fire, exposure or accident: call CHEMTREC day or night. DOMESTIC NORTH AMERICA 800-424-9300; INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

Section 2. Hazards identification

OSHA/HCS status	: While this Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains information on safe handling and proper use of product.
Classification of the substance or mixture	: Not Classified
<u>GHS label elements</u>	
Hazard pictograms	: 
Signal word	: No signal word
Hazard statements	: No Known Significant effects or critical hazards
<u>Precautionary statements</u>	
Prevention	: Wear eye or face protection. Wear protective clothing.
Response	: Not applicable
Storage	: Not applicable
Disposal	: Not applicable
Hazards not otherwise classified	: None known.

Date of issue/Date of revision : 7/01/2023

Version :1

Page: 1/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT
eco-friendly paint kitsHMIS® IV
Hazardous Material
Information System (U.S.A.)

Health	1
Flammability	0
Physical hazards	0

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient Name	%	CAS number
Bio-based Resin	45-54%	N/A
Bio-based Additives	5-9%	N/A
Ultramarine Blue & Ultramarine Purple Pigments	41-52%	57455-37-5, 12769-96-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Mixture

Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200). All ingredients are trade secret as authorized by 29 CFR 1910.1200(i) (1). Specific information will be made available to health-care professionals, employees or representatives as required by 29 CFR 1910.1200(i) (1) (iv) for medical evaluation of treatment.

Section 4. First aid measuresDescription of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention.

Date of issue/Date of revision : 07/01/23

Version : 1

Page: 2/12

Safety Data Sheet **Natural Acrylik Paint**
NATURAL EARTH PAINT
 eco-friendly paint kits

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures
Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 sulfur oxides
 metal oxide/oxides
 (dense) black smoke
 aldehydes
 organic acids

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

- Remarks** : The material will not support combustion unless the water has evaporated.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 3/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight. Keep away from heat and direct sunlight.
- Remarks** : Sensitive to frost.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 4/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT
eco-friendly paint kits**Section 8. Exposure controls/personal protection**Control parametersOccupational exposure limits

Not available.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures**Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): nitrile rubber (0.5 mm)

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Remarks

: If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10.

Section 9. Physical and chemical propertiesAppearance**Physical state**

: cream

Color

: Blue and Purple

Odor

: mild

Odor threshold

: Not available.

pH

: Not available.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 5/12

Safety Data Sheet	Natural Acrylik Paint
	

Melting point	: 0 °C
Boiling point	: >100 °C
Flash point	: Closed cup: >212°F (>100°C) [(estimate)]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 2.3 kPa
Vapor density	: Not available.
Relative density	: 1.2 (Water = 1)
Density (g/cm³)	: 1.2 g/cm³ (23°C)
Bulk density	: Not available.
Solubility	: Partially soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Solubility at room temperature	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Remarks	: Miscible in water.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: No specific data.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Not applicable.					

Sensitization

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 6/12

Safety Data Sheet Natural Acrylik Paint	
	

Product/ingredient name	Route of exposure	Species	Result
Not applicable.			

Mutagenicity

Product/ingredient name	Test	Experiment	Result
Not applicable.			

Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				

Classification

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
 Inhalation : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
 Inhalation : No specific data.
 Skin contact : No specific data.
 Ingestion : No specific data.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 7/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT
 eco-friendly paint kits
Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Not available.				

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity**Acute toxicity estimates**

Not available.

Section 12. Ecological information**Toxicity**

Product/ingredient name	Result	Species	Exposure
Not available.			

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Not available.			

Mobility in soil

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 8/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 9/12

Safety Data Sheet Natural Acrylic Paint

NATURAL EARTH PAINT
eco-friendly paint kits

	Product/ingredient name	CAS #	%
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not Hazardous		

Clean Air Act Section 602
Class I Substances : Not listedClean Air Act Section 602
Class II Substances : Not listedDEA List I Chemicals
(Precursor Chemicals) : Not listedDEA List II Chemicals
(Essential Chemicals) : Not listed**SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Not Hazardous		
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations**Massachusetts** : None of the components are listed.**New York** : None of the components are listed.**New Jersey** : None of the components are listed.**Pennsylvania** : None of the components are listed.**California Prop. 65** : N/A

Ingredient name	No significant risk level	Maximum acceptable dosage level
N/A		

International regulations**Chemical Weapon Convention List Schedules I, II & III Chemicals**

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 10/12
----------------------------------	-----------	-------------	-------------

Safety Data Sheet Natural Acrylik Paint		
NATURAL EARTH PAINT eco-friendly paint kits		

Ingredient name	List name	Status
Not listed.		

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Ingredient name	List name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Ingredient name	List name	Status
Not listed.		

International lists

Canada inventory : At least one component is not listed.

Section 16. Other information**National Fire Protection Association (U.S.A.)****NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.**

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Code : VNCV#3.3
 Date of printing : 8/17/2020
 Date of issue/Date of revision : 8/17/2020
 Date of previous issue : 6/21/2019
 Version : 3.3

Key to abbreviations :

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- UN = United Nations

Procedure used to derive the classification

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 11/12
----------------------------------	-----------	-------------	-------------

Safety Data Sheet	Natural Acrylik Paint
NATURAL EARTH PAINT eco-friendly paint kits	

Classification	Justification
N/A	

References : Not available.

Notice to reader

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications. The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 12/12

09458-2112

This Safety Data Sheet (SDS) has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (CFR 29 1910.1200).

United States

SAFETY DATA SHEET

NATURAL EARTH PAINT
eco-friendly paint kits

Natural Acrylik Paint**Section 1. Identification**

GHS product identifier	: Natural Acrylik Paint - Venetian Red, Yellow Ochre, Burnt Sienna, Black Ochre
Other means of identification	: Not available.
Chemical formula	: Not applicable.
Product type	: Liquid.
Material uses	: Artist Paint
Supplier	: Natural Earth Paint 330 E. Hersey St. #7 Ashland, OR 97520 541-831-3437
e-mail address of person responsible for this SDS	: info@naturearthpaint.com (Communication in English only please)
Emergency telephone number	: (802)472-8700 Medical Emergency For chemical emergency, spill, leak, fire, exposure or accident: call CHEMTREC day or night. DOMESTIC NORTH AMERICA 800-424-9300; INTERNATIONAL, CALL 703-527-3887 (collect calls accepted)

Section 2. Hazards identification

OSHA/HCS status	: While this Material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains information on safe handling and proper use of product.
Classification of the substance or mixture	: Not Classified
<u>GHS label elements</u>	
Hazard pictograms	: 
Signal word	: No signal word
Hazard statements	: No Known Significant effects or critical hazards
<u>Precautionary statements</u>	
Prevention	: Wear eye or face protection. Wear protective clothing.
Response	: Not applicable
Storage	: Not applicable
Disposal	: Not applicable
Hazards not otherwise classified	: None known.

Date of issue/Date of revision : 7/01/2023

Version :1

Page: 1/12

Safety Data Sheet	Natural Acrylik Paint

HMIS® IV Hazardous Material Information System (U.S.A.)	Health	1
	Flammability	0
	Physical hazards	0

The PPE (Personal Protection Equipment) designation in the HMIS is provided for use by employees at supplier sites only. Other users of this product are encouraged to evaluate the hazards of the product and assign PPE that is applicable to their specific situations.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Non-hazardous Ingredient Names	%	CAS number
Bio-based Resin	40-57%	N/A
Bio-based Additives	5-10%	N/A
Iron Oxide Earth Pigments (venetian red, yellow ochre, burnt sienna, black ochre)	38-50%	1309-37-1, 1317-65-3, 1309-38-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Mixture

Contains no hazardous ingredients at levels requiring disclosure by the OSHA Hazard Communication Standard (29 CFR 1910.1200). All ingredients are trade secret as authorized by 29 CFR 1910.1200(i) (1). Specific information will be made available to health-care professionals, employees or representatives as required by 29 CFR 1910.1200(i) (1) (iv) for medical evaluation of treatment.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention.

Date of issue/Date of revision : 07/01/23

Version : 1

Page: 2/12

Safety Data Sheet Natural Acrylik Paint  eco-friendly paint kits
--

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
 carbon dioxide
 carbon monoxide
 sulfur oxides
 metal oxide/oxides
 (dense) black smoke
 aldehydes
 organic acids

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

- Remarks** : The material will not support combustion unless the water has evaporated.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 3/12

Safety Data Sheet	Natural Acrylik Paint
	
eco-friendly paint kits	

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- | | |
|------------------------------------|--|
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

- | | |
|--------------------|---|
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Section 7. Handling and storage

Precautions for safe handling

- | | |
|---|--|
| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : Store between the following temperatures: 5 to 30°C (41 to 86°F). Store in accordance with local regulations. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in original container, protected from direct sunlight.
Keep away from heat and direct sunlight. |
| Remarks | : Sensitive to frost. |

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 4/12

Safety Data Sheet Natural Acrylik Paint

NATURAL EARTH PAINT

eco-friendly paint kits

Section 8. Exposure controls/personal protection

Control parametersOccupational exposure limits

Not available.

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures**Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 4 - 8 hours (breakthrough time): nitrile rubber (0.5 mm)

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Remarks

: If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10.

Section 9. Physical and chemical properties

Appearance**Physical state**

: cream

Color

: Venetian Red: dark red, Yellow Ocher: earthy yellow, Burnt Sienna: reddish brown, Black Ocher: black

Odor

: mild

Odor threshold

: Not available.

pH

: Not available.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 5/12

Safety Data Sheet

Natural Acrylik Paint

NATURAL EARTH PAINT
 eco-friendly paint kits

Melting point	: 0 °C
Boiling point	: >100 °C
Flash point	: Closed cup: >212°F (>100°C) [(estimate)]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 2.3 kPa
Vapor density	: Not available.
Relative density	: 1.2 (Water = 1)
Density (g/cm³)	: 1.2 g/cm³ (23°C)
Bulk density	: Not available.
Solubility	: Partially soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Solubility at room temperature	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Remarks	: Miscible in water.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable. Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: No specific data.

Section 11. Toxicological information
Information on toxicological effects
Acute toxicity

Product/Ingredient name	Result	Species	Dose	Exposure
Not applicable.				-

Irritation/Corrosion

Product/Ingredient name	Result	Species	Score	Exposure	Observation
Not applicable.					

Sensitization

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 6/12

Safety Data Sheet Natural Acrylic Paint				
 NATURAL EARTH PAINT eco-friendly paint kits				
Product/ingredient name	Route of exposure	Species	Result	
Not applicable.				
Mutagenicity				
Product/ingredient name	Test	Experiment	Result	
Not applicable.				
Carcinogenicity				
Product/ingredient name	Result	Species	Dose	Exposure
Not applicable.				
Classification				
Not available.				
Reproductive toxicity				
Not available.				
Teratogenicity				
Not available.				
Specific target organ toxicity (single exposure)				
Not available.				
Specific target organ toxicity (repeated exposure)				
Not available.				
Aspiration hazard				
Not available.				
Information on the likely routes of exposure				
: Not available.				
Potential acute health effects				
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: No known significant effects or critical hazards.			
Ingestion	: No known significant effects or critical hazards.			
Symptoms related to the physical, chemical and toxicological characteristics				
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: No specific data.			
Ingestion	: No specific data.			
Date of issue/Date of revision : 7/01/2023 Version : 1 Page: 7/12				

Safety Data Sheet	Natural Acrylik Paint
	
eco-friendly paint kits	

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Not available.				

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity**Acute toxicity estimates**

Not available.

Section 12. Ecological information**Toxicity**

Product/ingredient name	Result	Species	Exposure
Not available.			

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Not available.			

Mobility in soil

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 8/12
----------------------------------	-----------	-------------	------------

Safety Data Sheet	Natural Acrylik Paint
	
eco-friendly paint kits	

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : United States inventory (TSCA 8b): Not determined.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 9/12

Safety Data Sheet Natural Acrylik Paint	
	

	Product/ingredient name	CAS #	%
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	Not Hazardous		

Clean Air Act Section 602
Class I Substances : Not listed

Clean Air Act Section 602
Class II Substances : Not listed

DEA List I Chemicals
(Precursor Chemicals) : Not listed

DEA List II Chemicals
(Essential Chemicals) : Not listed

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Not Hazardous		
Supplier notification			

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

N/A

Ingredient name	No significant risk level	Maximum acceptable dosage level
N/A		

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 10/12
----------------------------------	-----------	-------------	-------------

Safety Data Sheet Natural Acrylik Paint	
NATURAL EARTH PAINT eco-friendly paint kits	

Ingredient name	List name	Status
Not listed.		

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Ingredient name	List name	Status
Not listed.		

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Ingredient name	List name	Status
Not listed.		

International lists

Canada inventory : At least one component is not listed.

Section 16. Other information**National Fire Protection Association (U.S.A.)****NFPA health hazard: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.**

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

History

Code : VNCV#3.3

Date of printing : 8/17/2020

Date of issue/Date of revision : 8/17/2020

Date of previous issue : 6/21/2019

Version : 3.3

Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 UN = United Nations

Procedure used to derive the classification

Date of issue/Date of revision :	7/01/2023	Version : 1	Page: 11/12
----------------------------------	-----------	-------------	-------------

Safety Data Sheet Natural Acrylik Paint
NATURAL EARTH PAINT eco-friendly paint kits

Classification	Justification
N/A	

References : Not available.

Notice to reader

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.

Date of issue/Date of revision : 7/01/2023

Version : 1

Page: 12/12