

# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

SECT	FION 1: IDENTIFICATION		
1.1	GHS Product identifier: GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO		
	Other means of identification:		
	Non-applicable		
1.2	Recommended use of the chemical and restrictions on use:		
	Relevant uses: Paint for artists		
	Uses advised against: All uses not specified in this section or in section 7.3		
1.3	.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:		
	ACRYLICOS VALLEJO, S.L. Pol. Ind. Sant Jordi - C/ Eusebio Millán, 14 08800 Vilanova i La Geltrú - Barcelona - Spain Phone: +34938936012 - Fax: +34938931154 vallejo@acrylicosvallejo.com www.acrylicosvallejo.com		
1.4	Emergency phone number: +34 938 936 012 (9:00 - 17:00)		
SECT	TION 2: HAZARD(S) IDENTIFICATION		
2.1	Classification of the substance or mixture:		
	29 CFR 1910.1200:		
	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.		
2.2	Label elements:		
	29 CFR 1910.1200: None		
2.3	Hazards not otherwise classified (HNOC):		
2.5	Non-applicable		
	поптаррісавіе		
6567			
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
3.1	Substances:		
	Non-applicable		
3.2	Mixtures:		
	Chemical description: Aqueous mixture composed of additives, aggregates, coalescents, pigments and resins		

## **Components:**

None of the substances contained in the mixture are above the values fixed in Appendix D to § 1910.1200.

# SECTION 4: FIRST-AID MEASURES

## 4.1 Description of necessary measures:

Consult a doctor in case of discomfort with this Safety data Sheet.

# By inhalation:

In case of symptoms, move the person affected into fresh air.

# By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet **By eye contact:** 

Rinse with water until the product has been eliminated. In case of problems, consult a doctor with the SDS of this product.

# By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

- CONTINUED ON NEXT PAGE -

### Date of compilation: 9/1/2022 Version: 1



# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

SECT	SECTION 4: FIRST-AID MEASURES (continued)		
4.2	Most important symptoms/effects, acute and delayed:		
	Acute and delayed effects are indicated in sections 2 and 11.		
4.3	Indication of immediate medical attention and special treatment needed, if necessary:		
	Non-applicable		
SECTION 5: FIRE-FIGHTING MEASURES			

#### 5.1 Suitable (and unsuitable) extinguishing media:

## Suitable extinguishing media:

Product is non-flammable, low risk of fire by the inflammability characteristics of the product in normal conditions of storage, manipulation and use. In the case of the existence of sustained combustion as a result of improper manipulation, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

#### 5.2 Specific hazards arising from the chemical:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

#### 5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

## For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

#### Methods and materials for containment and cleaning up: 6.3

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

# SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

- CONTINUED ON NEXT PAGE -

#### Date of compilation: 9/1/2022 Version: 1



# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

recommendation regarding the uses of this

SECT	TION 7: HANDLING AND	STORAGE (continued)	
	Do not eat or drink du	itions on general occupational hygiene ring the process, washing hands afterwards with suitable cleaning products. itions to prevent environmental risks	
	It is not necessary to t	ake special measures to prevent environmental risks. For more information see subsection 6.2	
7.2 Conditions for safe storage, including any incompatibilities:			
A Technical measures for storage			
	Minimum Temp.:	50 °F	
	Maximum Temp.:	104 °F	
	Maximum time:	36 Months	
	B General conditions for	storage	
	Avoid sources of heat,	radiation, static electricity and contact with food. For additional information see subsection 10.5	
7.3	Specific end use(s):		
	Except for the instructions product.	already specified it is not necessary to provide any special recommendation regarding the uses	
SECT	TION 8: EXPOSURE CON	ITROLS/PERSONAL PROTECTION	

#### 8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

#### 8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Bodily protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties: 9.1

For complete information see the product datasheet.

### Appearance:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

#### Date of compilation: 9/1/2022 Version: 1



# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

Physical state at 68 0°F:         Liquid           Appearance:         Fluid           Appearance:         Green, Yelowish           Odor:         Non-applicable *           Odor:         Non-applicable *           Odor:         Non-applicable *           Volutity:         SPa           Vapour pressure at 68 0°F:         604 6P (0.06 KPa)           Vapour pressure at 68 0°F:         Non-applicable *           Vapour pressure at 68 0°F:         Non-applicable *           Partition rate at 68 0°F:         101.4 Kg/m³           Partition rate at 68 0°F:         Non-applicable *           Non-applicable *         Non-applicable *           Kinematic viscosity at 68 0°F:         Non-applicable *           Vapour density at 68 0°F:         Non-applicable *           Solubility properties:         Non-applicable *           Solubility properties:         Non-applicable *           Solubility properties:         Non-applicable *           Kinematic viscosity at 68 0°F:         Non-applicable *           Solubility properties:         Non-	SECT	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
Appearance:         Fuid           Color:         Green           Color:         Consapplicable           Color:         Not available           Color:         Not available           Color:         Not available           Color:         Not available           Color:         Solor:           Poilet to:         Solor:           Vapour pressure at 56 °F:         Solor:           Poilet description:         Intil 4 kg/m²           Relative density at 68 °F:         Non-applicable *           Relative density at 68 °F:         Non-applicable *           Non-applicable *         Non-applicable *           Kinematic viscosity at 68 °F:         Non-applicable *           Non-applicable *         Non-applicable *           Non-applicable *         Non-applicable *           Solubility in vater at 68 °F:         Non-applicable *           Non-applicable *         Non-applicable *           Solubility in vater at 68 °F:         Non-applicable *		Physical state at 68 °F:	Liquid
Color:         Green, Yellowish           Odor:         Non-applicable *           Color:         Non-applicable *           Folditty:         SPa           Vapour pressure at 68 °P:         SPa           Vapour pressure at 122 °P:         Ondor Bond at atmospheric pressure:           Vapour pressure at 68 °P:         SPa           Vapour pressure at 68 °P:         Ondor Bond Bond Bond Bond Bond Bond Bond Bond		-	
İduur threshold::         Non-applicable *C           Vatitiy:         S26 °F           Vapour pressure at 08 °F:         026 °F           Vapour pressure at 122 °F:         026 06 PA)           Vapour pressure at 02 °F:         026 06 PA)           Vapour pressure at 68 °F:         026 06 PA)           Vapour pressure at 68 °F:         1014           Vapour de site 68 °F:         030 °P           Vapour de site 10 °P         030 °P           Vapour de site 10 °P		Color:	Green, Yellowish
Valitity:         Variant atmospheric pressure:         426 °F.           Bolling point at atmospheric pressure:         426 °F.           Vapour pressure at 68 °F:         60.46 Pa (0.06 kPa)           Vapour pressure at 68 °F:         0km-applicable *           Pressure at 68 °F:         0km-applicable *           Pressure at 68 °F:         101.4 kg/m³           Relative density at 68 °F:         Non-applicable *           Relative density at 68 °F:         Non-applicable *           Kinematic viscosity at 68 °F:         Non-applicable *           Renative viscosity at 68 °F:         Non-applicable *           Vapour density at 68 °F:         Non-applicable *           Prition coefficient n-octanol/water 68 °F:         Non-applicable *           Vapour density at 68 °F:         Non-applicable *           Solubility invater at 68 °F:         Non-applicable *           Intition coefficient n-octanol/water 68 °F:         Non-applicable *           Intition coefficient n-octanol/water 68 °F:         Non-applicable *           Intition coefficie		Odor:	Not available
Boiling point at atmospheric pressure:     426 °F       Yapour pressure at 22 °F:     5P a       Vapour pressure at 22 °F:     60.46 P(.0.66 kPa)       Evaporation rate at 68 °F:     Non-applicable *       Product description:     101.4 kg/m³       Product description:     Non-applicable *       Dynamic viscosity at 68 °F:     Non-applicable *       Kinematic viscosity at 68 °F:     Non-applicable *       Kinematic viscosity at 68 °F:     Non-applicable *       Concentration:     Non-applicable *       Partition coefficient no-ctanol/water 68 °F:     Non-applicable *       Vapour density at 68 °F:     Non-applicable *       Partition coefficient no-ctanol/water 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Becomposition temperature:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Metan point/freezing point:     Non-applicable *       Hamability (sing)     Non-applicable *       Information:     Non-applicabl		Odour threshold:	Non-applicable *
Non-pressure at 68 °F:     5 Pa       Vapour pressure at 122 °F:     60.46 Pa (0.06 kPa)       Evaporation rate at 68 °F:     Non-applicable *       Product description:     1101.4 kg/m³       Relative density at 68 °F:     1.101       Dynamic viscosity at 68 °F:     Non-applicable *       Kinematic viscosity at 68 °F:     Non-applicable *       Kinematic viscosity at 68 °F:     Non-applicable *       Concentration:     Non-applicable *       Vapour density at 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Solubility properties:     Non-applicable *       Solubility properties:     Non-applicable *       Solubility properties:     Non-applicable *       Partitio coefficient n-octanol/water 68 °F:     Non-applicable *       Solubility properties:     Non-applicable *       Solubility properties:     Non-applicable *       Idention coefficient n-octanol/water 68 °F:     Non-applicable *       Solubility properties:     Non-applicable *       Solubility properties:     Non-applicable *       Idention coefficient n-octanol/water 68 °F:     Non-applicable *       Identin fo		Volatility:	
Non-applicable *ivapor pressure at 122 °F::60.46 Pa (0.06 kPa)ivaporation rate at 68 °F::Non-applicable *ivaporation rate at 68 °F::1101.4 kg/m³ivaporation viscosity at 68 °F::1.01ivaporation viscosity at 68 °F::Non-applicable *ivaporation viscosity at 68 °F::Non-applicable *ivaporation viscosity at 104 °F::Non-applicable *ivaporation viscosity at 104 °F::Non-applicable *ivaporation viscosity at 104 °F::Non-applicable *ivaporation viscosity at 68 °F::Non-applicable *ivaporation coefficient n-octanol/water 68 °F:Non-applicable *ivaporation coefficient n-octanol/water 68 °F:Non-applicable *ivaporation coefficient n-octanol/water 68 °F:Non-applicable *ivaporation temperature:Non-applicable * <td< th=""><th></th><th>Boiling point at atmospheric pressure:</th><th>426 °F</th></td<>		Boiling point at atmospheric pressure:	426 °F
Finance         Non-applicable *           Product description:         ID1.4 kg/m³           Relative density at 68 0°F:         1.01           Dynamic viscosity at 68 0°F:         Non-applicable *           Kinematic viscosity at 68 0°F:         Non-applicable *           Concentration:         Non-applicable *           Partito viscosity at 68 0°F:         Non-applicable *           Concentration:         Non-applicable *           Partiton coefficient n-octanol/water 68 0°F:         Non-applicable *           Solubility in water at 68 0°F:         Non-applicable *           Barbon:         Non-applicable *           Reamability (solid, gas):         Non-applicable *           Immability (solid, gas):         Non-applicable *           Autoignition temperature:         Non-applicable *           Immability (solid, gas):         Non-applicable *           Immability (solid, gas):         Non-applicable *           Immability (solid, gas): <th></th> <th>Vapour pressure at 68 °F:</th> <th>5 Pa</th>		Vapour pressure at 68 °F:	5 Pa
Product description: <ul> <li>Density at 68 °F:</li> <li>Control (Control (Co</li></ul>		Vapour pressure at 122 °F:	60.46 Pa (0.06 kPa)
Pensity at 68 °F:1101.4 kg/m³Relative density at 68 °F:1.01Dynamic viscosity at 68 °F:Non-applicable *Kinematic viscosity at 104 °F:Non-applicable *Concentration:Non-applicable *Vapour density at 68 °F:Non-applicable *Partition coefficient n-octanol/water 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Becomposition temperature:Non-applicable *Becomposition temperature:Non-applicable *Non-applicable *Non-applicable *Partition coefficient n-octanol/water 68 °F:Non-applicable *Becomposition temperature:Non-applicable *Partiting point/freezing point:Non-applicable *Non-applicable *Non-applicable *Partiting point/freezing point:Non-applicable *Non-applicable *Non-applicable *Partition coefficient n-octanol/water 68Non-applicable		Evaporation rate at 68 °F:	Non-applicable *
Relative density at 68 °F:     1.101       Dynamic viscosity at 68 °F:     Non-applicable *       Kinematic viscosity at 104 °F:     Non-applicable *       Concentration:     Non-applicable *       Concentration:     Non-applicable *       PH:     5 - 9       Vapour density at 68 °F:     Non-applicable *       Partition coefficient n-octanol/water 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Solubility opperties:     Non-applicable *       Solubility properties:     Non-applicable *       Decomposition temperature:     Non-applicable *       Elamability:     Non-applicable *       Hammability (solid, gas):     Non-applicable *       I outoristion temperature:     Non-applicable *       I outoristion temperature:     739 °F       Lower flammability limit:     Non-applicable *       I outoristion temperature:     Non-applicable *		Product description:	
plynamic viscosity at 68 °F:Non-applicable *Kinematic viscosity at 68 °F:Non-applicable *Concentration:Non-applicable *Optimum Concentration:Non-applicable *Vapour density at 68 °F:Non-applicable *Solubility in vater at 68 °F:Non-applicable *Becomposition temperature:Non-applicable *Non-applicable *Non-applicable *Vation coefficient n-octanol/water 68 °F:Non-applicable *Best Point:Non-applicable *Vation position temperature:Non-applicable *Vation profile function:Non-applicable *Vation position temperature:Non-applicable *Vation profile function:Non-applicable *Vation position temperature:Non-applicable *Vation position temperature:Non-applicable *Vation position temperature:Non-applicable *Vation temperature:Non-applicable *Vation temperature:Non-applicable *Vation temperature:Non-applicable *Vation temperature:Non-applicable *Vation temperature:Non-applicable * </th <th></th> <th>Density at 68 °F:</th> <th>1101.4 kg/m³</th>		Density at 68 °F:	1101.4 kg/m³
Non-applicable *         Kinematic viscosity at 04 °F:       Non-applicable *         Concentration:       Non-applicable *         PH:       S - 9         Vapour density at 68 °F:       Non-applicable *         Partition coefficient n-octanol/water 68 °F:       Non-applicable *         Solubility in water at 68 °F:       Non-applicable *         Solubility in water at 68 °F:       Non-applicable *         Solubility properties:       Non-applicable *         Decomposition temperature:       Non-applicable *         Metting point/freezing point:       Non-applicable *         Flammability:       Non-applicable *         Flammability (solid, gas):       Non-applicable *         Idving noint temperature:       Non-applicable *         Idving point(freezing point:       Non-applicable *         Idving point temperature:		Relative density at 68 °F:	1.101
Kinematic viscosity at 104 °F:     Non-applicable *       Concentration:     Non-applicable *       pH:     5 - 9       Vapour density at 68 °F:     Non-applicable *       Solubility in water at 68 °F:     Non-applicable *       Decomposition temperature:     Non-applicable *       Metting point/freezing point:     Non-applicable *       Flammability     Non-applicable *       I Cover flammability     Non-applicable *		Dynamic viscosity at 68 °F:	Non-applicable *
Concentration:Non-applicable *pH:5 - 9Vapour density at 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Decomposition temperature:Non-applicable *Decomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Non-applicable *Flammability:Non-applicable *Flammability (solid, gas):Non-applicable *Autoignition temperature:Non-applicable *Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Experimentation:Non-applicable *Flammability limit:Non-applicable *Autoignition temperature:Non-applicable *Autoignition temperature:Non-applicable *Flammability limit:Non-applicable *Explosive properties:Non-applicable *Flammability limit:Non-applicable *Autoign owith regard to physical hazard class:Non-applicable *Flammability invice:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-applicable *Autoign opperties:Non-ap		Kinematic viscosity at 68 °F:	Non-applicable *
pH:5 - 0Vapour density at 68 °F:Non-applicable *Partition coefficient n-octanol/water 68 °F:Non-applicable *Solubility in water at 68 °F:Non-applicable *Solubility properties:Non-applicable *Decomposition temperature:Non-applicable *Melting point/freezing point:Non-applicable *Flammability:Non Flammabile >199.4 °F)Flammability (solid, gas):Non Flammabile >199.4 °F)Flammability (solid, gas):Non Flammabile >199.4 °F)Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Varioginition temperature:Non-applicable *Upper flammability limit:Non-applicable *Varioginition temperature:Non-applicable *Upper flammability limit:Non-applicable *Varioginition temperature:Non-applicable *Upper flammability limit:Non-applicable *Variogin properties:Non-applicable *Particle characteristics:Non-applicable *Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Particle characteristics:Non-applicable *Information:Non-applicable *Information:Non-applicable *Particle characteristics:Non-applicable *Information:Non-applicable *Information:Non-applicable *Information:Non-applicable *<		Kinematic viscosity at 104 °F:	Non-applicable *
Vapour density at 68 °F:         Non-applicable *           Partition coefficient n-octanol/water 68 °F:         Non-applicable *           Solubility in water at 68 °F:         Non-applicable *           Solubility in yoter at 68 °F:         Non-applicable *           Metting point/freezing point:         Non-applicable *           Metting point/freezing point:         Non-applicable *           Flarmability:         Non-applicable *           Flarmability (solid, gas):         Non-applicable *           Autoignition temperature:         739 °F           Lower flarmability limit:         Non-applicable *           Upper flarmability limit:         Non-applicable *           Vapour densing reporties:         Non-applicable *           Particle characteristics:         Information:           Information:         Non-applicable *           Oxidising properties:         Non-applicable *           Oxidising properties:         Non-applicable *           Oxidising properties:         Non-applicable *           Oxidising properties:         Non-applicable *           Aerosols-total		Concentration:	Non-applicable *
Partition coefficient n-octanol/water 68 °F:       Non-applicable *         Solubility in water at 68 °F:       Non-applicable *         Solubility properties:       Non-applicable *         Decomposition temperature:       Non-applicable *         Meting point/freezing point:       Non-applicable *         Flammability:       Non-applicable *         Flammability:       Non-applicable *         Itamability (solid, gas):       Non-applicable *         Autoignition temperature:       Non-applicable *         Itamability (solid, gas):       Non-applicable *         Itamability (solid, gas):       Non-applicable *         Itamability (solid, gas):       Non-applicable *         Itamability limit:       Non-applicable *         Itamabint       Non-applicable *		pH:	5 - 9
Solubility in water at 68 °F:       Non-applicable *         Solubility properties:       Non-applicable *         Decomposition temperature:       Non-applicable *         Melting point/freezing point:       Non-applicable *         Flammability:       Flammability         Flash Point:       Non Flammable (>199.4 °F)         Flammability (solid, gas):       Non -applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Vertice characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Solubility properties:       Non-applicable *         Sories properties:       Non-applicable *         Ororspive to metals:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Corrosive to metals:       Non-applicable *         Promester:       Non-applicable *         Corrosive to metals:       Non-applicable *         Promositic properties:       Non-applicable *         Promositic properties:       Non-applicable *         Promositic promositic promositic properties:       Non-app		Vapour density at 68 °F:	Non-applicable *
Solubility properties:       Non-applicable *         Decomposition temperature:       Non-applicable *         Melting point/freezing point:       Non-applicable *         Flammability:       Flammability:         Flammability:       Non-applicable *         Flammability:       Non-applicable *         Autoignition temperature:       039 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Vertice characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Solubility properties:       Non-applicable *         Kapping properties:       Non-applicable *         Solubing properties:       Non-applicable *         Solubing properties:       Non-applicable *         Viding properties:       Non-applicable *         Solubing properties:       Non-applicable *         Solubing properties:       Non-applicable *         Vertice to metals:       Non-applicable *         Aerosols-total percentage (by mass) of flammable       Non-applicable *         Somponents:       Non-applicable *         Wore policable *       Non-applicable *      <		Partition coefficient n-octanol/water 68 °F:	Non-applicable *
Decomposition temperature:       Non-applicable *         Melting point/freezing point:       Non-applicable *         Flammability:       Flammability:         Flash Point:       Non Flammable (>199.4 °F)         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Vaticale characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Explosive properties:       Non-applicable *         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Acerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Solubility in water at 68 °F:	Non-applicable *
Melting point/freezing point:       Non-applicable *         Flammability:       Flammability:         Flash Point:       Non Flammable (>199.4 °F)         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Variable characteristics:       Non-applicable *         Particle characteristics:       Non-applicable *         Other information:       Non-applicable *         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable of momentals *       Non-applicable *         Other safety characteristics:       Non-applicable *         Variable *       Non-applicable *         Partice of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable of momentals *       Non-applicable *         Variable *       Non-applicable *         Variable *       Non-applicable *         Variable *       Non-applicable *         Non-applicable *		Solubility properties:	Non-applicable *
Flamability:       Non Flammabile (>199.4 °F)         Flash Point:       Non -applicable *         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Pother information:       Non-applicable *         Information:       Non-applicable *         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Decomposition temperature:	Non-applicable *
Flash Point:       Non Flammable (>199.4 °F)         Flash Point:       Non-applicable *         Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         Porter information:       Non-applicable *         Information:       Non-applicable *         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Uter safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Melting point/freezing point:	Non-applicable *
Flammability (solid, gas):       Non-applicable *         Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable *         9.2       Other information:         Information with regard to physical hazard classet       Explosive properties:         Oxidising properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Flammability:	
Autoignition temperature:       739 °F         Lower flammability limit:       Non-applicable *         Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classes:       Explosive properties:         Sciolity properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Surface tension at 68 °F:         Surface tension at 68 °F:       Non-applicable *		Flash Point:	Non Flammable (>199.4 °F)
Lower flammability limit:Non-applicable *Upper flammability limit:Non-applicable *Particle characteristics:Non-applicable *Median equivalent diameter:Non-applicable9.2Other information:Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 68 °F:Non-applicable *		Flammability (solid, gas):	Non-applicable *
Upper flammability limit:       Non-applicable *         Particle characteristics:       Non-applicable *         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classer       Explosive properties:         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Autoignition temperature:	739 °F
Particle characteristics:       Non-applicable         Median equivalent diameter:       Non-applicable         9.2       Other information:         Information with regard to physical hazard classes:       Explosive properties:         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Lower flammability limit:	Non-applicable *
Median equivalent diameter:       Non-applicable         9.4       Other information:         Information with regard to physical hazard classes       Information with regard to physical hazard classes         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable of components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Upper flammability limit:	Non-applicable *
9.2       Other information:         Information with regard to physical hazard classes         Explosive properties:       Non-applicable *         Oxidising properties:       Non-applicable *         Corrosive to metals:       Non-applicable *         Heat of combustion:       Non-applicable *         Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Non-applicable *         Surface tension at 68 °F:       Non-applicable *		Particle characteristics:	
Information with regard to physical hazard classes:Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 68 °F:Non-applicable *		Median equivalent diameter:	Non-applicable
Explosive properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 68 °F:Non-applicable *	9.2	Other information:	
Oxidising properties:Non-applicable *Oxidising properties:Non-applicable *Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 68 °F:Non-applicable *		Information with regard to physical hazard clas	sses:
Corrosive to metals:Non-applicable *Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Non-applicable *Surface tension at 68 °F:Non-applicable *		Explosive properties:	Non-applicable *
Heat of combustion:Non-applicable *Aerosols-total percentage (by mass) of flammable components:Non-applicable *Other safety characteristics:Surface tension at 68 °F:Non-applicable *		Oxidising properties:	Non-applicable *
Aerosols-total percentage (by mass) of flammable components:       Non-applicable *         Other safety characteristics:       Surface tension at 68 °F:         Non-applicable *       Non-applicable *		Corrosive to metals:	Non-applicable *
components:       Other safety characteristics:         Surface tension at 68 °F:       Non-applicable *		Heat of combustion:	Non-applicable *
Surface tension at 68 °F: Non-applicable *		components:	Non-applicable *
		-	Non-applicable *
*Not relevant due to the nature of the product, not providing information property of its hazards.			

# SECTION 10: STABILITY AND REACTIVITY

- CONTINUED ON NEXT PAGE -

Date of compilation: 9/1/2022 Version: 1



# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

SECT	ION 10: STABILITY AND REACTIVITY (continued)				
10.1	Reactivity:				
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.				
10.2					
10.2	Chemical stability:				
	Chemically stable under the indicated conditions of storage, handling and use.				
10.3	Possibility of hazardous reactions:				
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.				
10.4	Conditions to avoid:				
	Applicable for handling and storage at room temperature:				
	Shock and friction         Contact with air         Increase in temperature         Sunlight         Humidity           Not applicable         Not applicable         Not applicable         Not applicable         Not applicable         Not applicable				
10.5	Incompatible materials:				
	Acids Water Oxidising materials Combustible materials Others				
	Avoid strong acids         Not applicable         Not applicable         Not applicable         Avoid alkalis or strong bases				
10.6	Hazardous decomposition products:				
	See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions,				
	complex mixtures of chemical substances can be released: carbon dioxide (CO <sub>2</sub> ), carbon monoxide and other organic compounds.				
SECT	ION 11: TOXICOLOGICAL INFORMATION				
11.1	Information on toxicological effects:				
	LD50 oral > 5000 mg/kg (rat)				
	Dangerous health implications:				
	In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure				
	limits, it may result in adverse effects on health depending on the means of exposure:				
	A- Ingestion (acute effect):				
	- Acute toxicity : Based on available data, the classification criteria are not met				
	<ul> <li>Corrosivity/Irritability: Based on available data, the classification criteria are not met</li> </ul>				
	B- Inhalation (acute effect):				
	- Acute toxicity : Based on available data, the classification criteria are not met				
	- Corrosivity/Irritability: Based on available data, the classification criteria are not met				
	C- Contact with the skin and the eyes (acute effect):				
	- Contact with the skin: Based on available data, the classification criteria are not met				
	- Contact with the eyes: Based on available data, the classification criteria are not met				
	D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):				
	- Carcinogenicity: Based on available data, the classification criteria are not met				
	IARC: Non-applicable				
	- Mutagenicity: Based on available data, the classification criteria are not met				
	- Reproductive toxicity: Based on available data, the classification criteria are not met				
	E- Sensitizing effects:				
	- Respiratory: Based on available data, the classification criteria are not met				
	- Skin: Based on available data, the classification criteria are not met				
	F- Specific target organ toxicity (STOT) - single exposure:				
	Based on available data, the classification criteria are not met				
	G- Specific target organ toxicity (STOT)-repeated exposure:				
	- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met				
	- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as				
	hazardous for this effect. For more information see section 3.				
	H- Aspiration hazard:				
	Based on available data, the classification criteria are not met				
	- CONTINUED ON NEXT PAGE -				

Date of compilation: 9/1/2022

Item Numbers: 09469-0348

Version: 1

Page 5/7 Page 5 of 7



# GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### Other information:

Non-applicable

### Specific toxicology information on the substances:

Not available

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Not available

## 12.2 Persistence and degradability:

Not available

- 12.3 Bioaccumulative potential:
- Not available
- 12.4 Mobility in soil:
  - Not available
- 12.5 Results of PBT and vPvB assessment:
  - Non-applicable

# 12.6 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Disposal methods:

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CONTINUED ON NEXT PAGE -



## GAME COLOR - SPECIAL FX - 72.600 VOMIT - VOMITO

### SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE The Hazardous Substances List: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): Non-applicable
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK Substance List: Non-applicable
- Minnesota Hazardous substances ERTK: Non-applicable
- New Jersey Worker and Community Right-to-Know Act: Non-applicable
- New York RTK Substance list: Non-applicable
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: Non-applicable
- Rhode Island Hazardous substances RTK: Non-applicable
- The Toxic Substances Control Act (TSCA) : Non-applicable

- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Non-applicable

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Non-applicable

# Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

### **Other legislation:**

Take into consideration other applicable federal, state, and local laws and local regulations.

### SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

### Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:** Occupational Safety & Health Administration (OSHA).

## Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Date of compilation: 9/1/2022

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

END OF SAFETY DATA SHEET

### Date of compilation: 9/1/2022 Version: 1

Item Numbers: 09469-0348

Page 7/7