

Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 1: IDENTIFICATION							
1.1	GHS Product identifier:	GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE					
	Other means of identification:						
	Non-applicable						
1.2							
	Relevant uses: Paint for artists						
	Uses advised against: All uses not specified in this section or in section 7.3						
1.3	I.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:						
	ACRYLICOS VALLEJO, S.L. Pol. Ind. Sant Jordi - C/ Eusebio Millán, 14 08800 Vilanova i La Geltrú - Barcelona - Spain Phone: +34938936012 - Fax: +34938931154 vallejo@acrylicosvallejo.com www.acrylicosvallejo.com						
1.4	Emergency phone number: +34 9	938 936 012 (9:00 - 17:00)					
SEC	FION 2: HAZARD(S) IDENTIFICAT	ION					
2.1	Classification of the substance or	mixture:					
	29 CFR 1910.1200:						
	contains valuable information critical a available for employees and other use	nazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS to the safe handling and proper use of the product. This SDS should be retained and error of this product.					
2.2	Label elements:						

29 CFR 1910.1200:

None

2.3 Hazards not otherwise classified (HNOC):

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

Mixtures: 3.2

Chemical description: Aqueous mixture composed of additives, aggregates, coalescents, pigments and resins

Components:

None of the substances contained in the mixture are above the values fixed in Appendix D to § 1910.1200.

SECTION 4: FIRST-AID MEASURES

4.1 **Description of necessary measures:**

Consult a doctor in case of discomfort with this Safety data Sheet.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet By eye contact:


Rinse with water until the product has been eliminated. In case of problems, consult a doctor with the SDS of this product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

- CONTINUED ON NEXT PAGE -

Date of compilation: 9/1/2022 Version: 1





Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 4: FIRST-AID MEASURES (continued)				
4.2	4.2 Most important symptoms/effects, acute and delayed:			
	Acute and delayed effects are indicated in sections 2 and 11.			
-				

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable, low risk of fire by the inflammability characteristics of the product in normal conditions of storage, manipulation and use. In the case of the existence of sustained combustion as a result of improper manipulation, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

Unsuitable extinguishing media:

Non-applicable

Non-applicable

5.2 Specific hazards arising from the chemical:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 **Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

Methods and materials for containment and cleaning up: 6.3

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

- CONTINUED ON NEXT PAGE -

Date of compilation: 9/1/2022 Version: 1



Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 7: HANDLING AND STORAGE (continued)	J)
---	----

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks
 - It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

50 °F Minimum Temp.: 104 °F Maximum Temp.: 36 Months Maximum time:

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters:**

Substances whose occupational exposure limits have to be monitored in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Eye and face protection

Non-applicable

E.- Bodily protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties: 9.1

For complete information see the product datasheet.

Appearance:

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 9/1/2022 Version: 1



Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

App Col Odd Odd Vo Boi Vap	ysical state at 68 °F: pearance: lor: lor: lour threshold: slatility: iling point at atmospheric pressure: pour pressure at 68 °F:	Liquid Fluid Green Not available Non-applicable *		
Col Ode Ode Vo Boi Vap	lor: lor: lour threshold: latility: iling point at atmospheric pressure:	Green Not available		
Odd Odd Vo l Boi Vap	lor: lour threshold: ·latility: iling point at atmospheric pressure:	Not available		
Odo Vo Boi Vap	lour threshold: •latility: iling point at atmospheric pressure:			
Vo Boi Vap	latility: iling point at atmospheric pressure:	Non-applicable *		
Boi Vap	iling point at atmospheric pressure:			
Vap				
	nour prossure at 69 0E	225 °F		
Vap	pour pressure at 68 °F.	2277 Pa		
	pour pressure at 122 °F:	11997.62 Pa (12 kPa)		
Eva	aporation rate at 68 °F:	Non-applicable *		
Pro	oduct description:			
Dei	nsity at 68 °F:	1093.2 kg/m ³		
Rel	lative density at 68 °F:	1.093		
Dyı	namic viscosity at 68 °F:	Non-applicable *		
Kin	nematic viscosity at 68 °F:	Non-applicable *		
Kin	nematic viscosity at 104 °F:	Non-applicable *		
Cor	ncentration:	Non-applicable *		
pH	:	5 - 9		
Var	pour density at 68 °F:	Non-applicable *		
Par	rtition coefficient n-octanol/water 68 °F:	Non-applicable *		
Sol	lubility in water at 68 °F:	Non-applicable *		
Sol	lubility properties:	Non-applicable *		
Dec	composition temperature:	Non-applicable *		
Me	elting point/freezing point:	Non-applicable *		
Fla	ammability:			
Fla	sh Point:	Non Flammable (>199.4 °F)		
Fla	immability (solid, gas):	Non-applicable *		
Aut	toignition temperature:	455 °F		
Lov	wer flammability limit:	Non-applicable *		
Upj	per flammability limit:	Non-applicable *		
Par	rticle characteristics:			
Me	dian equivalent diameter:	Non-applicable		
9.2 Ot	her information:			
Inf	formation with regard to physical hazard class	ses:		
Exp	plosive properties:	Non-applicable *		
Oxi	idising properties:	Non-applicable *		
	rrosive to metals:	Non-applicable *		
Hea	at of combustion:	Non-applicable *		
con	rosols-total percentage (by mass) of flammable mponents: . her safety characteristics:	Non-applicable *		
	rface tension at 68 °F:	Non-applicable *		
	fraction index:	Non-applicable *		
*Not relevant due to the nature of the product, not providing information property of its hazards.				

SECTION 10: STABILITY AND REACTIVITY

- CONTINUED ON NEXT PAGE -



Vallejov Game color - Special FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 10: STABILITY AND REACTIVITY (continued)								
10.1	Reactivity:							
	-	e expected because the pr	oduct is stable under reco	mmended storage condition	ons. See section 7.			
10.2	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. Chemical stability:							
	Chemically stable under the indicated conditions of storage, handling and use.							
10.3	Possibility of hazardous reactions:							
	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.							
10.4	Conditions to avoid:							
	Applicable for handling and storage at room temperature:							
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
10.5	Incompatible materials:							
	Acids	Water	Oxidising materials	Combustible materials	Others			
10.6	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases			
10.6	Hazardous decompositio	-	was greater than 200 0C	the decomposition product	to ava avamatia aminaa			
	In case of prolonged thermal treatment at temperatures greater than 200 °C, the decomposition products are aromatic amines (3,3 '- dichlorobenzidine)							
SECT	ION 11: TOXICOLOGIC	AL INFORMATION						
11.1	Information on toxicolo	gical effects:						
	LD50 oral > 5000 mg/kg (r	at)						
	Dangerous health implie	cations:						
	In case of exposure that is	repetitive, prolonged or a	at concentrations higher th	an recommended by the o	occupational exposure			
	In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:							
	A- Ingestion (acute effect)):						
			classification criteria are no					
	 Corrosivity/Irritability: Based on available data, the classification criteria are not met B- Inhalation (acute effect): 							
	- Acute toxicity : Base	ed on available data, the o	classification criteria are no	ot met				
			a, the classification criteria	are not met				
	C- Contact with the skin a	, , ,						
			 a, the classification criteria a, the classification criteria 					
	D- CMR effects (carcinoger							
	- Carcinogenicity: Base	ed on available data, the	classification criteria are no	ot met				
	IARC: C.I.Pigment ye		ssification criteria are not	met				
			, the classification criteria					
	E- Sensitizing effects:							
			sification criteria are not m	net				
	 Skin: Based on availa F- Specific target organ to 	able data, the classificatio vicity (STOT) - single exp						
		, the classification criteria						
	G- Specific target organ to							
	- Specific target organ	toxicity (STOT)-repeated	exposure: Based on avail	able data, the classification	n criteria are not met			
	 Skin: Based on available 	able data, the classificatio	n criteria are not met, as i	t does not contain substar				
	H- Aspiration hazard:	t. For more information s	ee section 3.					
	Based on available data, the classification criteria are not met							
- CONTINUED ON NEXT PAGE -								



Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Not available

12.2 Persistence and degradability:

Not available

- 12.3 Bioaccumulative potential:
 - Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as nondangerous residue. Waste should not be disposed of to drains. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Part 261- IDENTIFICATION AND LISTING OF HAZARDOUS WASTE


SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

- CONTINUED ON NEXT PAGE -





Vallejo V GAME COLOR - SPECIAL FX - 72.605 GREEN RUST - OXIDO VERDE

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE The Hazardous Substances List: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Non-applicable
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Non-applicable
- CANADA-Domestic Substances List (DSL): Non-applicable
- CANADA-Non-Domestic Substances List (NDSL): Non-applicable
- Hazardous Air Pollutants (Clean Air Act): Non-applicable
- Massachusetts RTK Substance List: Non-applicable
- Minnesota Hazardous substances ERTK: Non-applicable
- New Jersey Worker and Community Right-to-Know Act: Non-applicable
- New York RTK Substance list: Non-applicable
- NTP (National Toxicology Program): Non-applicable
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Non-applicable
- Pennsylvania Worker and Community Right-to-Know Law: Non-applicable
- Rhode Island Hazardous substances RTK: Non-applicable
- The Toxic Substances Control Act (TSCA) : Non-applicable
- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Non-applicable

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Non-applicable

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources: Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

IARC: International Agency for Research on Cancer

Date of compilation: 9/1/2022

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

END OF SAFETY DATA SHEET

Date of compilation: 9/1/2022 Version: 1

Item Numbers: 09469-7728

Page 7/7