

20016-XXXX

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU,CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL****CHAPTER 1 IDENTIFICATION**

Product name: Soft Pastel(Bright White, Black, Ochre, Yellow Ochre, Light Ochre, Dark Orange, Orange, Lemon Yellow, Burnt Umber, Light Burnt Orange, Orange Red, Red, Cerise, BurntSienna, Brown, Brick, Carmine, Pink, Fuchsia, Violet, Purple, Russian Blue, Royal Blue, Cobalt Blue, Patel Bule, Dark Brown, Gray 1, Gray 2, Gray 3, Cool Gray, Orange Yellow, Flesh Tint, Patel Red, Coral Orange, Dark Blue Green, Dark Oliver Green, Egg Yellow, Dark Fuchsia, Teal, Blue, Dark Blue, Tea Green, Light Tea Green, Dark Tea Green, Pastel Brown, Silver Gray, Gray 6, Dark Pastel Blue, Coffee, Raw Umber, Gray Red, Gray 4,Raw Sienna, Patel Orange, Light Green, Green, Bordeaux Red, Gray 5, Dark Peach, Fluorescent Orange, Fluorescent Coral, Fluorescent Pink, Light Yellow Orange, Light Orange, Sky Blue, Lake Blue, Dark Green, Oliver Green, Sap Green, Viridian, Light Oliver Green, Green, Apple Green, Carbon Black)

**Product use:** PAINTING

CAS No.: MIXTURE

**Manufacturer/Supplier:**

Company Name: KUNSHAN JUN YUAN ARTS &amp; CRAFTS CO., LTD.

Address: NO.551 JUJIN ROAD,ZHANGPU TOWN , KUNSHAN CITY, JIANGSU,CHINA

Tel: 0086-512-50330636

Fax: 0086-512-50330638

**CHAPTER 2 HAZARD IDENTIFICATION****GHS label elements:**

Hazard Pictograms:

Signal word: Warning

**Swallowing:** No evidence of harmful effects from available information.**Skin absorption:** No evidence of harmful effects from available information.**Inhalation:** Trace component and residual monomer vapours may be irritating to the eyes, mucous membrane, respiratory tract, and may product symptoms of headache, nausea in poorly ventilated

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

areas.
<b>Skin contact:</b> Prolonged contact may cause transient reddening of the skin.
<b>Eye contact:</b> Direct contact may cause eye irritation.
<b>Effects of repeated overexposure:</b> No evidence of harmful effects from available information.
<b>Medical conditions aggravated by overexposure:</b> A knowledge of the available toxicology information and of the physical and chemical properties of the matter suggests that overexposure is unlikely to aggravate existing medical conditions.
<b>Other effects of overexposure:</b> No evidence of harmful effects from available information.

**CHAPTER 3 COMPOSITION/INFORMATION ON INGREDIENTS****Substance/ Preparation:** Preparation

Color Name	Ingredient	CAS No.	Percentage. [% ]	EU classification
Bright White	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	lithopone	1345-05-7	5%	
Black	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	5%	
Ochre	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment White 4	91315-44-5	3%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Pigment Orange 13	3520-72-7	1%	
	Permanent yellow powder	567-15-7	1%	
Yellow Ochre	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	0.50%	
	Permanent yellow powder	567-15-7	3.50%	
	Carbon Black	1333-86-4	1%	
Light Ochre	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	1%	
	Permanent yellow powder	567-15-7	3.50%	
	Carbon Black	1333-86-4	0.50%	
Dark Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	2%	
	Pigment Red 48:3	15782-05-5	3%	
Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	5%	
Lemon Yellow	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent yellow powder	567-15-7	2.50%	
	Pigment Geen 7	1328-53-6	1.50%	
	Pigment Red 180	12769-00-5	1%	
Burnt Umber	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	2%	
	Pigment Red 48:3	15782-05-5	2%	
	Pigment Geen 7	1328-53-6	0.50%	
	Carbon Black	1333-86-4	0.50%	
Light Burnt Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	2%	
	Carbon Black	1333-86-4	1%	
	Permanent yellow powder	567-15-7	2%	
Orange Red	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	1.5%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Carbon Black	1333-86-4	2.5%	
	Permanent yellow powder	567-15-7	1%	
Red	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 122	980-26-7	1.0%	
	Pigment Red 48:3	15782-05-5	3.50%	
	Pigment Orange 13	3520-72-7	0.5%	
Cerise	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	1%	
	Pigment Red 122	980-26-7	1.50%	
	Vat Blue 4	81-77-6	2.50%	
Burnt Sienna	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	3.50%	
	Pigment Red 48:3	15782-05-5	0.50%	
	Carbon Black	1333-86-4	1%	
Brown	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	3%	
	Pigment Red 48:3	15782-05-5	1.50%	
	Carbon Black	1333-86-4	0.50%	
Brick	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	1.50%	
	Pigment Red 48:3	15782-05-5	2.50%	
	Carbon Black	1333-86-4	1%	
Carmine	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	3%	
	Pigment Red 122	980-26-7	1%	
	Acid Red 94	632-69-9	1%	
Pink	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Acid Red 94	632-69-9	1.50%	
	Pigment Red 48:3	15782-05-5	3.50%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Fuchsia	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	2.50%	
	Acid Red 94	632-69-9	1.50%	
	Pigment Red 122	980-26-7	1%	
Violet	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent purple powder	6358-30-1	2.50%	
	Pigment Blue 15	147-14-8	0.50%	
	Acid Red 94	632-69-9	2%	
Purple	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent purple powder	6358-30-1	2%	
	Pigment Blue 15	147-14-8	1%	
	Acid Red 94	632-69-9	1%	
	Pigment Blue 29	57455-37-5	1%	
Russian Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Water	7732-18-5	2%	
	Pigment Blue 15	147-14-8	3%	
	Pigment Geen 7	1328-53-6	1%	
	Carbon Black	1333-86-4	1%	
Royal Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	C.I. Pigment Yellow 1	2512-29-0	3%	
	Pigment Red 48:3	15782-05-5	2%	
Cobalt Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Blue 29	57455-37-5	3%	
	Pigment Blue 15	147-14-8	1%	
	Pigment Red 48:3	15782-05-5	1%	
Patel Bule	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Blue 15	147-14-8	1.50%	
	lithopone	1345-05-7	3.50%	
Dark Brown	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	



**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 73	84632-59-7	1%	
	Basic Red 14	12217-48-0	1%	
	Red Soil Powder	1332-25-8	1%	
	Carbon Black	1333-86-4	2%	
Gray 1	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Basic Red 14	12217-48-0	0.1%	
	Carbon Black	1333-86-4	4.90%	
Gray 2	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Basic Red 14	12217-48-0	1%	
	Carbon Black	1333-86-4	4%	
Gray 3	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment White 4	91315-44-5	3.50%	
	Pigment Red 48:3	15782-05-5	0.50%	
	Carbon Black	1333-86-4	1%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Cool Gray	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	lithopone	1345-05-7	3%	
	Carbon Black	1333-86-4	2%	
Orange Yellow	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent yellow powder	567-15-7	4%	
	Pigment Orange 13	3520-72-7	1%	
Flesh Tint	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	L-Tryptophan	132685-02-0	1.50%	
	C.I. Pigment Yellow 1	2512-29-0	3.50%	
Patel Red	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	L-Tryptophan	132685-02-0	0.50%	
	Pigment Red 48:3	15782-05-5	3.50%	
	Pigment Orange 13	3520-72-7	1%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Coral Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 122	980-26-7	4%	
	Pigment Orange 13	3520-72-7	1%	
Dark Blue Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	3%	
	Carbon Black	1333-86-4	0.50%	
	Pigment Blue 15	147-14-8	1.50%	
Dark Oliver Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	1.50%	
	Permanent yellow powder	567-15-7	2.50%	
	Carbon Black	1333-86-4	1%	
Egg Yellow	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment White 4	91315-44-5	1.50%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Carbon Black	1333-86-4	0.50%	
	Permanent yellow powder	567-15-7	3%	
Dark Fuchsia	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	0.50%	
	lithopone	1345-05-7	3.50%	
	Acid Red 94	632-69-9	1%	
Teal	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	2.50%	
	Pigment Blue 15	147-14-8	2.50%	
Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Blue 15	147-14-8	5%	
Dark Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Blue 15	147-14-8	1.50%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Pigment Blue 29	57455-37-5	3%	
	Pigment Red 48:3	15782-05-5	0.50%	
Tea Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent yellow powder	567-15-7	3%	
	Carbon Black	1333-86-4	2%	
	Light Tea Green	calcium carbonate	471-34-1	85%
Lithopone		1345-05-7	5%	
Acacia gum		9000-01-5	3%	
Water		7732-18-5	2%	
Pigment White 4		91315-44-5	1%	
Pigment Orange 13		3520-72-7	0.50%	
Carbon Black		1333-86-4	0.50%	
Permanent yellow powder		567-15-7	3%	
Dark Tea Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Green 7	1328-53-6	1%	
	Permanent yellow powder	567-15-7	3%	
	Carbon Black	1333-86-4	1%	
Pastel Brown	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	1.00%	
	Pigment Red 48:3	15782-05-5	3.50%	
	Carbon Black	1333-86-4	0.50%	
Silver Gray	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	1.50%	
	Pigment Blue 15	147-14-8	3.5%	
Gray 6	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Vat Blue 4	81-77-6	3%	
	Carbon Black	1333-86-4	2%	
Dark Pastel Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Blue 15	147-14-8	1%	
	Pigment Blue 29	57455-37-5	4%	
Coffee	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	2%	
	C.I. Pigment Yellow 1	2512-29-0	3%	
Raw Umber	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	2.00%	
	Pigment Red 48:3	15782-05-5	1.50%	
	Pigment Green 7	1328-53-6	1%	
Gray Red	Carbon Black	1333-86-4	0.5%	
	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	1.50%	
	Pigment Red 48:3	15782-05-5	2.50%	
Gray 4	Carbon Black	1333-86-4	1%	
	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Basic Red 14	12217-48-0	2%	
	Carbon Black	1333-86-4	3%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Raw Sienna	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 48:3	15782-05-5	3.50%	
	C.I. Pigment Yellow 1	2512-29-0	1.50%	
Patel Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	C.I. Pigment Yellow 1	2512-29-0	4.50%	
	Pigment Orange 13	3520-72-7	0.50%	
Light Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent yellow powder	567-15-7	3%	
	Pigment Blue 15	147-14-8	2%	
Yellowish Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Green 7	1328-53-6	3%	
	Permanent yellow powder	567-15-7	2%	
Bordeaux	calcium carbonate	471-34-1	85%	



**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Red	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	1%	
	Pigment Red 48:3	15782-05-5	1%	
	Acid Red 94	632-69-9	3%	
Gray 5	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Basic Red 14	12217-48-0	1%	
	Red Soil Powder	1332-25-8	1%	
	Carbon Black	1333-86-4	3%	
Dark Peach	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Yellow 192	56279-27-7	3%	
	Pigment Red 48:3	15782-05-5	2%	
Fluorescent Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	4.50%	
	Pigment Yellow 192	56279-27-7	0.50%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Fluorescent Coral	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Red 122	980-26-7	4%	
	Pigment Red 48:3	15782-05-5	1%	
Fluorescent Pink	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	lithopone	1345-05-7	3.50%	
	Pigment Red 48:3	15782-05-5	1.5%	
Light Yellow Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Permanent yellow powder	567-15-7	3%	
	Pigment Orange 13	3520-72-7	2%	
Light Orange	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	3.00%	
	Pigment Yellow 192	56279-27-7	2.00%	
Sky Blue	calcium carbonate	471-34-1	85%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	4.50%	
	Pigment Blue 15	147-14-8	0.50%	
Lake Blue	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	3.50%	
	Pigment Blue 15	147-14-8	1.50%	
Dark Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	3%	
	Carbon Black	1333-86-4	1.50%	
	Pigment Blue 15	147-14-8	0.50%	
Oliver Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	2%	
	Carbon Black	1333-86-4	1%	
	Permanent yellow powder	567-15-7	2%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

Sap Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	3%	
	Carbon Black	1333-86-4	1%	
	Permanent yellow powder	567-15-7	1%	
Viridian	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	1.5%	
	Pigment Geen 7	1328-53-6	2.50%	
	Pigment Blue 15	147-14-8	1%	
Light Oliver Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Orange 13	3520-72-7	1.50%	
	Pigment Geen 7	1328-53-6	2.50%	
	Carbon Black	1333-86-4	1%	
Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

	Pigment Geen 7	1328-53-6	3%	
	Carbon Black	1333-86-4	0.50%	
	Permanent yellow powder	567-15-7	1	
	Pigment Blue 15	147-14-8	0.50%	
Apple Green	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Pigment Geen 7	1328-53-6	3%	
	Pigment Yellow 192	56279-27-7	2%	
Carbon Black	calcium carbonate	471-34-1	85%	
	Lithopone	1345-05-7	5%	
	Acacia gum	9000-01-5	3%	
	Water	7732-18-5	2%	
	Carbon Black	1333-86-4	4.50%	
	Permanent yellow powder	567-15-7	0.5%	

**CHAPTER 4 FIRST AID MEASURES****Swallowing:** No harmful effects expected.**Inhalation:** No emergency care anticipated.**Skin contact:** Wash skin with soap and water until water is no longer cloudy. If clothing is soaked, remove and wash before resure.**Eye contact:** Immediatelt flush eyes with plenty of water. Get medical attention if irraitiaon persists.**Notes to physician:** Toxicology studies have shown this or similar material to be of very low acute

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

toxicity. There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patients.

**CHAPTER 5 FIRE FIGHTING MEASURES**

<b>FLASH POINT °F:</b>	None.
<b>Fire and Explosion Hazards:</b>	nonflammable
<b>Extinguishing Media:</b>	Water, foam, carbon dioxide
<b>Special Fire Fighting Procedures:</b>	Not required for this material.

**CHAPTER 6 ACCIDENTAL RELEASE MEASURES**

<b>Spill or Leak Procedures:</b>	NA
----------------------------------	----

**CHAPTER 7 HANDLING AND STORAGE**

<b>Storage Temperature:</b>	normal temperature
<b>Shelf Life:</b> Not known.	<b>Special Sensitivity:</b> None likely or known.
<b>Handling and Storage:</b>	Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash hands before eating, smoking or using toilet facilities.
<b>Precautions:</b>	Avoid eye and skin contact. Keep container closed when not being used.

**CHAPTER 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

<b>Exposure Limits:</b> None known.
<b>Eye Protection:</b> Wear splash goggles where spill or splashing may occur.
<b>Skin Protection:</b> Not required.
<b>Respiratory and Ventilation:</b> Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

**CHAPTER 9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical Form:</b> solid	<b>Color:</b> Multi colors
<b>Odor:</b> Not applicable	<b>Boiling Point:</b> Not applicable
<b>Melting Point:</b> Not applicable	<b>Freezing Point:</b> Not applicable
<b>PH:</b> Not applicable	<b>Solubility in Water:</b> Not applicable
<b>Specific Gravity:</b> Not applicable	<b>Bulk Density:</b> Not applicable
<b>% Volatile by Weight:</b> Not applicable	<b>Vapor Pressure:</b> Not applicable
<b>Vapor Density:</b> Not applicable	

**CHAPTER 10 STABILITY AND REACTIVITY**

<b>STABILITY:</b>	Stable
<b>CONDITIONS TO AVOID:</b>	Not applicable.
<b>INCOMPATIBILITY:</b>	Not applicable.
<b>HAZARDOUS POLYMERIZATION:</b>	None known.
<b>DECOMPOSITION PRODUCTS:</b>	None known.

**CHAPTER 11 TOXICOLOGICAL INFORMATION**

**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU,CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

<b>Health Effects:</b>	Heated decomposition products may cause eye irritation.
<b>Inhalation:</b>	Excessive inhalation causes respiratory tract and mucous membrane irritation.Low hazard for usual industrial handling.
<b>Skin Contact:</b>	Causes skin irritation
<b>Eye Contact:</b>	Causes eye irritation
<b>Ingestion:</b>	Ingestion of large amounts may cause gastrointestinal tract disturbances with nausea and possibly constipation.Expected to be a low hazard for usual industrial handling.

**CHAPTER 12 ECOLOGICAL INFORMATION**

NO ECOLOGICAL ISSUES LIKELY.

**CHAPTER 13 DISPOSAL CONSIDERATION**

<b>Waste Disposal Method:</b>	Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.
-------------------------------	---

**CHAPTER 14 TRANSPORT INFORMATION**

<b>DOT Proper shipping name:</b> Not a DOT controlled material(United States).
<b>DOT Technical name:</b> Not regulated.
<b>OCEAN (IMDG):</b> Not regulated.
<b>AIR (IATA):</b> Not regulated.
<b>WHMIS (CANADA):</b> Not regulated.

**CHAPTER 15 REGULATORY INFORMATION**

OSHA Status: Not applicable



**KUNSHAN JUN YUAN ARTS & CRAFTS CO., LTD.**

NO.551 JUJIN ROAD, ZHANGPU TOWN, KUNSHAN CITY, JIANGSU, CHINA

Tel: 0086-512-50330636 Fax: 0086-512-50330638 ZIP: 215321

**Safety Data Sheet****SOFT PASTEL**

<b>TSCA Status:</b> Not applicable
<b>CERCLA Reportable Quantity:</b> Not applicable
<b>SARA Title III:</b> Not applicable
<b>Section 302 Extremely Hazardous Substances:</b> Not applicable
<b>Section 311/312 Hazard Categories:</b> Not applicable
<b>Section 313 Toxic Chemicals:</b> Not applicable
<b>RCRA Status:</b> Not applicable
<b>State Regulatory Information:</b> Not applicable

**CHAPTER 16 OTHER INFORMATION****N**

No other

Date of preparation: 11/11/2019  
 Date of issue: 11/11/2019  
 Version: 1.0

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. Kunshan Jun Yuan Arts & Crafts Co., Ltd. makes no representation as to completeness or accuracy. In no event will Kunshan Jun Yuan Arts & Crafts Co., Ltd. be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

\*\*\* END \*\*\*