page. 1/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: WATERPROOF INK #1 ULTRA BLACK

#4300 No.1

 Serial No.
 141204-07
 Revision Date
 Nov.13.2020

 Version
 1.1
 Print Date
 Nov.13.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : WATERPROOF INK #1 ULTRA BLACK

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Basic Green 4	Trade Secret	1.0 to 2.0
C. I. Basic Violet 1	Trade Secret	1.5 to 2.5
C. I. Basic Orange 2	Trade Secret	1.5 to 2.5
Ethylene Glycol	Trade Secret	35.0 to 45.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	0.0 to 1.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation,

dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

Item Numbers: 20841-1019 Page 1 of 39

According to EC Directive 91/155/EEC

page. 2/4

Trade name: WATERPROOF INK #1 ULTRA BLACK

#4300 No.1

 Serial No.
 141204-07
 Revision Date
 Nov.13.2020

 Version
 1.1
 Print Date
 Nov.13.2020

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid Colour coloured

Item Numbers: 20841-1019 Page 2 of 39

According to EC Directive 91/155/EEC

page. 3/4

Trade name: WATERPROOF INK #1 ULTRA BLACK

#4300 No.1

 Serial No.
 141204-07
 Revision Date
 Nov.13.2020

 Version
 1.1
 Print Date
 Nov.13.2020

Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

Item Numbers: 20841-1019 Page 3 of 39

According to EC Directive 91/155/EEC

page. 4/4

Trade name: WATERPROOF INK #1 ULTRA BLACK

#4300 No.1

 Serial No.
 141204-07
 Revision Date
 Nov.13.2020

 Version
 1.1
 Print Date
 Nov.13.2020

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 4 of 39

page. 1/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.3 Blue

 Serial No.
 150727-03
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.3 Blue

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Basic Blue 7	Trade Secret	3.5 to 4.0
Ethylene Glycol	Trade Secret	18.0 to 20.0
Diethylene Glycol	Trade Secret	8.0 to 10.0
DMSO	Trade Secret	4.0 to 5.0
N, N'-Bis (polyoxy ethylene)-		
-p-toluene sulfonic acid amide	Trade Secret	4.0 to 5.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Item Numbers: 20841-1019 Page 5 of 39

page. 2/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.3 Blue

 Serial No.
 150727-03
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Item Numbers: 20841-1019 Page 6 of 39

page. 3/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.3 Blue

 Serial No.
 150727-03
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Item Numbers: 20841-1019 Page 7 of 39

page. 4/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.3 Blue

 Serial No.
 150727-03
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 8 of 39

According to EC Directive 91/155/EEC page. 1/4

Trade name: LEPEN INK No.6 Brown

 Serial No.
 150727-06
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.6 Brown

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Food Yellow 2	Trade Secret	0.3 to 0.4
C. I. Acid Violet 49	Trade Secret	1.0 to 1.2
C. I. Acid Blue 9	Trade Secret	0.1 to 0.2
C. I. Acid Black 2	Trade Secret	0.5 to 0.6
C. I. Acid Yellow 23	Trade Secret	2.0 to 3.0
C. I. Acid Red 52	Trade Secret	3.0 to 3.5
Ethylene Glycol	Trade Secret	20.0 to 25.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Item Numbers: 20841-1019 Page 9 of 39

According to EC Directive 91/155/EEC

page. 2/4

Trade name: LEPEN INK No.6 Brown

 Serial No.
 150727-06
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Item Numbers: 20841-1019 Page 10 of 39

According to EC Directive 91/155/EEC page. 3/4

Trade name: LEPEN INK No.6 Brown

 Serial No.
 150727-06
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Appearance

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

Item Numbers: 20841-1019 Page 11 of 39

According to EC Directive 91/155/EEC page. 4/4

Trade name: LEPEN INK No.6 Brown

 Serial No.
 150727-06
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 12 of 39

According to EC Directive 91/155/EEC page. 1/4

Trade name: LEPEN INK No.4 Green

 Serial No.
 150727-05
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.4 Green

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Violet 49	Trade Secret	0.1 to 0.3
C. I. Acid Blue 9	Trade Secret	0.5 to 0.6
C. I. Acid Yellow 42	Trade Secret	0.3 to 0.4
Ethylene Glycol	Trade Secret	20.0 to 25.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation,

dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

Item Numbers: 20841-1019 Page 13 of 39

According to EC Directive 91/155/EEC page. 2/4

Trade name: LEPEN INK No.4 Green

 Serial No.
 150727-05
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid Colour coloured

Item Numbers: 20841-1019 Page 14 of 39

page. 3/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.4 Green

 Serial No.
 150727-05
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

Item Numbers: 20841-1019 Page 15 of 39

According to EC Directive 91/155/EEC page. 4/4

Trade name: LEPEN INK No.4 Green

 Serial No.
 150727-05
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 16 of 39

According to EC Directive 91/155/EEC

page. 1/4

Trade name: LEPEN INK No.2 Red

 Serial No.
 150727-14
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.2 Red

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Yellow 42	Trade Secret	2.0 to 3.0
C. I. Acid Red 87	Trade Secret	4.0 to 5.0
C. I. Acid Red 52	Trade Secret	0.3 to 0.5
C. I. Acid Red 92	Trade Secret	1.0 to 1.5
Ethylene Glycol	Trade Secret	15.0 to 20.0
Diethylene glycol	Trade Secret	4.0 to 5.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Item Numbers: 20841-1019 Page 17 of 39

According to EC Directive 91/155/EEC

page. 2/4

Trade name: LEPEN INK No.2 Red

 Serial No.
 150727-14
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Item Numbers: 20841-1019 Page 18 of 39

According to EC Directive 91/155/EEC

page. 3/4

Trade name: LEPEN INK No.2 Red

 Serial No.
 150727-14
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Item Numbers: 20841-1019 Page 19 of 39

According to EC Directive 91/155/EEC

page. 4/4

Trade name: LEPEN INK No.2 Red

 Serial No.
 150727-14
 Revision Date
 Nov.18.2020

 Version
 1.1
 Print Date
 Nov.18.2020

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 20 of 39

page. 1/3

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.8 Levender

 Serial No.
 150727-02
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.8 Levender

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Violet 49	Trade Secret	1.5 to 1.9
C. I. Acid Blue 9	Trade Secret	0.1 to 0.2
C. I. Acid Red 52	Trade Secret	0.1 to 0.2
C. I. Acid Red 92	Trade Secret	0.3 to 0.4
Ethylene Glycol	Trade Secret	20.0 to 25.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation,

dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Item Numbers: 20841-1019 Page 21 of 39

According to EC Directive 91/155/EEC

page. 2/3

Trade name: LEPEN INK No.8 Levender

 Serial No.
 150727-02
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

Item Numbers: 20841-1019 Page 22 of 39

According to EC Directive 91/155/EEC page. 3/3

Trade name: LEPEN INK No.8 Levender

 Serial No.
 150727-02
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 23 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 1/4

Trade name: LEPEN INK No.15 Olive Green

 Serial No.
 150727-11
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.15 Olive Green

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Black 2	Trade Secret	1.0 to 1.5
C. I. Direct Blue 87	Trade Secret	1.0 to 1.6
C. I. Acid Yellow 23	Trade Secret	0.1 to 0.2
C. I. Acid Yellow 42	Trade Secret	3.5 to 3.8
Dimethyl sulfoxide	Trade Secret	3.0 to 5.0
Diethylene glycol	Trade Secret	15.0 to 18.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Triethanolamine	Trade Secret	0.5 to 1.5
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Item Numbers: 20841-1019 Page 24 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 2/4

Trade name: LEPEN INK No.15 Olive Green

 Serial No.
 150727-11
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Item Numbers: 20841-1019 Page 25 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 3/4

Trade name: LEPEN INK No.15 Olive Green

 Serial No.
 150727-11
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Appearance

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm3

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

Item Numbers: 20841-1019 Page 26 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 4/4

Trade name: LEPEN INK No.15 Olive Green

 Serial No.
 150727-11
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children. For further information, please contact us.

Item Numbers: 20841-1019 Page 27 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 1/4

Trade name: LEPEN INK No.21 Drak Grey

 Serial No.
 141204-12
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.21 Drak Grey

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Black 2	Trade Secret	< 2.8
C. I. Acid Yellow 36	Trade Secret	< 2.8
Ethylene Glycol	Trade Secret	15.0 to 20.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Triethanolamine	Trade Secret	0.5 to 1.5
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation,

dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

Item Numbers: 20841-1019 Page 28 of 39

page. 2/4

MS

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.21 Drak Grey

 Serial No.
 141204-12
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid Colour coloured

Item Numbers: 20841-1019 Page 29 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 3/4

Trade name: LEPEN INK No.21 Drak Grey

 Serial No.
 141204-12
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

Item Numbers: 20841-1019 Page 30 of 39

ΜŞ

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 4/4

Trade name: LEPEN INK No.21 Drak Grey
Serial No. 141204-12 Revision Date Nov.18.2020 Print Date 1.2 Nov.18.2020 Version

16. OTHER INFORMATION

Keep out reach of baby or children. For further information, please contact us.

Page 31 of 39 Item Numbers: 20841-1019

According to EC Directive 91/155/EEC

page. 1/4

Trade name: LEPEN INK No.28 Burgundy

 Serial No.
 150727-01
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.28 Burgundy

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Red 18	Trade Secret	5.5to 6.0
C. I. Acid Red 87	Trade Secret	1.0 to 1.8
C. I. Acid Red 52	Trade Secret	1.0 to 1.5
Dimethyl sulfoxide	Trade Secret	3.0 to 5.0
Diethylene glycol	Trade Secret	15.0 to 18.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Triethanolamine	Trade Secret	0.5 to 1.5
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Item Numbers: 20841-1019 Page 32 of 39

page. 2/4

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Trade name: LEPEN INK No.28 Burgundy

 Serial No.
 150727-01
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Item Numbers: 20841-1019 Page 33 of 39

According to EC Directive 91/155/EEC page. 3/4

Trade name: LEPEN INK No.28 Burgundy

 Serial No.
 150727-01
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Form liquid
Colour coloured
Odour non

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Item Numbers: 20841-1019 Page 34 of 39

According to EC Directive 91/155/EEC

page. 4/4

Trade name: LEPEN INK No.28 Burgundy

 Serial No.
 150727-01
 Revision Date
 Nov.18.2020

 Version
 1.2
 Print Date
 Nov.18.2020

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 35 of 39

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 1/4

Trade name: LEPEN INK No.33 Oriental Blue

Serial No. Version 150727-13

1.2

Revision Date Print Date Nov.18.2020 Nov.18.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the product

Product name : LEPEN INK No.33 Oriental Blue

Company/undertaking identification

Company : UCHIDA OF AMERICA, CORP.

3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877Telefax : +1-800-229-7017Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Acid Violet 49	Trade Secret	0.3 to 0.7
C. I. Acid Blue 9	Trade Secret	5.0 to 6.0
C. I. Acid Yellow 42	Trade Secret	0.9 to 1.0
Ethylene Glycol	Trade Secret	20.0 to 25.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 2.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation,

dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

Item Numbers: 20841-1019 Page 36 of 39

According to EC Directive 91/155/EEC

page. 2/4

Trade name: LEPEN INK No.33 Oriental Blue

Serial No. Version 150727-13

Revision Date Print Date Nov.18.2020 Nov.18.2020

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

1.2

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid Colour coloured

Item Numbers: 20841-1019 Page 37 of 39

According to EC Directive 91/155/EEC

page. 3/4

Trade name: LEPEN INK No.33 Oriental Blue

Serial No. Version 150727-13

1.2

Revision Date Print Date Nov.18.2020 Nov.18.2020

Odour non

Safety data

pH value not available Boiling point/range ca. 100° C Solubility in water soluble

Density ca. 1.0 to 1.1 g/cm³

Volatile 30 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives.

Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

Item Numbers: 20841-1019 Page 38 of 39

Расе 39 of 39

MS

SAFETY DATA SHEET

According to EC Directive 91/155/EEC page. 4/4

Trade name: LEPEN INK No.33 Oriental Blue

Serial No. Version 150727-13

1.2

Revision Date Print Date Nov.18.2020 Nov.18.2020

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

Item Numbers: 20841-1019 Page 39 of 39