21083-1760

# SAFETY DATA SHEET

DATE: **REVISION**:

06-Mar-2018 27-Apr-2018

### **1. PRODUCT INFORMATION**

Product Name: ZIG Cartoonist Brush Pen White, ZIG Cartoonist Brush Pen White Cartridge CNBW-01S, CNDAN122-99 Product Number: **Recommend Application:** Ink

KURETAKE CO., LTD. Company Information: Company Name: Address: 576 Minamikyobate-cho, 7-chome, Nara-shi, 630-8670 Division: Laboratory +81. 742. 50. 2055 Tel: Emergency Tel: +81.742.50.2055 Fax: +81.742.50.2077 E-mail: kuretake@kuretake.co.jp

#### 2. HAZARDS IDENTIFICATION

GHS Classification		
Physical hazards	Flammable liquids	Out of Division
Health hazards	Acute toxicity (Oral) Acute toxicity (Endermatic) Acute toxicity (Inhale : Gas) Acute toxicity (Inhale : Dust, Mist) Skin corrosion / irritation Serious eye damage / eye irritation Resriratory or skin sensitization Skin sensitizing property Germ cell mutagenicity Carcinogenicity Reproductive Toxicity	Not Classification Not Classification Not Classification Not Classification Not Classification Category 2B Not Classification Not Classification Not Classification Category 2 Category 1B
Specific Target Organ / Systemic Toxicity	Single exposure Repetition exposure	Not Classification Category 2(Central nervous system,
	Repetition exposure	Visual organ, Liver)
	Aspiration hazards	Not Classification
Einviromental hazards	Acute aquatic toxicity	Not Classification
Environment	Chronic aquatic toxicity	Not Classification
Label element	Hazardous to the ozone layer	Not Classification
Signal words	Danger	
Hazardous Information		
Ma	y cause eye irritation .	
Su	spected of causing cancer.	

Suspected of causing cancer. May damage fertility or the unborn child. May cause damage to organs (Central nervous system, Visual organ, Liver)

KURETAKE CO.,LTD

Item Numbers: 21083-1760

Instruction Do not use this product until read all safety precaution and understand it. Before use, please get [Measure for Safety] the operating instruction. Keep this product away from the ignition source such as fever, spark, open flame and high temperature. - NO SMOKING

	To prevent from exposure, use personal protective equipment or ventilation. Wear protective gloves ,glasses and face mask. Use this product in the well ventilated area or outside only. Do not inhale the mist, vapor and spray. Keep the container air tight.
[First Aid]	
	If a fire occur, fight a fire in the proper way.
	Inhale: Remove the victim to the fresh air area and keep him quiet.
	Swallow: Do not vomit by force. See a doctor.
	Eye: Clean by water in a few minutes. Put off the contacts if possible.
	Skin: Clean by a large of water with soap.
	Skin or Hair: Put off the polluted clothes immediately.
	Exposure: See a doctor.
	If the irritate to the eyes continue, see a doctor. If feel bad, see a doctor.
[Storage]	
	Keep the container air-tight, store in the cool and well ventilated area and locked.
【Disposal】	
	For dispose the content and container, entrust to the special waste disposer authorized by the governor of prefectural and city governments.

Country / Community Information No data

#### **3. COMPOSITION AND INGREDIENT INFORMATION**

Mixture

Single, Mixture: Ingredient and conte

edient and content		
Ingredient name	CAS No.	Concentration Wt.%
Ethyl alcohol	64-17-5	2.0 - 4.0
Titanium dioxide	13463-67-7	20.0 - 40.0
Isopropyl alcohol	67-63-0	0.1-0.3
Methyl alcohol	67-56-1	0.1 - 0.5
Resin	-	10.0 - 20.0
Water	7732-18-5	35.0 - 70.0

#### 4. FIRST AID

-		
	For Inhale	Remove the victim to the fresh air area. If feel bad, see a doctor.
	For Skin	Put off the all polluted clothes immediately. Clean with the proper temperature. and slow flowing water for over 15 minutes.
		If have irritate the skin, see a doctor. Call a doctore if feel bad. Before re-use
		the put off clothes, clean it up and remove the pollution.
	For Eyes	Put off the contacts if possible, and continue to clean. Clean the eyes carefully for a few minutes. If the eyes get this product, clean the eye immediately and wash away completely.
		If the cleaning eyes not enough, it may cause irreversible eye damage.
		If irritate to the eyes continue, see a doctor.
	For Swallow	Call a doctor, if feel bad. Rinse the mouth out. Do not have the victim vomit.
	Expected acute symptom	and late symptom: Sialorrhea Sialorrhea, face flash, cough, dizzy, lethargy, deliguim animi barf, vomition

Most important sign and symptom: No data

Protect the person received first aid:

Rescuer must wear proper protective equipment according to the situation.

Special notandum for doctor: Symptom will appear later, so that if the patient exposed excessively, it needs medical follow progress.

Item Numbers: 21083-1760

# 5. FIRE-FIGHTING MEASURE

5. FIRE-FIGHTING MEA	SURE
Extinguishing Media:	Small fire / Carbon dioxide, dry chemical extinguishing media, water spray, alcoholic resistance fire foam.
Great Conflagration:	Water spray, mist water, alcoholic resistance fire form.
Forbidden Extinguishing	
Special Dangerous and H	<ul> <li>Harmful Effect: The irritative, toxicity and corrosive gas is generated by fire. The container will be burst by heating. If it is not dangerous, move the container from the fire area.</li> <li>If it is impossible to move, cool the container and around by spraying water. After extinguishing</li> </ul>
	a fire, cool the container completely by large quantity of water.
Protect the Person Exting	
6. ACCIDENTAL RELEA	SEMEASURES
	dy, Protective Equipment and Emergency Measure:
	The worker must wear proper protector (refer to section 8) not to get the paint on the skin or into eyes. Do not touch the leakage material or walk into it. Keep the proper distance in all direction as the leakage area immediately. No unauthorized entry. If leakage but not occur a fire, wear the occlusive and impervious protect wear. Stay in the wind. Move away from the low ground. Ventilate before enter the sealed area.
Notandum for Environme	nt:
	Prevent from influx into the drain ditch, sewer, basement and closed area.
	Take notice not to affect the environment by discharge the paint into the river.
Collect Neutralization:	In small quantity case, absorb the leakage material by dry sand and nonflammable material or
	collect it in the sealed type container then dispose it. In small quantity case, collect the absorbed material by clean antistatic tools. In large quantity case, yard the leakage material by mound to prevent flow out and lead it into safety area then collect it. In large quantity case, water spray lower the steam temperature but it may not inhibit combustion at the sealed area.
Containment or Depurant	
Precaution of Second Dis	If it is not danger, stop the leakage. Ground all equipment which need for handle the leakage material. Use steam retard foam for lower the steam concentration.
	Clear away all ignition source immediately(Do not smoking near around, forbid firework and flame) In case large steam generating, retard it by mist spray. Call related agency and ask the help.
7. HANDLING AND STO	RAGE
Handling	Do the equipment measure described on the section 8 and war protector.
Local exhaust ventil	ation, whole ventilation:
	Do the local exhaust ventilation and whole ventilation described on section 8. Prevent leakage
Safe handling notan	the liquid and steam as possible.
Sale handling hotan	This product irritate the eyes so that care not to get it into the eyes. This product may cause sleep
	or vertigo, irritate the apparatus respiratorius and damage organ parts so that do not touch, inhale and swallow it. Do not fall, drop, shock or drag the container. Clean hands well after use this product.Use this product outside or well ventilated area only. Avoid touching, refer to the section10 Keep away from high tempereture materials spark and fire, and avoid touching oxidizaer and organic peroxide.
Storage	Keep the container airtight and stock it in well ventilated place. Stock in the fulfilled and ventilated and cool place. Keep away from oxidant. Keep away from direct sunlight and fire. The inventory location must be fire-proof construction and the floor must be impermeable to prevent permeate the basement and spill to outside. Lock up the container.
Dangerous goods if	
<u>.</u>	Refer to the section 10.
Container material:	Use the container regulated by fire law and UN transportation law.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Install the eyewashing devices and safety shower where handle or stock this product.

Protection E	Équipmer	nt
	norotuo r	achiratariway

For apparatus respiratorius:	
Wear proper respiratory protect equipment such as gas mask for organic gas	
(if high concentration, wear air-supplied respirator).	
Wear the gloves designated by manufacturer.	
Wear the eye protector designated by manufacturer.	
Wear protect boots, oil resistant apron (impermeable and antistatic) and protect clothes (antistatic) designated by manufacturer.	

Hygiene Measure

Check the protect equipments regularly with check sheet. Clean hands well after use this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form	Condition (20°C)	liquid
	Odor	Odorless
	Boiling point	Approx. 100°C
	Vapor pressure	No data
	Specific gravity (20°C)	1.08-1.25
	pH (against water base)	>7
	Other	No data
Hazardous Information	Flash point	N/A
	Ignition point	N/A
	Explosion limit	N/A
Other Hazardous Information		No data

## 10. STABILITY AND REACTIVITY

J.	STADILITT AND REA		
	Stability:	Under usually s	storage condition, it is stable.
	Hazardous Reactivity:	Nothing	
	Avoid Condition	Nothing	
	Avoid Touching	Nothing	
	Hazardous Decomposition	Product:	Nothing

#### **11. TOXICOLOGICAL INFORMATION** Harmful ingredient and exposure limit.

arn	armful ingredient and exposure limit.				
	Name	Exposure	ACGIH (TLV)	IARC	OTHER
	Ehtyl alcohol	-	1000ppm	1	LD50(oral, rat) 6,200-15,000mg/kg
	Titanium dioxide	-	10mg/m <sup>3</sup>	2B	LD50(oral, rat) >10,000mg/kg
	Isopropyl alcohol	-	200ppm	3	LD50(oral, rat) 1870-5500mg/kg
	Mehtyl alcohol	-	200ppm	3	LD50(oral, rat) 6200-9100mg/kg

Other harmful information relevant to composition: Harmful information for product:

### **12. ECOLOGICAL INFORMATION**

Acute Hazardous Aquatic Environment
Inveteracy Hazardous Aquatic Environment

#### 13. DISPOSAL CONSIDERATIONS Residue Waste: For dispose,

For dispose, follow the related regulation and standard of local governments. Ask the licensed industrial waste disposal company or local governments.

No data

No data

No data No data

Spray the incinerator with waste liquid directly or mix with flammable solvent in small quantity to burn. Activated sludge process.

Polluted container and package: Clean the container and recycle or treat it in accordance with the related regulation or local governments. If dispose the container, remove the content completely.

For Burning:

### **14. TRANSPORT INFORMATION**

Common:	Please follow the section7. Check if there are no leakage from container and take cargo without
	falling, dropping and damage.
Land Transportation:	In case of fall under the Fire Law, Industrial Safety and Health Law,
-	Poisonous Material Control Law follow each relevant mode of transportation.
Marine Transportation:	Please follow the Law for Safety of Vessel.
Air Transportation:	Please follow the Aviation Law and regulation of ICAO.
UN No.	N/A
Packing group	N/A
33-1	

## **15. REGULATORY INFORMATION**

Regulatory information with regard to this substance in your country or region should be examined by your own responsibility.

# 16. OTHER INFORMATION

Main cited item

JPMA "Data Base for raw material MSDS" JPMA "MSDS Guide Book [Mixture (for paint)]" 4th version JPMA "MSDS Guide Book [Mixture (for paint)]" 4th version-addenda version Solvent pocket book Raw material manufacturer MSDS DFGOT (1996) IUCLID (2000)

Regarding to the description content:

The description content of this data sheet is based on the documentation, information and data that we can garner at the present moment so that it might be change depend on new information. And it is recommend for usual handling so that in case of special handling, use it before take safety measure that suitable for your application and usage.

The description content is information service and not certification.

N/A = Not Applicable