

# SAFETY DATA SHEET

Date of Issue : January 1, 2024  
 SDS No. : AI-017  
 Version : 003



## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

### 1.1. Identification of the substance or mixture

Product name : SCA Markers  
 Product code : SCA-UF-L-A  
 SCA-UF-NP-BL-L-A

Mixture name : SC-UF-L(USA)

### 1.2. Use of the mixture : Ink for writing instrument

### 1.3. Company identification e-mail address

Name of manufacture /supplier : PILOT Corporation  
 Address : 6-21, Kyobashi 2-chome, Chuo-ku, Tokyo, 104-8304, Japan  
 Telephone number : 03-3538-3700  
 Working hours (from 09.00am to 05.30pm)  
 Facsimile number : 03-3538-3909  
 E-mail address : international@pilot.co.jp

## 2. HAZARDS IDENTIFICATION

### 2.1. GHS Classification of the substance or mixture

#### Physical hazards

Flammable Liquids : Category 3

#### Health hazards

Serious eye damage : Category 1

/eye irritation

Specific target organ : Category 3 (narcotic effects)

toxicity

(single exposure)

### 2.2. GHS label elements

#### Hazard pictograms



Signal word : Danger

#### Hazard statements

H226 : Flammable liquid and vapour

H318 : Causes serious eye damage

H336 : May cause drowsiness or dizziness

#### Precautionary statements

##### Prevention

P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- P233 : Keep container tightly closed.
- P240 : Ground and bond container and receiving equipment.
- P241 : Use explosion-proof equipment.
- P242 : Use non-sparking tools.
- P243 : Take action to prevent static discharges.
- P280 : Wear protective gloves/protective clothing/eye protection/face protection.
- P264+P265 : Wash hands thoroughly after handling. Do not touch eyes.
- P261 : Avoid breathing mist/vapors.
- P271 : Use only outdoors or in a well-ventilated area.
- Response
- P303+P361+P353 : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
- P370+P378 : In case of fire: Use foam, dry, chemical powder or carbon dioxide to extinguish.
- P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P317 : Get medical help.
- P319 : Get medical help if you feel unwell.
- P304+P340 : IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Storage
- P403+P235 : Store in well-ventilated place. Keep cool.
- P403+P233 : Store in dry place. Store in a closed container.
- P405 : Store locked up.
- Disposal
- P501 : Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3. Other hazards : None

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

Substance or mixture : Mixture

#### Ingredients and composition

Ingredients	CAS Number	Weight %
1-Methoxypropan-2-ol	107-98-2	79
3-Methoxy-3-methylbutan-1-ol	56539-66-3	5.0
Blue dye	Non Public	7.0

---

### 4. FIRST AID MEASURES

---

#### 4.1. Description of first aid measures

- Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.
- Ingestion : Refer for medical attention.
- Skin contact : Wash the affected area under tepid running water using a mild soap. And refer for medical attention if irritation continues.
- Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes. And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

4.2. Most important symptoms and effects, both acute and delayed

Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed

In case of skin or eye contamination treat as under First Aid Measures.

---

## 5. FIRE-FIGHTING MEASURES

---

5.1. Suitable extinguishing media

: In case of fire, use foam, dry, chemical powder or carbon dioxide.

5.2. Specific hazards arising from the substance or mixture

: CO<sub>2</sub>, CO, NO<sub>x</sub>, and SO<sub>x</sub>, is produced after combustion.

5.3. Special protective equipment and precautions for fire-fighters

: None

---

## 6. ACCIDENTAL RELEASE MEASURES

---

6.1. Personal precautions, protective equipment and emergency procedures

: Use proper ventilation. Use eye and skin protection.

6.2. Environmental precautions

: Do not dispose of waste to the sewer.

6.3. Methods and material for containment and cleaning up

: Absorb spill with material (cloth or paper), then place in a chemical waste containers.

---

## 7. HANDLING AND STORAGE

---

7.1. Precautions for safe handling

: Avoid rough handling or dropping.

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

: Store in a dry, cool, well-ventilated location, away from possible all source of ignition.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

8.1. Control parameters

Occupational exposure limits

Component	Threshold limit values
	ACGIH
1-Methoxypropan-2-ol	TWA 50 ppm STEL 100 ppm

8.2. Appropriate engineering controls

: In the case of the handling of the room to install a closed reduction or local exhaust sources.

Electrical equipment to be used in handling the location could be explosion-proof structure, equipment is static electricity measures.

8.3. Individual protection measures, such as personal protective equipment.

: Wear protective gloves/protective clothing/eye protection/face protection.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

9.1. Information on basic physical and chemical properties

(a) Appearance : Liquid

	[Color] Blue
(b) Odor	: Organic solvent odor
(c) Odor threshold	: No data
(d) pH	: Not applicable
(e) Melting point/freezing point	: -95 degrees Celsius (1-Methoxypropan-2-ol)
(f) Initial boiling point/boiling range	: 121 degrees Celsius (1-Methoxypropan-2-ol )
(g) Flash point	: 32 degrees Celsius (1-Methoxypropan-2-ol )
(h) Evaporation rate	: No data
(i) Flammability (solid, gas)	: Flammable
(j) Upper/lower flammability or explosive limits	: LEL 2.7 vol%, UEL 11.8vol% (1-Methoxypropan-2-ol )
(k) Vapor pressure	: 893 Pa (at 20 degrees Celsius, 1-Methoxypropan-2-ol)
(l) Vapor density	: 3.11 (1-Methoxypropan-2-ol )
(m) Relative density	: 0.94-0.97 (at 20 degrees Celsius)
(n) Solubility	: Insoluble in water
(o) Partition coefficient: n-octanol/water	: log Pow=-0.49 (1-Methoxypropan-2-ol )
(p) Auto-ignition temperature	: No data
(q) Decomposition temperature	: No data
(r) Viscosity	: 3.3-6.3 mPa·s (at 20 degrees Celsius)
9.2. Other information	: None

---

## 10. STABILITY AND REACTIVITY

---

10.1. Reactivity	: This material is stable.
10.2. Chemical stability	: This material is stable.
10.3. Possibility of hazardous reactions	: This material is stable.
10.4. Conditions to avoid	: Direct sunshine, the high temperature and source of ignition.
10.5. Incompatible materials	: Strong oxidizing agents and reducing agents.
10.6. Hazardous decomposition products	: Heating can release vapors which can be ignited. : Burning produces obnoxious and toxic fumes, carbon oxides.

---

## 11. TOXICOLOGICAL INFORMATION

---

There is no data available on the mixture itself.

### 11.1. Information on toxicological effects

Serious eye damage	: 1-Methoxypropan-2-ol	: Category 2B
/eye irritation	: Blue dye	: Category 1
	: 3-Methoxy-3-methylbutan-1-ol	: Category 2B
Specific target organ toxicity (single exposure)	: 1-Methoxypropan-2-ol	: Category 3 (narcotic effects)

---

## 12. ECOLOGICAL INFORMATION

---

There is no data available on the mixture itself.

12.1. Ecotoxicity	: No data available
-------------------	---------------------

12.2. Persistence and degradability	: No data available
12.3. Bioaccumulative potential	: No data available
12.4. Mobility in soil	: No data available
12.5. Other adverse effects	: None

---

### 13. DISPOSAL CONSIDERATIONS

---

- 13.1. Waste treatment methods
- Follow all regulations in your country.

---

### 14. TRANSPORT INFORMATION

---

14.1. UN number	: 1993
14.2. UN proper shipping name	: Flammable liquids, N.O.S. (1-Methoxy-propan-2-ol)
14.3. Transport hazard class(es)	: 3
14.4. Packing group	: III
14.5. Environmental hazards	: Not applicable
14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable
14.7. Special precautions for user	: Not applicable

The above mentioned information is for ink.

Finished marker pen itself is not regarded as hazardous goods.

Ink below 10 ml per pen is absorbed in polyester filter reservoir inside of the pen.

---

### 15. REGULATORY INFORMATION

---

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Follow all regulations in your country.

---

### 16. OTHER INFORMATION

---

International GHS conformity.

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS