



SAFETY DATA SHEET

Prismacolor Premier Double-Ended Art Markers

Section 1. Identification

- GHS product identifier** : Prismacolor Premier Double-Ended Art Markers
- Product code** : Not available.
- Other means of identification** : Prismacolor 3722
- Product type** : Liquid.

Relevant identified uses of the substance or mixture and uses advised against
Not applicable.

Manufacturer : Sanford, L.P.
6655 Peachtree Dunwoody Road
Atlanta, GA 30328
1-800-346-3278

Emergency telephone number (with hours of operation) : CHEMTREC (U.S. and Canada) 1-800-424-9300

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

GHS label elements

Hazard pictograms :

Signal word : Warning
Hazard statements : May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** : Do not breathe vapor.
- Response** : Get medical advice or attention if you feel unwell.
- Storage** : Not applicable.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Prismacolor 3722

1569, 21342-1621, 21342-2001, 21342-2012, 21342-2024, 21342-2041, 21342-2100, 21342-2101, 21342-2102, 21342-2103, 21342-2104, 21342-2105, 21342-2106, 21342-2107, 21342-2108, 21342-2109, 21342-2110, 21342-2111, 21342-2112, 21342-2113, 21342-2114, 21342-2115, 21342-2116, 21342-2249, 21342-2280, 21342-2310, 21342-2320, 21342-2330, 21342-2340, 21342-2350, 21342-2360, 21342-2370, 21342-2380, 21342-2390, 21342-2409, 21342-2581, 21342-2601, 21342-2611, 21342-2612, 21342-2613, 21342-2614, 21342-2615, 21342-2616, 21342-2617, 21342-2618, 21342-2619, 21342-2621, 21342-2631, 21342-2699, 21342-3009, 21342-3041, 21342-3051, 21342-3061, 21342-3071, 21342-3151, 21342-3161, 21342-3341, 21342-3351, 21342-3361, 21342-3411, 21342-3511, 21342-3611, 21342-3620, 21342-3621, 21342-3653, 21342-3661, 21342-3666, 21342-3675, 21342-3689, 21342-3701, 21342-3712, 21342-3715, 21342-3727, 21342-3738, 21342-3741, 21342-3757, 21342-3763, 21342-3774, 21342-3780, 21342-3781, 21342-3811, 21342-3820, 21342-3821, 21342-4041, 21342-4051, 21342-4151, 21342-4251, 21342-4261, 21342-4501, 21342-4541, 21342-4621, 21342-4671, 21342-4681, 21342-4691, 21342-4721, 21342-4731, 21342-4732, 21342-4741, 21342-4751, 21342-4801, 21342-4809, 21342-4831, 21342-4841, 21342-4851, 21342-4912, 21342-4913, 21342-4914, 21342-4915, 21342-4916, 21342-4917, 21342-5046, 21342-5070, 21342-5087, 21342-5111, 21342-5161, 21342-5201, 21342-5211, 21342-5230, 21342-5231, 21342-5281, 21342-5301, 21342-5311, 21342-5361, 21342-5390, 21342-5391, 21342-5531, 21342-5771, 21342-5821, 21342-5832, 21342-5881, 21342-5911, 21342-5913, 21342-5914, 21342-5915, 21342-6001, 21342-6011, 21342-6021, 21342-6031, 21342-6150, 21342-6151, 21342-6501, 21342-6610, 21342-6611, 21342-6621, 21342-6911, 21342-6912, 21342-6913, 21342-7031, 21342-7052, 21342-7074, 21342-7151, 21342-7171, 21342-7209, 21342-7210, 21342-7221, 21342-7231, 21342-7241, 21342-7270, 21342-7331, 21342-7381, 21342-7421, 21342-7460, 21342-7481, 21342-7540, 21342-7631, 21342-7760, 21342-7771, 21342-7780, 21342-7781, 21342-7790, 21342-7910, 21342-7912, 21342-7913, 21342-7950, 21342-7960, 21342-8001, 21342-8020, 21342-8030, 21342-8031, 21342-8040, 21342-8050, 21342-8060, 21342-8070, 21342-8080, 21342-8081, 21342-8090, 21342-8125, 21342-8261, 21342-8271, 21342-8300, 21342-8310, 21342-8350, 21342-8361, 21342-8371, 21342-8382, 21342-8421, 21342-8433, 21342-8612, 21342-8774, 21342-8910, 21342-8911, 21342-8916, 21342-8920, 21342-9321, 21342-9421

Prismacolor Premier Double-Ended Art Markers

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
ethanediol	≤9	107-21-1
propan-2-ol	≤3	67-63-0
2-(2-butoxyethoxy)ethanol	≤3	112-34-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures**Description of necessary first aid measures**

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Date of issue: 02/20/2009, Date of revision: 02/20/2009, Date of previous issue: 02/20/2009, No previous validation: 02/20/2009, Version: 1489, Page 2 of 12

1569, 21342-1621, 21342-2001, 21342-2012, 21342-2024, 21342-2041, 21342-2100, 21342-2101, 21342-2102, 21342-2103, 21342-2104, 21342-2105, 21342-2106, 21342-2107, 21342-2108, 21342-2109, 21342-2110, 21342-2111, 21342-2112, 21342-2113, 21342-2113, 21342-2114, 21342-2115, 21342-2116, 21342-2249, 21342-2280, 21342-2310, 21342-2320, 21342-2330, 21342-2340, 21342-2350, 21342-2360, 21342-2370, 21342-2380, 21342-2390, 21342-2409, 21342-2581, 21342-2601, 21342-2611, 21342-2612, 21342-2613, 21342-2614, 21342-2615, 21342-2616, 21342-2617, 21342-2618, 21342-2619, 21342-2621, 21342-2631, 21342-2699, 21342-3009, 21342-3041, 21342-3051, 21342-3061, 21342-3071, 21342-3151, 21342-3161, 21342-3341, 21342-3351, 21342-3361, 21342-3411, 21342-3511, 21342-3611, 21342-3620, 21342-3621, 21342-3653, 21342-3661, 21342-3666, 21342-3675, 21342-3689, 21342-3701, 21342-3712, 21342-3715, 21342-3727, 21342-3738, 21342-3741, 21342-3757, 21342-3763, 21342-3774, 21342-3780, 21342-3781, 21342-3811, 21342-3820, 21342-3821, 21342-4041, 21342-4051, 21342-4151, 21342-4251, 21342-4261, 21342-4501, 21342-4541, 21342-4621, 21342-4671, 21342-4681, 21342-4691, 21342-4721, 21342-4731, 21342-4732, 21342-4741, 21342-4751, 21342-4801, 21342-4809, 21342-4831, 21342-4841, 21342-4851, 21342-4912, 21342-4913, 21342-4914, 21342-4915, 21342-4916, 21342-4917, 21342-5046, 21342-5070, 21342-5087, 21342-5111, 21342-5161, 21342-5201, 21342-5211, 21342-5230, 21342-5231, 21342-5281, 21342-5301, 21342-5311, 21342-5361, 21342-5390, 21342-5391, 21342-5531, 21342-5771, 21342-5821, 21342-5832, 21342-5881, 21342-5911, 21342-5913, 21342-5914, 21342-5915, 21342-6001, 21342-6011, 21342-6021, 21342-6031, 21342-6150, 21342-6151, 21342-6501, 21342-6610, 21342-6611, 21342-6621, 21342-6911, 21342-6912, 21342-6913, 21342-7031, 21342-7052, 21342-7074, 21342-7151, 21342-7171, 21342-7209, 21342-7210, 21342-7221, 21342-7231, 21342-7241, 21342-7270, 21342-7331, 21342-7381, 21342-7421, 21342-7460, 21342-7481, 21342-7540, 21342-7631, 21342-7760, 21342-7771, 21342-7780, 21342-7781, 21342-7790, 21342-7910, 21342-7912, 21342-7913, 21342-7950, 21342-7960, 21342-8001, 21342-8020, 21342-8030, 21342-8031, 21342-8040, 21342-8050, 21342-8060, 21342-8070, 21342-8080, 21342-8081, 21342-8090, 21342-8125, 21342-8261, 21342-8271, 21342-8300, 21342-8310, 21342-8350, 21342-8361, 21342-8371, 21342-8382, 21342-8421, 21342-8433, 21342-8612, 21342-8774, 21342-8910, 21342-8911, 21342-8916, 21342-8920, 21342-9321, 21342-9421

PrismaColor Premier Double-Ended Art Markers

Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures**Extinguishing media**

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Prismacolor Premier Double-Ended Art Markers

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
ethanediol	<p>OSHA PEL 1989 (United States, 3/1989). CEIL: 50 ppm CEIL: 125 mg/m³</p> <p>ACGIH TLV (United States, 1/2022). STEL: 10 mg/m³ 15 minutes. Form: Inhalable fraction. Aerosol only. STEL: 50 ppm 15 minutes. Form: Vapor fraction</p> <p>TWA: 25 ppm 8 hours. Form: Vapor fraction</p> <p>CAL OSHA PEL (United States, 5/2018). C: 100 mg/m³ Form: vapor C: 40 ppm Form: vapor</p>
propan-2-ol	<p>ACGIH TLV (United States, 1/2022). TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes.</p> <p>OSHA PEL 1989 (United States, 3/1989). TWA: 400 ppm 8 hours. TWA: 980 mg/m³ 8 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m³ 15 minutes.</p> <p>NIOSH REL (United States, 10/2020). TWA: 400 ppm 10 hours. TWA: 980 mg/m³ 10 hours. STEL: 500 ppm 15 minutes. STEL: 1225 mg/m³ 15 minutes.</p> <p>OSHA PEL (United States, 5/2018). TWA: 400 ppm 8 hours. TWA: 980 mg/m³ 8 hours.</p> <p>CAL OSHA PEL (United States, 5/2018). STEL: 1225 mg/m³ 15 minutes. STEL: 500 ppm 15 minutes. TWA: 980 mg/m³ 8 hours. TWA: 400 ppm 8 hours.</p>
2-(2-butoxyethoxy)ethanol	<p>ACGIH TLV (United States, 1/2022).</p>

Prismacolor Premier Double-Ended Art Markers

Section 8. Exposure controls/personal protection

TWA: 10 ppm 8 hours. Form: Inhalable fraction and vapor

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

- Physical state** : Liquid.
- Color** : Not available.
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : 8
- Melting point/freezing point** : <0°C (<32°F)
- Boiling point, initial boiling point, and boiling range** : 110°C (230°F)
- Flash point** : Not available.

Date of issue: 02/23/2022, Date of revision: 02/23/2022, No. of previous issues: 0, No. of previous valid data bases: 0, Version: 1.489, Page 5 of 12

1569, 21342-1621, 21342-2001, 21342-2012, 21342-2024, 21342-2041, 21342-2100, 21342-2101, 21342-2102, 21342-2103, 21342-2104, 21342-2105, 21342-2106, 21342-2107, 21342-2108, 21342-2109, 21342-2110, 21342-2111, 21342-2112, 21342-2113, 21342-2114, 21342-2115, 21342-2116, 21342-2249, 21342-2280, 21342-2310, 21342-2320, 21342-2330, 21342-2340, 21342-2350, 21342-2360, 21342-2370, 21342-2380, 21342-2390, 21342-2409, 21342-2581, 21342-2601, 21342-2611, 21342-2612, 21342-2613, 21342-2614, 21342-2615, 21342-2616, 21342-2617, 21342-2618, 21342-2619, 21342-2621, 21342-2631, 21342-2699, 21342-3009, 21342-3041, 21342-3051, 21342-3061, 21342-3071, 21342-3151, 21342-3161, 21342-3341, 21342-3351, 21342-3361, 21342-3411, 21342-3511, 21342-3611, 21342-3620, 21342-3621, 21342-3653, 21342-3661, 21342-3666, 21342-3675, 21342-3689, 21342-3701, 21342-3712, 21342-3715, 21342-3727, 21342-3738, 21342-3741, 21342-3757, 21342-3763, 21342-3774, 21342-3780, 21342-3781, 21342-3811, 21342-3820, 21342-3821, 21342-4041, 21342-4051, 21342-4151, 21342-4251, 21342-4261, 21342-4501, 21342-4541, 21342-4621, 21342-4671, 21342-4681, 21342-4691, 21342-4721, 21342-4731, 21342-4732, 21342-4741, 21342-4751, 21342-4801, 21342-4809, 21342-4831, 21342-4841, 21342-4851, 21342-4912, 21342-4913, 21342-4914, 21342-4915, 21342-4916, 21342-4917, 21342-5046, 21342-5070, 21342-5087, 21342-5111, 21342-5161, 21342-5201, 21342-5211, 21342-5230, 21342-5231, 21342-5281, 21342-5301, 21342-5311, 21342-5361, 21342-5390, 21342-5391, 21342-5531, 21342-5771, 21342-5821, 21342-5832, 21342-5881, 21342-5911, 21342-5913, 21342-5914, 21342-5915, 21342-6001, 21342-6011, 21342-6021, 21342-6031, 21342-6150, 21342-6151, 21342-6501, 21342-6610, 21342-6611, 21342-6621, 21342-6911, 21342-6912, 21342-6913, 21342-7031, 21342-7052, 21342-7074, 21342-7151, 21342-7171, 21342-7209, 21342-7210, 21342-7221, 21342-7231, 21342-7241, 21342-7270, 21342-7331, 21342-7381, 21342-7421, 21342-7460, 21342-7481, 21342-7540, 21342-7631, 21342-7760, 21342-7771, 21342-7780, 21342-7781, 21342-7790, 21342-7910, 21342-7912, 21342-7913, 21342-7950, 21342-7960, 21342-8001, 21342-8020, 21342-8030, 21342-8031, 21342-8040, 21342-8050, 21342-8060, 21342-8070, 21342-8080, 21342-8081, 21342-8090, 21342-8125, 21342-8261, 21342-8271, 21342-8300, 21342-8310, 21342-8350, 21342-8361, 21342-8371, 21342-8382, 21342-8421, 21342-8433, 21342-8612, 21342-8774, 21342-8910, 21342-8911, 21342-8916, 21342-8920, 21342-9321, 21342-9421

Prismacolor Premier Double-Ended Art Markers

Section 9. Physical and chemical properties and safety characteristics

- Evaporation rate** : Not available.
- Flammability** : Not available.
- Lower and upper explosion limit/flammability limit** : Not available.
- Vapor pressure** : Not available.
- Relative vapor density** : Not available.
- Relative density** : Not available.
- Density** : 1.1 g/cm³
- Solubility in water** : Not available.
- VOC** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Flow time (ISO 2431)** : Not available.
- Particle characteristics**
- Median particle size** : Not applicable.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : No specific data.
- Incompatible materials** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

<u>Product/ingredient name</u>	<u>Result</u>	<u>Species</u>	<u>Dose</u>	<u>Exposure</u>
ethanediol	LD50 Oral	Rat	4700 mg/kg	-
propan-2-ol	LD50 Dermal	Rabbit	12800 mg/kg	-
2-(2-butoxyethoxy)ethanol	LD50 Oral	Rat	5000 mg/kg	-
	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Rat	4500 mg/kg	-

Irritation/Corrosion

Prismacolor Premier Double-Ended Art Markers

Section 11. Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
ethanediol	Eyes - Mild irritant	Rabbit	-	1 hours 100 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Moderate irritant	Rabbit	-	6 hours 1440 mg	-
propan-2-ol	Skin - Mild irritant	Rabbit	-	555 mg	-
	Eyes - Moderate irritant	Rabbit	-	10 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
2-(2-butoxyethoxy)ethanol	Eyes - Severe irritant	Rabbit	-	100 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 20 mg	-
	Eyes - Severe irritant	Rabbit	-	20 mg	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
propan-2-ol	-	3	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
propan-2-ol	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
ethanediol	Category 2	oral	-

Aspiration hazard

Not available.

Information on the likely routes of exposure : Not available.

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Prismacolor Premier Double-Ended Art Markers

Section 11. Toxicological information**Symptoms related to the physical, chemical and toxicological characteristics**

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Long term exposure

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.

Potential chronic health effects

Not available.

General	: May cause damage to organs through prolonged or repeated exposure.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Numerical measures of toxicity**Acute toxicity estimates**

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
Prismacolor Premier Double-Ended Art Markers 0.1	8222.9	98181.8	N/A	N/A	N/A
ethanediol	500	N/A	N/A	N/A	N/A
propan-2-ol	5000	12800	N/A	N/A	N/A
2-(2-butoxyethoxy)ethanol	4500	2700	N/A	N/A	N/A

Section 12. Ecological information**Toxicity**

Product/ingredient name	Result	Species	Exposure
ethanediol	Acute LC50 6900000 µg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 41000 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
propan-2-ol	Acute LC50 8050000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute EC50 7550 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
2-(2-butoxyethoxy)ethanol	Acute LC50 1400000 µg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours
	Acute LC50 1300 ppm Fresh water	Fish - Lepomis macrochirus	96 hours

Persistence and degradability

Not available.

Date of issue: 02/02/2009, Date of revision: 02/02/2009, Date of previous issue: 02/02/2009, No. of previous editions: 0, Version: 1.0, Page 8 of 12

1569, 21342-1621, 21342-2001, 21342-2012, 21342-2024, 21342-2041, 21342-2100, 21342-2101, 21342-2102, 21342-2103, 21342-2104, 21342-2105, 21342-2106, 21342-2107, 21342-2108, 21342-2109, 21342-2110, 21342-2111, 21342-2112, 21342-2113, 21342-2114, 21342-2115, 21342-2116, 21342-2249, 21342-2280, 21342-2310, 21342-2320, 21342-2330, 21342-2340, 21342-2350, 21342-2360, 21342-2370, 21342-2380, 21342-2390, 21342-2409, 21342-2581, 21342-2601, 21342-2611, 21342-2612, 21342-2613, 21342-2614, 21342-2615, 21342-2616, 21342-2617, 21342-2618, 21342-2619, 21342-2621, 21342-2631, 21342-2699, 21342-3009, 21342-3041, 21342-3051, 21342-3061, 21342-3071, 21342-3151, 21342-3161, 21342-3341, 21342-3351, 21342-3361, 21342-3411, 21342-3511, 21342-3611, 21342-3620, 21342-3621, 21342-3653, 21342-3661, 21342-3666, 21342-3675, 21342-3689, 21342-3701, 21342-3712, 21342-3715, 21342-3727, 21342-3738, 21342-3741, 21342-3757, 21342-3763, 21342-3774, 21342-3780, 21342-3781, 21342-3811, 21342-3820, 21342-3821, 21342-4041, 21342-4051, 21342-4151, 21342-4251, 21342-4261, 21342-4501, 21342-4541, 21342-4621, 21342-4671, 21342-4681, 21342-4691, 21342-4721, 21342-4731, 21342-4732, 21342-4741, 21342-4751, 21342-4801, 21342-4809, 21342-4831, 21342-4841, 21342-4851, 21342-4912, 21342-4913, 21342-4914, 21342-4915, 21342-4916, 21342-4917, 21342-5046, 21342-5070, 21342-5087, 21342-5111, 21342-5161, 21342-5201, 21342-5211, 21342-5230, 21342-5231, 21342-5281, 21342-5301, 21342-5311, 21342-5361, 21342-5390, 21342-5391, 21342-5531, 21342-5771, 21342-5821, 21342-5832, 21342-5881, 21342-5911, 21342-5913, 21342-5914, 21342-5915, 21342-6001, 21342-6011, 21342-6021, 21342-6031, 21342-6150, 21342-6151, 21342-6501, 21342-6610, 21342-6611, 21342-6621, 21342-6911, 21342-6912, 21342-6913, 21342-7031, 21342-7052, 21342-7074, 21342-7151, 21342-7171, 21342-7209, 21342-7210, 21342-7221, 21342-7231, 21342-7241, 21342-7270, 21342-7331, 21342-7381, 21342-7421, 21342-7460, 21342-7481, 21342-7540, 21342-7631, 21342-7760, 21342-7771, 21342-7780, 21342-7781, 21342-7790, 21342-7910, 21342-7912, 21342-7913, 21342-7950, 21342-7960, 21342-8001, 21342-8020, 21342-8030, 21342-8031, 21342-8040, 21342-8050, 21342-8060, 21342-8070, 21342-8080, 21342-8081, 21342-8090, 21342-8125, 21342-8261, 21342-8271, 21342-8300, 21342-8310, 21342-8350, 21342-8361, 21342-8371, 21342-8382, 21342-8421, 21342-8433, 21342-8612, 21342-8774, 21342-8910, 21342-8911, 21342-8916, 21342-8920, 21342-9321, 21342-9421

Prismacolor Premier Double-Ended Art Markers

Section 12. Ecological information**Bioaccumulative potential**

Product/ingredient name	LogP _{ow}	BCF	Potential
ethanediol	-1.36	-	low
propan-2-ol	0.05	-	low
2-(2-butoxyethoxy)ethanol	1	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Date of issue: 02/23/2009, Date of revision: 02/23/2009, No. of revisions: 0, Version: 1.0, Page 9 of 12

1569, 21342-1621, 21342-2001, 21342-2012, 21342-2024, 21342-2041, 21342-2100, 21342-2101, 21342-2102, 21342-2103, 21342-2104, 21342-2105, 21342-2106, 21342-2107, 21342-2108, 21342-2109, 21342-2110, 21342-2111, 21342-2112, 21342-2113, 21342-2114, 21342-2115, 21342-2116, 21342-2249, 21342-2280, 21342-2310, 21342-2320, 21342-2330, 21342-2340, 21342-2350, 21342-2360, 21342-2370, 21342-2380, 21342-2390, 21342-2409, 21342-2581, 21342-2601, 21342-2611, 21342-2612, 21342-2613, 21342-2614, 21342-2615, 21342-2616, 21342-2617, 21342-2618, 21342-2619, 21342-2621, 21342-2631, 21342-2699, 21342-3009, 21342-3041, 21342-3051, 21342-3061, 21342-3071, 21342-3151, 21342-3161, 21342-3341, 21342-3351, 21342-3361, 21342-3411, 21342-3511, 21342-3611, 21342-3620, 21342-3621, 21342-3653, 21342-3661, 21342-3666, 21342-3675, 21342-3689, 21342-3701, 21342-3712, 21342-3715, 21342-3727, 21342-3738, 21342-3741, 21342-3757, 21342-3763, 21342-3774, 21342-3780, 21342-3781, 21342-3811, 21342-3820, 21342-3821, 21342-4041, 21342-4051, 21342-4151, 21342-4251, 21342-4261, 21342-4501, 21342-4541, 21342-4621, 21342-4671, 21342-4681, 21342-4691, 21342-4721, 21342-4731, 21342-4732, 21342-4741, 21342-4751, 21342-4801, 21342-4809, 21342-4831, 21342-4841, 21342-4851, 21342-4912, 21342-4913, 21342-4914, 21342-4915, 21342-4916, 21342-4917, 21342-5046, 21342-5070, 21342-5087, 21342-5111, 21342-5161, 21342-5201, 21342-5211, 21342-5230, 21342-5231, 21342-5281, 21342-5301, 21342-5311, 21342-5361, 21342-5390, 21342-5391, 21342-5531, 21342-5771, 21342-5821, 21342-5832, 21342-5881, 21342-5911, 21342-5913, 21342-5914, 21342-5915, 21342-6001, 21342-6011, 21342-6021, 21342-6031, 21342-6150, 21342-6151, 21342-6501, 21342-6610, 21342-6611, 21342-6621, 21342-6911, 21342-6912, 21342-6913, 21342-7031, 21342-7052, 21342-7074, 21342-7151, 21342-7171, 21342-7209, 21342-7210, 21342-7221, 21342-7231, 21342-7241, 21342-7270, 21342-7331, 21342-7381, 21342-7421, 21342-7460, 21342-7481, 21342-7540, 21342-7631, 21342-7760, 21342-7771, 21342-7780, 21342-7781, 21342-7790, 21342-7910, 21342-7912, 21342-7913, 21342-7950, 21342-7960, 21342-8001, 21342-8020, 21342-8030, 21342-8031, 21342-8040, 21342-8050, 21342-8060, 21342-8070, 21342-8080, 21342-8081, 21342-8090, 21342-8125, 21342-8261, 21342-8271, 21342-8300, 21342-8310, 21342-8350, 21342-8361, 21342-8371, 21342-8382, 21342-8421, 21342-8433, 21342-8612, 21342-8774, 21342-8910, 21342-8911, 21342-8916, 21342-8920, 21342-9321, 21342-9421

Prismacolor Premier Double-Ended Art Markers

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Composition/information on ingredients

Name	%	Classification
ethanediol	≤9	ACUTE TOXICITY (oral) - Category 4 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2
propan-2-ol	≤3	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3
2-(2-butoxyethoxy)ethanol	≤3	FLAMMABLE LIQUIDS - Category 4 EYE IRRITATION - Category 2A

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	ethanediol	107-21-1	≤9
	Isopropyl alcohol	67-63-0	≤3
	2-(2-butoxyethoxy)ethanol	112-34-5	≤3
Supplier notification	ethanediol	107-21-1	≤9
	Isopropyl alcohol	67-63-0	≤3
	2-(2-butoxyethoxy)ethanol	112-34-5	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: GLYCERINE MIST; ETHYLENE GLYCOL; ISOPROPYL ALCOHOL

New York : The following components are listed: Ethylene glycol

New Jersey : The following components are listed: GLYCERIN; ETHYLENE GLYCOL; ISOPROPYL ALCOHOL; GLYCOL ETHERS

Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL; 1,2-ETHANEDIOL; 2-PROPANOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Prismacolor Premier Double-Ended Art Markers

Section 15. Regulatory information

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : All components are listed or exempted.
- Canada** : All components are listed or exempted.
- China** : All components are listed or exempted.
- Eurasian Economic Union** : **Russian Federation inventory**: All components are listed or exempted.
- Japan** : **Japan inventory (CSCL)**: All components are listed or exempted.
Japan inventory (ISHL): All components are listed or exempted.
- New Zealand** : All components are listed or exempted.
- Philippines** : All components are listed or exempted.
- Republic of Korea** : All components are listed or exempted.
- Taiwan** : All components are listed or exempted.
- Thailand** : All components are listed or exempted.
- Turkey** : All components are listed or exempted.
- United States** : All components are active or exempted.
- Viet Nam** : All components are listed or exempted.

Section 16. Other information


Hazardous Material Information System (U.S.A.)

Health	*	2
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Prismacolor Premier Double-Ended Art Markers

Section 16. Other information

Classification	Justification
SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method

History

- Date of printing** : 7/28/2023
- Date of issue/Date of revision** : 7/28/2023
- Date of previous issue** : No previous validation
- Version** : 0.01

Key to abbreviations

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- SGG = Segregation Group
- UN = United Nations

- References** : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.