



21707-1105

**Safety Data Sheet****Blick Matte****1 PRODUCT AND COMPANY IDENTIFICATION**

**Product Identifier:** Blick Matte  
**SDS Number:** Creative 06-990-12  
**Revision Date:** 10/16/2025  
**Version:** 3  
**Product Type:** Aerosol  
**Product Use:** Art Material  
**Supplier Details:** Eveready Products Corp  
 1101 Belt Line  
 Cleveland, Ohio 44109  
**Phone:** 216-661-2755  
**Emergency:** Chemtel 1-800-255-3924

**NOTE:** The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We provide this information as guidance for providing personal protection to your employees. The user has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. The user must meet all applicable safety and health standards. We provide this information as guidance for providing personal protection to your employees.

**2 HAZARDS IDENTIFICATION****Classification of the Substance or Mixture****GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Physical, Flammable Aerosols, 1  
 Health, Skin corrosion/irritation, 2  
 Health, Serious Eye Damage/Eye Irritation, 2 A  
 Health, Specific target organ toxicity - Single exposure, 3  
 Health, Carcinogenicity, 1  
 Health, Germ cell mutagenicity, 1  
 Health, Aspiration hazard, 1  
 Health, Acute toxicity, 4 Oral

**GHS Label Elements, Including Precautionary Statements****GHS Signal Word: DANGER****GHS Hazard Pictograms:****GHS Hazard Statements:**

H222 - Extremely flammable aerosol  
 H315 - Causes skin irritation  
 H319 - Causes serious eye irritation  
 H336 - May cause drowsiness or dizziness  
 H350 - May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)  
 H340 - May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)  
 H304 - May be fatal if swallowed and enters airways  
 H302 - Harmful if swallowed

**GHS Precautionary Statements:**



## Safety Data Sheet

### Blick Matte

P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P210 - Keep away from heat/sparks/open flames/hot surfaces.  
 P211 - Do not spray on an open flame or other ignition source.  
 P251 - Do not pierce or burn, even after use.  
 P260 - Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 - Wash skin thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P281 - Use personal protective equipment as required.  
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
 P302 + P352 - If on skin: Wash with plenty of water and soap.  
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 - IF exposed or concerned: Get medical advice/ attention.  
 P312 - Call a POISON CENTER or doctor/ physician if you feel unwell.  
 P331 - Do NOT induce vomiting.  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P337 + P313 - If eye irritation persists: Get medical advice/attention.  
 P362 - Take off contaminated clothing and wash before reuse.  
 P405 - Store locked up.  
 P410 + P403 - Protect from sunlight. Store in a well-ventilated place.  
 P412 - Do not expose to temperatures exceeding 50 °C/ 122 °F.  
 P501 - Dispose of contents/ container to an approved waste disposal plant.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

## 3 COMPOSITION/INFORMATION OF INGREDIENTS

### Chemical Ingredients

CAS#	%	Chemical Name
68476-86-8	10-30%	Petroleum gases, liquefied
67-64-1	30-50%	Acetone
1330-20-7	5-10%	Xylene (o-,m-,p- isomers)
108-21-4	5-10%	Isopropyl acetate
123-42-2	2-10%	Diacetone alcohol
108-10-1	1-5%	2-Pentanone, 4-methyl-
78-93-3	1-5%	Methyl ethyl ketone
628-63-7	1-5%	n-Amyl acetate
100-41-4	.1-1%	Ethylbenzene
624-41-9	.5-4%	1-Butanol, 2-methyl-, acetate
9004-70-0	.5-4%	Nitrocellulose
67-63-0	.5-4%	Isopropyl alcohol

## 4 FIRST AID MEASURES

### Inhalation:

Remove exposed individual to fresh air, protecting yourself. Restore breathing if necessary. Contact a physician.

### Skin Contact:

Wash with soap and water. Remove any contaminated clothing and launder before reusing. If irritation persists, seek medical attention.

### Eye Contact:



## Safety Data Sheet

### Blick Matte

Flush with warm water for 15 minutes. Seek medical attention.

#### Ingestion:

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

### 5

#### FIRE FIGHTING MEASURES

##### Flash Point:

Flash point of propellant <0 degrees F.

##### LEL:

Lower: 1.8 % (VOL.) Gas in air (propellant portion)

##### UEL:

Upper: 9.5 % (VOL.) Gas in air (propellant portion)

##### Extinguishing Media:

Dry chemical, carbon dioxide, halon, or foam is recommended. Water spray may be used to cool containers or structures. Halon may decompose into toxic materials and carbon dioxide will displace oxygen, take proper precautions when using these materials.

##### Unusual Fire & Explosion Hazards:

This material may be ignited by extreme heat, sparks, flames or other ignition sources (static electricity). Vapors are heavier than air and will collect in low areas (sewers) or travel considerable distances. If containers are not cooled in a fire, they may rupture and ignite.

##### Special Fire Fighting Procedures:

At elevated temperatures (over 130F) aerosol container may burst, vent or rupture; use equipment or shielding to protect personnel. Cooling exposed containers with streams of water may be helpful. Emergency responders should wear self-contained breathing apparatus. Wear other protective gear as conditions warrant. Keep unauthorized people out and try to contain spills or leaks if it can be done safely. Material will float on water, avoid spreading the fire.

### 6

#### ACCIDENTAL RELEASE MEASURES

##### Spill or Leak Instructions

Contain spill with dikes of soil or nonflammable absorbent to minimize contaminated area. Avoid run-off into storm sewers and ditches leading to waterways. If required, notify state and local authorities. Place leaking containers in well-ventilated area. Clean up small spills by using a nonflammable absorbent or flushing sparingly with water. Contain larger spills with nonflammable diking or absorbent. Clean up by vacuuming or sweeping.

Keep unnecessary people away; isolate hazard area and deny entry. Stay upwind; keep out of low areas. Assess the spill situation, as the spill may not evolve large amounts of hazardous airborne contaminants in many outdoor spill situations. It may be advisable in some cases to simply monitor the situation until spilled product is removed.

### 7

#### HANDLING AND STORAGE

##### Handling Precautions:

Store below 120°F in cool, dry area, out of direct sunlight and away from strong oxidizers. Do not puncture or burst. Use in accordance with good work place practices. Use with adequate ventilation. Keep containers closed when not in use. Always open containers slowly to allow any excess pressure to vent. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Decontaminate soiled clothing thoroughly before re-use. Destroy contaminated leather clothing.

Empty containers may contain residues from the product. Treat empty containers with the same precautions as the material last contained. Do not cut, weld or apply heat to empty containers. Do not incinerate.

##### Storage Requirements:

Store in a cool, dry area, away from heat or direct sunlight. Keep containers closed when not in use. Do not store with incompatible materials.

### 8

#### EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Engineering Controls:

General or dilution ventilation is frequently sufficient as the sole means of controlling employee exposure. Local ventilation is usually preferred. Use a NIOSH approved respirator if ventilation is not adequate to maintain exposures below TLV levels.

##### Personal Protective Equipment:

Protective Equipment:  
Use synthetic gloves if necessary to prevent excessive skin contact. Do not wear contacts and always



## Safety Data Sheet

### Blick Matte

use ANSI approved safety glasses or splash shield.

#### Respiratory Protection:

Use adequate ventilation to maintain exposure limits. If the exposure limits of the products or any of its components is exceeded, an approved organic vapor mask should be used (consult your safety equipment supplier). Above exposure levels an approved self-contained breathing apparatus or airline respirator with full face-piece is required

#### Other Suggested Equipment:

Eye wash station and emergency showers should be available. Spill containment equipment should be available.

#### Discretion Advised:

We take no responsibility for determining what measures are required for personal protection in any specific application. The general information should be used with discretion.

Acetone cas#:(67-64-1) [30-50%]

Components with workplace control parameters

TWA 500 ppm USA. ACGIH Threshold Limit Values (TLV)

Eye & Upper Respiratory Tract irritation

Central Nervous System impairment

Hematologic effects

Substances for which there is a Biological Exposure Index or Indices (see BEI section)

Not classifiable as a human carcinogen

STEL 750 ppm USA. ACGIH Threshold Limit Values (TLV)

Eye & Upper Respiratory Tract irritation

Central Nervous System impairment

Hematologic effects

Substances for which there is a Biological Exposure Index or Indices (see BEI section)

Not classifiable as a human carcinogen

STEL 1,000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors.

TWA 1,000 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

The value in mg/m3 is approximate.

TWA 250 ppm USA. NIOSH Recommended Exposure Limits

TWA 750 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Xylene (o-,m-,p- isomers) cas#:(1330-20-7) [5-10%]

Components with workplace control parameters

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1 Limits for Air Contaminants

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000



## Safety Data Sheet

### Blick Matte

STEL 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
655 mg/m<sup>3</sup> 1910.1000

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
434 mg/m<sup>3</sup>

Not classifiable as a human carcinogen

STEL 150 ppm USA. ACGIH Threshold Limit Values (TLV)  
651 mg/m<sup>3</sup>

Not classifiable as a human carcinogen

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Substances for which  
there is a Biological Exposure Index or Indices (see BEI section) Not classifiable as a human  
carcinogen

STEL 150 ppm USA. ACGIH Threshold Limit Values (TLV)  
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Substances for which  
there is a Biological Exposure Index or Indices (see BEI section) Not classifiable as a human  
carcinogen

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
435 mg/m<sup>3</sup> Limits for Air Contaminants

The value in mg/m<sup>3</sup> is approximate.

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
435 mg/m<sup>3</sup> 1910.1000

STEL 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
655 mg/m<sup>3</sup> 1910.1000

Isopropyl acetate cas#:(108-21-4) [5-10%]

Components with workplace control parameters

TWA 250 ppm USA. Occupational Exposure Limits  
950 mg/m<sup>3</sup> (OSHA) - Table Z-1 Limits for Air  
Contaminants

The value in mg/m<sup>3</sup> is approximate.

TWA 100 ppm USA. ACGIH Threshold Limit Values  
(TLV)

Eye & Upper Respiratory Tract irritation  
Central Nervous System impairment

STEL 200 ppm USA. ACGIH Threshold Limit Values  
(TLV)

Eye & Upper Respiratory Tract irritation  
Central Nervous System impairment

TWA 250 ppm USA. OSHA - TABLE Z-1 Limits for  
950 mg/m<sup>3</sup> Air Contaminants - 1910.1000

STEL 310 ppm USA. OSHA - TABLE Z-1 Limits for  
1,185 mg/m<sup>3</sup> Air Contaminants - 1910.1000

See Appendix D - Substances with No Established RELs

Diacetone alcohol cas#:(123-42-2) [2-10%]

Components with workplace control parameters

TWA 50 ppm USA. ACGIH Threshold Limit Values (TLV)



## Safety Data Sheet

### Blick Matte

#### Eye & Upper Respiratory Tract irritation

TWA 50 ppm USA. NIOSH Recommended Exposure Limits  
240 mg/m<sup>3</sup>

TWA 50 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
240 mg/m<sup>3</sup> Limits for Air Contaminants  
The value in mg/m<sup>3</sup> is approximate.

TWA 50 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
240 mg/m<sup>3</sup> 1910.1000

#### 2-Pentanone, 4-methyl- cas#:(108-10-1) [1-5%]

#### Components with workplace control parameters

TWA 50 ppm USA. ACGIH Threshold Limit Values (TLV)

STEL 75 ppm USA. ACGIH Threshold Limit Values (TLV)

Upper Respiratory Tract irritation Headache Dizziness 2010 Adoption Substances for which there is a Biological Exposure Index or Indices (see BEI section) Confirmed animal carcinogen with unknown relevance to humans

TWA 50 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
205 mg/m<sup>3</sup> 1910.1000

STEL 75 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
300 mg/m<sup>3</sup> 1910.1000

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
410 mg/m<sup>3</sup> Limits for Air Contaminants  
The value in mg/m<sup>3</sup> is approximate.

TWA 20 ppm USA. ACGIH Threshold Limit Values (TLV)  
Upper Respiratory Tract irritation Headache Dizziness 2010 Adoption Substances for which there is a Biological Exposure Index or Indices (see BEI section) Confirmed animal carcinogen with unknown relevance to humans

TWA 50 ppm USA. NIOSH Recommended Exposure Limits  
205 mg/m<sup>3</sup>

ST 75 ppm USA. NIOSH Recommended Exposure Limits  
300 mg/m<sup>3</sup>

#### Methyl ethyl ketone cas#:(78-93-3) [1-5%]

#### n-Amyl acetate cas#:(628-63-7) [1-5%]

#### Components with workplace control parameters

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
525 mg/m<sup>3</sup> 1910.1000

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
525 mg/m<sup>3</sup> Limits for Air Contaminants  
The value in mg/m<sup>3</sup> is approximate.

TWA 100 ppm USA. NIOSH Recommended Exposure Limits  
525 mg/m<sup>3</sup>



## Safety Data Sheet

### Blick Matte

Ethylbenzene cas#:(100-41-4) [.1-1%]

Components with workplace control parameters

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
Central Nervous System impairment Upper Respiratory Tract irritation Eye irritation Adopted values  
or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended  
Changes (NIC) Substances for which there is a Biological Exposure Index or Indices (see BEI  
section) Confirmed animal carcinogen with unknown relevance to humans

STEL 125 ppm USA. ACGIH Threshold Limit Values (TLV)  
Central Nervous System impairment Upper Respiratory Tract irritation Eye irritation Adopted values  
or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended  
Changes (NIC) Substances for which there is a Biological Exposure Index or Indices (see BEI  
section) Confirmed animal carcinogen with unknown relevance to humans

TWA 100 ppm USA. NIOSH Recommended Exposure Limits  
435 mg/m<sup>3</sup>

ST 125 ppm USA. NIOSH Recommended Exposure Limits  
545 mg/m<sup>3</sup>

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
435 mg/m<sup>3</sup> Limits for Air Contaminants  
The value in mg/m<sup>3</sup> is approximate.

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
435 mg/m<sup>3</sup> 1910.1000

STEL 125 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
545 mg/m<sup>3</sup> 1910.1000

1-Butanol, 2-methyl-, acetate cas#:(624-41-9) [.5-4%]

Components with workplace control parameters

TWA 50 ppm USA. ACGIH Threshold Limit Values (TLV)  
Upper Respiratory Tract irritation

STEL 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
Upper Respiratory Tract irritation

Nitrocellulose cas#:(9004-70-0) [.5-4%]

Isopropyl alcohol cas#:(67-63-0) [.5-4%]

Components with workplace control parameters

TWA 200 ppm USA. ACGIH Threshold Limit Values  
(TLV)

Eye & Upper Respiratory Tract irritation  
Central Nervous System impairment  
Not classifiable as a human carcinogen

STEL 400 ppm USA. ACGIH Threshold Limit Values  
(TLV)

Eye & Upper Respiratory Tract irritation



## Safety Data Sheet

### Blick Matte

Central Nervous System impairment  
Not classifiable as a human carcinogen

TWA 400 ppm USA. OSHA - TABLE Z-1 Limits for  
980 mg/m<sup>3</sup> Air Contaminants - 1910.1000

STEL 500 ppm USA. OSHA - TABLE Z-1 Limits for  
1,225 mg/m<sup>3</sup> Air Contaminants - 1910.1000

TWA 400 ppm USA. Occupational Exposure Limits  
980 mg/m<sup>3</sup> (OSHA) - Table Z-1 Limits for Air  
Contaminants

The value in mg/m<sup>3</sup> is approximate.

TWA 400 ppm USA. NIOSH Recommended  
980 mg/m<sup>3</sup> Exposure Limits

ST 500 ppm USA. NIOSH Recommended  
1,225 mg/m<sup>3</sup> Exposure Limits

## 9

## PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State:</b>	Aerosolized Liquid
<b>Appearance:</b>	Clear, Colorless
<b>Odor:</b>	Not Available
<b>Freezing/Melting Pt.:</b>	Not Available
<b>Boiling Point:</b>	Not Available
<b>Flammability:</b>	Not Available
<b>UEL / LEL:</b>	Upper: 9.5%(vol) Gas in Air Lower: 1.8% (vol) Gas in Air
<b>Flash Point:</b>	Flash point of propellant < 0°F
<b>Auto-Ignition Temp:</b>	Not Available
<b>Decomp Temp:</b>	Not Available
<b>pH:</b>	Not Available
<b>Viscosity:</b>	NA
<b>Solubility:</b>	Negligible
<b>Partition Coefficient:</b>	Not Available
<b>Vapor Pressure:</b>	>30psi
<b>Spec Grav./Density:</b>	Not Available
<b>Vapor Density:</b>	>1 Air = 1
<b>Particle Size:</b>	Not Available
<b>Odor Threshold:</b>	Not Available
<b>Molecular Formula:</b>	Not Available
<b>Softening Point:</b>	Not Available
<b>Percent Volatile:</b>	Not Available
<b>Saturated Vapor Concentration:</b>	Not Available
<b>Heat Value:</b>	Not Available
<b>Octanol:</b>	Not Available
<b>VOC:</b>	Not Available
<b>Evap. Rate:</b>	Ether = 1 Slower
<b>Bulk Density:</b>	Not Available





## Safety Data Sheet

### Blick Matte

**Molecular Weight:** Not Available

#### 10 STABILITY AND REACTIVITY

**Chemical Stability:** Stable  
**Conditions to Avoid:** Heat, spark, and open flame.  
**Materials to Avoid:** Strong Oxidizing Agents.  
**Hazardous Decomposition:** Combustion will produce Carbon Monoxide, Carbon Dioxide, and nitrogen-oxygen compounds.  
**Hazardous Polymerization:** Will not occur.

#### 11 TOXICOLOGICAL INFORMATION

Acetone cas#:(67-64-1) [30-50%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 5,800 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Tremor.

LC50 Inhalation - rat - 8 h - 50,100 mg/m3

Inhalation: no data available

LD50 Dermal - guinea pig - 7,426 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 24 h

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: AL3150000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
Kidney - Irregularities - Based on Human Evidence

Xylene (o-,m-,p- isomers) cas#:(1330-20-7) [5-10%]



## Safety Data Sheet

### Blick Matte

#### Information on toxicological effects

##### Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

##### Carcinogenicity:

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Ethylbenzene)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Xylene)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

#### Additional Information:

RTECS: Not available

Isopropyl acetate cas#:(108-21-4) [5-10%]

#### Information on toxicological effects

##### Acute toxicity:

LD50 Oral - rat - 6,750 mg/kg

LC50 Inhalation - rat - 8 h - 50,600 mg/m3

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available



## Safety Data Sheet

### Blick Matte

Germ cell mutagenicity: no data available

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

**Additional Information:**

RTECS: AI4930000

prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis

Diacetone alcohol cas#:(123-42-2) [2-10%]

**Information on toxicological effects**

**Acute toxicity:**

Oral LD50 LD50 Oral - rat - 2,520 mg/kg Remarks: Behavioral:Tremor. Behavioral:Convulsions or effect on seizure threshold. Liver:Other changes.

Inhalation LC50 LC50 Inhalation - rat - 4 h - 1500 ppm

Dermal LD50 LD50 Dermal - rabbit - 13,500 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes - rabbit - Severe eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available



## Safety Data Sheet

### Blick Matte

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., Blood disorders, Dermatitis, Blurred vision, Effects due to ingestion may include:, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: SA9100000

2-Pentanone, 4-methyl- cas#:(108-10-1) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 2,080 mg/kg

Inhalation LC50 LC50 Inhalation - rat - 4 h - 8.2 - 16.4 mg/m3

Dermal LD50 LD50 Dermal - rabbit - > 16,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: Skin - rabbit - Mild skin irritation - 24 h

Serious eye damage/eye irritation: Eyes - rabbit - Moderate eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 2B - Group 2B: Possibly carcinogenic to humans (4-Methylpentan-2-one)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: Developmental Toxicity - mouse - Inhalation:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Effects on Embryo or Fetus: Fetal death.

Developmental Toxicity - mouse - Inhalation:

Specific Developmental Abnormalities: Central nervous system. Specific Developmental Abnormalities: Musculoskeletal system. Specific

Developmental Abnormalities: Cardiovascular (circulatory) system.

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):

no data available

Aspiration hazard: no data available



## Safety Data Sheet

### Blick Matte

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: Blurred vision, Dermatitis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: SA9275000

Methyl ethyl ketone cas#:(78-93-3) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation Toxic if inhaled. May cause respiratory tract irritation. Ingestion Toxic if swallowed. Skin Toxic if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Methyl alcohol may be fatal or cause blindness if swallowed., Cannot be made non-poisonous., Effects due to ingestion may include:, Nausea, Dizziness, Gastrointestinal disturbance, Weakness, Confusion., Drowsiness, Unconsciousness, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:



## Safety Data Sheet

### Blick Matte

RTECS: Not available

n-Amyl acetate cas#:(628-63-7) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rabbit - 7,400 mg/kg

Inhalation LC50 no data available

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: AJ1925000

Ethylbenzene cas#:(100-41-4) [1-1%]

Information on toxicological effects

Acute toxicity:



## Safety Data Sheet

### Blick Matte

Oral LD50 no data available

Inhalation LC50

Dermal LD50 LD50 Dermal - rabbit - 15,433 mg/kg

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Ethylbenzene)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, Nausea, Headache, Vomiting, Ataxia., Tremors

Synergistic effects: no data available

Additional Information:

RTECS: DA0700000

1-Butanol, 2-methyl-, acetate cas#:(624-41-9) [.5-4%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available



## Safety Data Sheet

### Blick Matte

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Synergistic effects: no data available

**Additional Information:**

RTECS: EL5466666

Nitrocellulose cas#:(9004-70-0) [.5-4%]

**Information on toxicological effects**

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available





## Safety Data Sheet

### Blick Matte

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: Not available

Contact with eyes can cause: Redness, Blurred vision, Prolonged or repeated exposure to skin causes defatting and dermatitis. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence Heart - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Ethanol)

Isopropyl alcohol cas#:(67-63-0) [.5-4%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 5,045 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - rat - 8 h - 16000 ppm

LD50 Dermal - rabbit - 12,800 mg/kg

no data available

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause: Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.

Kidney - Irregularities - Based on Human Evidence

## 12

## ECOLOGICAL INFORMATION



## Safety Data Sheet

### Blick Matte

Acetone cas#:(67-64-1) [30-50%]

Information on ecological effects

Toxicity: no data available

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 13,500.00 mg/l - 48 h.  
other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Xylene (o-,m-,p- isomers) cas#:(1330-20-7) [5-10%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

Isopropyl acetate cas#:(108-21-4) [5-10%]

Information on ecological effects

Toxicity:

Toxicity to fish LC0 - Leuciscus idus melanotus - 260 mg/l - 48 h.  
LC50 - Leuciscus idus melanotus - 265 mg/l - 48 h

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Diacetone alcohol cas#:(123-42-2) [2-10%]

Information on ecological effects



## Safety Data Sheet

### Blick Matte

**Toxicity:**

Toxicity to fish LC50 - *Lepomis macrochirus* (Bluegill) - 420 mg/l - 96 h.  
Toxicity to daphnia EC50 - *Daphnia magna* (Water flea) - 9,000 mg/l - 24 h.  
and other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

2-Pentanone, 4-methyl- cas#:(108-10-1) [1-5%]

**Information on ecological effects****Toxicity:**

Toxicity to fish LC0 - *Leuciscus idus melanotus* - 480 mg/l - 48 h.  
Toxicity to daphnia EC50 - *Daphnia magna* (Water flea) - 1,550 - 3,623 mg/l - 24 h.  
and other aquatic invertebrates  
Toxicity to algae EC50 - *Desmodesmus subspicatus* (green algae) - 980 - 2,000 mg/l - 48 h.

Persistence and degradability: Biodegradability Biotic/Aerobic

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Methyl ethyl ketone cas#:(78-93-3) [1-5%]

**Information on ecological effects**

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

n-Amyl acetate cas#:(628-63-7) [1-5%]

**Information on ecological effects****Toxicity:**

Toxicity to fish LC50 - *Gambusia affinis* (Mosquito fish) - 65 mg/l - 96 h.



## Safety Data Sheet

### Blick Matte

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.  
no data available

Ethylbenzene cas#:(100-41-4) [.1-1%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Cyprinodon variegatus (sheepshead minnow) - 88.00 mg/l - 96 h.

LC50 - Lepomis macrochirus (Bluegill) - 80.00 mg/l - 96 h

NOEC - Cyprinodon variegatus (sheepshead minnow) - 88 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 4.2 mg/l - 96 h

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 2.90 mg/l - 48 h.  
and other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

1-Butanol, 2-methyl-, acetate cas#:(624-41-9) [.5-4%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Nitrocellulose cas#:(9004-70-0) [.5-4%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available



## Safety Data Sheet

### Blick Matte

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Isopropyl alcohol cas#:(67-63-0) [5-4%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h.

EC50 - Algae - > 1,000.00 mg/l - 24 h

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

### 13

#### DISPOSAL CONSIDERATIONS

Do not puncture or burn containers. Give empty, leaking, or full containers to disposal service equipped to handle and dispose of aerosol (pressurized) containers. Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste. See Section 9 - Physical and Chemical Properties.

### 14

#### TRANSPORT INFORMATION

Aerosols (limited quantity),  
Class 2.1, ERG 126

AIR (IATA)  
Aerosols (limited quantity),  
Class 2.1, ERG 126, UN No. 1950

Vessel  
Aerosol (Limited Quantity), Class 2.1, UN No 1950



## Safety Data Sheet

### Blick Matte

#### 15 REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[10-30%] Petroleum gases, liquefied (68476-86-8) TSCA, TSCAACTV

[30-50%] RQ(5000LBS), Acetone (67-64-1) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TSCAACTV, TXAIR, TXHWL

[5-10%] RQ(100LBS), Xylene (o-,m-,p- isomers) (1330-20-7) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TSCAACTV, TXAIR, TXHWL

[5-10%] Isopropyl acetate (108-21-4) MASS, OSHAWAC, PA, TSCA, TSCAACTV, TXAIR

[2-10%] Diacetone alcohol (123-42-2) MASS, OSHAWAC, PA, TSCA, TSCAACTV, TXAIR

[1-5%] 2-Pentanone, 4-methyl- (108-10-1) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, PROP65, SARA313, TOXICRCRA, TSCA, TSCAACTV, TXAIR, TXHWL

[1-5%] RQ(5000LBS), Methyl ethyl ketone (78-93-3) CERCLA, HAP, HWRCRA, MASS, NJHS, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TSCAACTV, TXAIR, TXHWL

[1-5%] RQ(5000LBS), n-Amyl acetate (628-63-7) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TSCAACTV, TXAIR

[1-1%] RQ(1000LBS), Ethylbenzene (100-41-4) CERCLA, CSWHS, EPCRAWPC, HAP, MASS, NJHS, OSHAWAC, PA, PRIPOL, PROP65, SARA313, TOXICPOL, TSCA, TSCAACTV, TXAIR

[.5-4%] 1-Butanol, 2-methyl-, acetate (624-41-9) TSCA, TSCAACTV

[.5-4%] Nitrocellulose (9004-70-0) CFATS, GADSL, MASS, NJHS, OSHAPSM, PA, TSCA, TSCAACTV

[.5-4%] Isopropyl alcohol (67-63-0) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TSCAACTV, TXAIR



#### WARNING

**This product can expose you to chemicals including Methyl isobutyl ketone, and Ethylbenzene, which are known to the State of California to cause cancer, and Methyl isobutyl ketone (MIBK), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**

#### Regulatory Code Legend

CERCLA = Superfund clean up substance  
 CFATS = DHS Chemicals of Interest  
 CSWHS = Clean Water Act Hazardous substances  
 EPCRAWPC = EPCRA Water Priority Chemicals  
 GADSL = Global Automotive Declarable Substance List (GADSL)  
 HAP = Hazardous Air Pollutants  
 HWRCRA = RCRA Hazardous Wastes  
 MASS = MA Massachusetts Hazardous Substances List  
 NJHS = NJ Right-to-Know Hazardous Substances  
 NRC = Nationally Recognized Carcinogens  
 OSHAPSM = OSHA Chemicals Requiring process safety management  
 OSHAWAC = OSHA Workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 PRIPOL = Clean Water Act Priority Pollutants  
 PROP65 = CA Prop 65  
 RQ = Reportable Quantity  
 SARA313 = SARA 313 Title III Toxic Chemicals  
 TOXICPOL = Clean Water Act Toxic Pollutants  
 TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
 TSCA = Toxic Substances Control Act  
 TSCAACTV = TSCA Active Chemicals  
 TXAIR = TX Air Contaminants with Health Effects Screening Level




## Safety Data Sheet

### Blick Matte

16

#### OTHER INFORMATION

NFPA: Health = 2, Fire = 4, Reactivity = 0, Specific Hazard = n/a



**Note:**

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. We make no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Possession of an SDS does not indicate that the possessor of the SDS was a purchaser or user of the subject product.

Revision Date: 10/16/2025

Print Date: 10/16/2025