Page 1/4

Safety Data Sheet acc. to OSHA HCS

Printing date 03/23/2021

Reviewed on 03/23/2021

1 Identification

• Trade name: <u>TALENS VARNISH FOR OIL PASTELS 060</u>

 Article number: 24280060
Manufacturer/Supplier: Royal Talens
P.O.Box 4, Apeldoorn, The Netherlands 7300AA

USA / Canada-distributor: Royal Talens North America, Inc. 30 Industrial Drive, Northhampton, MA 01060 tel. +1- 413-300-1899

· Information department: info.na@royaltalens.com · Emergency telephone number: For further health information call a poison control center.

2 Hazard(s) identification

Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act:

No health labeling required

3 Composition/information on ingredients

· Dangerous components: Void

4 First-aid measures

• After skin contact:

- Generally the product does not irritate the skin. Clean with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Not relevant
- Special hazards arising from the substance or mixture No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.

(Contd. on page 2)

Item Numbers: 21734-1004

Safety Data Sheet acc. to OSHA HCS

MSDS for #21734 - VARNISH OIL PASTEL

Printing date 03/23/2021

Reviewed on 03/23/2021

· Methods and material for containment and cleaning up:

(Contd. of page 1)

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

· Precautions for safe handling: No special measures required.

8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Appearance:	*	
Form:	Liquid	
Color:	Whitish	
Odor:	Characteristic	
pH-value:	8.0 - 8.5	
Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Density at 20 °C (68 °F):	1.04 g/cm ³ (8.6788 lbs/gal)	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No decomposition if used according to specifications.

(Contd. on page 3)

Page 3 of 4

Safety Data Sheet acc. to OSHA HCS

MSDS for #21734 - VARNISH OIL PASTEL

Printing date 03/23/2021

Reviewed on 03/23/2021

(Contd. of page 2)

11 Toxicological information

• Subacute to chronic toxicity:

· Carcinogenic categories:

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

• Aquatic toxicity: No further relevant information available.

• Persistence and degradability No further relevant information available.

13 Disposal considerations

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	Not applicable.
· DOT	Void
• Transport hazard class(es)	Not applicable
· DOT, ADR, ADN, IMDG,	IATA
· Class	Void
· Packing group	None
· DOT, ADR, IMDG, IATA	Void
· UN "Model Regulation":	Void

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients is listed.

16 Other information

- This product is qualified to bear the AP(approved product) Seal of the Art & Creative Materials Institute, Inc. This means that it is certified in a program of toxicological evaluation by medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. Certified by ACMI to be labeled in accordance with the chronic hazard labeling standard, ASTM D 4236 and Federal law, P.L. 100-695.

(Contd. on page 4)

[·] General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Safety Data Sheet acc. to OSHA HCS

MSDS for #21734 - VARNISH OIL PASTEL

Printing date 03/23/2021

Reviewed on 03/23/2021

- (Contd. of page 3) - This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Date of preparation / last revision 03/23/2021 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

* * Data compared to the previous version altered.