21910-1003

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List) Peel & Sketch Charcoal

(#5631T, #5632T, #5633T)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306 (CA) 3160 Bay Rd., Redwood City, CA 94063 **Emergency Telephone Number**

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 3/19/18

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

OSHA ACGIH PEL TLV

Other Limits

% (optional)

(Specific Chemical Identity; Common Name(s)) **PEL TLV Recommended (option**Pencil products bearing the PMA Certification mark are certified in a program of toxicological evaluation by a medical expert subject to review by the program's toxicological review board, to contain no materials in sufficient quantity to be toxic or injurious to humans or to cause acute or chronic health problems.

Conforms to ASTM D-4236

This product is not considered to be a hazardous substance as defined under OSHA's Hazerd Communication Standard (26 CFR 1910.1200)

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		

Appearance and Odor Paper wrapped color coated charcoal pencil, Black, None

General Pencil Company, Inc.

MSDS

Page 1 of 3

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Flammable Limits LEL UEL N/A N/A N/A N/A

Extinguishing Media

Carbon dioxide, dry chemical, or foam recommended. Apply water to cool exposed closed containers.

Special Fire Fighting Procedures

Self contained breathing apparatus (SCBA) and full protective equipment recommended.

Unusual Fire and Explosion Hazards

Packaging may be subject to ignition by fire and may release toxic gasses.

Section V - Reactivity Data

Stability Unstable Conditions to Avoid

Stable X N/A

Incompatibility (Materials to Avoid)

N/a

Hazardous Decomposition or Byproducts

As with all burning organic matter, carbon monoxide and other toxic fumes may be released

Hazardous Polymerization May Occur Conditions to Avoid

Will Not Occur X N/A

Section VI - Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Eyes? Ingestion?

x x x x

Health Hazards (Acute and Chronic)

Products bearing the PMA Certification mark are certified in a program of toxicological evaluation by a medical expert subject to review by the program's toxicological review board, to contain no materials in sufficient quantity to be toxic or injurious to humans or to cause acute or chronic health problems. Conforms to ASTM D-4236

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

N/A N/A N/A

Signs and Symptoms of Exposure

N/A

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Inhalation If symptomatic, move to fresh air and seek medical attention

Skin Wash skin with soap and water. Seek medical attention in the unlikely event that

irritation occurs

Eyes Flush eyes with large amounts of water for at least fifteen minutes. Contact physician

Ingestion Unlikely to be toxic by ingestion, but seek medical attention.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Sweep or wipe up material. Place spilled material into appropriate waste containers for disposal.

Waste Disposal Method

Contain and place in approved container. Dispose of per Local, State, and Federal regulations.

Precautions to be taken in Handling and Storing

Contents will stain. The use of smocks and gloves to protect personal clothing is suggested. Wash hands and surface after use. Do not store near heat or open flame.

Other Precautions

Packaging may be subject to ignition by fire and may release toxic or other irritating gasses

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Special

Mechanical (General)

Local Exhaust

Other

Protective Gloves

Eye Protection Recommended

Other Protective Clothing or Equipment

Work/Hygienic Practices

Section IX - Other

PMA Certified

U.S.G.P.O.: 1986 - 491 - 529/45775

^{**}This information sheet is for the consumer use of this product only.

^{***}The information herein is given in good faith, but no warranty, expressed or implied, is made.