22260-1001

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072



IDENTITY (As Used on Label and List) Peel & Sketch Charcoal (#5631T, #5632T, #5633T)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name General Pencil Company, Inc. Address (Number, Street, City, State, and ZIP Code) (NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number 1-800-537-0734

 Telephone Number for Information

 (NJ) 1-201-653-5351 or (CA) 1-650-369-4889

 Date Prepared
 3/19/18

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous ComponentsOSHAACGIHOther Limits%(Specific Chemical Identity; Common Name(s))PELTLVRecommended(optional)Pencil products bearing the PMA Certification mark are certified in a program of toxicological
evaluation by a medical expert subject to review by the program's toxicological review board, to
contain no materials in sufficient quantity to be toxic or injurious to humans or to cause acute or
chronic health problems.

Conforms to ASTM D-4236

This product is not considered to be a hazardous substance as defined under OSHA's Hazerd Communication Standard (26 CFR 1910.1200)

Section III - Physical/Chemical Characteristics							
Boiling Point	N/A	Specific Gravity $(H_2O = 1)$	N/A				
Vapor Pressure (mm Hg)	N/A	Melting Point	N/A				
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A				
Solubility in Water	N/A						
Appearance and Odor	Paper wrapped color coated charcoal pencil, Black, None						

MSDS Peel & Sketch Charcoal Page 1 of 3

GENERAL PENCIL COMPANY, INC.

(т)650-369-4889 · (г)650-369-7169

Flash Point (Method Use	47	Flammable Limits	LEL		UEL
•	1)				
N/A		N/A	N/A		N/A
Extinguishing					
			ecommended. Ap	oply water to co	ol exposed closed containen
Special Fire F					
		•••••	BA) and full prote	ctive equipment	recommended.
	-	sion Hazards			_
Packaging may	be subjec	t to ignition by	fire and may rele	ease toxic gasse	5.
Section V -	Reactiv	vitv Data			
Stability		Unstable	Conditi	ons to Avoid	
-	9	Stable X	N/A		
Incompatibili	ty (Mater	ials to Avoid)			
N/a		2			
Hazardous Do	ecomposit	tion or Byproc	lucts		
	-			other toxic fum	es may be released
Hazardous Po	olvmerizat	tion May Oc			•
Hazardous Po	olymerizat			Conditions t	•
Hazardous Po	olymerizat		cur	Conditions t	•
			cur <u>t Occur X</u>	Conditions t	•
	- Health	Will No	cur <u>t Occur X</u>	Conditions t	•
Section VI	- Health ntry: 1	Will No h Hazard Da	cur t Occur X	Conditions t	co Avoid
Section VI Route(s) of E Health Hazar Products bearin medical expert	- Health ntry: 1 ds (Acute ng the PMA subject to antity to b	Will No Hazard Da Inhalation? (and Chronic) Certification n review by the e toxic or injuri	t Occur X ata Skin? X nark are certified program's toxico	Conditions t N/A Eyes? X in a program of logical review bo	o Avoid Ingestion?
Section VI Route(s) of E Health Hazar Products bearin medical expert in sufficient qu Conforms to A	- Health ntry: 1 ds (Acute ng the PMA subject to antity to b STM D-423	Will No Hazard Da Inhalation? (and Chronic) Certification n review by the e toxic or injuri	ata Skin? X nark are certified program's toxico ious to humans o	Conditions t N/A Eyes? X in a program of logical review bo	Ingestion? X toxicological evaluation by pard, to contain no material
Route(s) of E Health Hazar Products bearin medical expert in sufficient qu	- Health ntry: J ds (Acute ng the PMA subject to antity to b STM D-423 ity: J	Will No Hazard Da Inhalation? (and Chronic) Certification n review by the e toxic or injuri 6	ata Skin? X nark are certified program's toxico ious to humans o	Conditions t N/A Eyes? X in a program of logical review bo r to cause acute	Ingestion? X toxicological evaluation by bard, to contain no material or chronic health problems
Section VI Route(s) of E Health Hazar Products bearin medical expert in sufficient qu Conforms to A	- Health ntry:] ds (Acute ng the PMA subject to antity to b STM D-423 ity: [Will No Hazard Da Inhalation? (and Chronic) Certification n review by the e toxic or injuri (NTP? V/A	t Occur X t Occur X Skin? X nark are certified program's toxico ious to humans o IARC M	Conditions t N/A Eyes? X in a program of logical review bo r to cause acute	Tingestion? X toxicological evaluation by bard, to contain no material or chronic health problems OSHA Regulated?
Section VI Route(s) of E Health Hazar Products bearin medical expert in sufficient qu Conforms to A: Carcinogenic	- Health ntry:] ds (Acute ng the PMA subject to antity to b STM D-423 ity: [Will No Hazard Da Inhalation? (and Chronic) Certification n review by the e toxic or injuri (NTP? V/A	t Occur X t Occur X Skin? X nark are certified program's toxico ious to humans o IARC M	Conditions t N/A Eyes? X in a program of logical review bo r to cause acute	Tingestion? X toxicological evaluation by bard, to contain no material or chronic health problems OSHA Regulated?
Section VI Route(s) of E Health Hazar Products bearin medical expert in sufficient qu Conforms to A Carcinogenic Signs and Syn N/A	- Health ntry: 1 ds (Acute ng the PMA subject to antity to b STM D-423 ity: 1 mptoms o	Will No Hazard Da Inhalation? (X and Chronic) Certification n review by the e toxic or injuri 66 NTP? V/A f Exposure	t Occur X t Occur X Skin? X nark are certified program's toxico ious to humans o IARC M	Conditions t N/A Eyes? X in a program of logical review by r to cause acute onographs?	Tingestion? X toxicological evaluation by bard, to contain no material or chronic health problems OSHA Regulated?
Section VI Route(s) of E Health Hazar Products beari medical expert in sufficient qu Conforms to A Carcinogenic Signs and Syn N/A	- Health ntry: 1 ds (Acute ng the PMA subject to antity to b STM D-423 ity: 1 mptoms o	Will No Hazard Da Inhalation? (X and Chronic) Certification n review by the e toxic or injuri 66 NTP? V/A f Exposure	t Occur X Skin? X mark are certified program's toxico ious to humans o IARC M N/A	Conditions t N/A Eyes? X in a program of logical review by r to cause acute onographs?	Tingestion? X toxicological evaluation by bard, to contain no material or chronic health problems OSHA Regulated?
Section VI Route(s) of E Health Hazar Products bearin medical expert in sufficient qu Conforms to A: Carcinogenic Signs and Syn N/A Medical Cond N/A Emergency a Inhalation If Skin W	- Health ntry:] ds (Acute ng the PMA subject to antity to b STM D-423 ity: I mptoms o itions Ger nd First A symptoma 'ash skin w ritation occ	Will No Hazard Da Inhalation? (and Chronic) (Certification n review by the e toxic or injuri (NTP? V/A f Exposure herally Aggrav atic, move to fr vith soap and w curs	t Occur X t Occur X Skin? X nark are certified program's toxico ious to humans o IARC M N/A vated by Exposu sesh air and seek vater. Seek media	Conditions t N/A Eyes? X in a program of logical review bo r to cause acute onographs? ure medical attention	Ingestion? X toxicological evaluation by bard, to contain no material or chronic health problems OSHA Regulated? N/A

MSDS Peel & Sketch Charcoal

GENERAL PENCIL COMPANY, INC.

(т)650-369-4889 · (г)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Sweep or wipe up material. Place spilled material into appropriate waste containers for disposal. **Waste Disposal Method**

Contain and place in approved container. Dispose of per Local, State, and Federal regulations.

Precautions to be taken in Handling and Storing

Contents will stain. The use of smocks and gloves to protect personal clothing is suggested. Wash hands and surface after use. Do not store near heat or open flame.

Other Precautions

Packaging may be subject to ignition by fire and may release toxic or other irritating gasses.

Section VIII - C	ontrol Measures			
Respiratory Protect	ion (Specify Type)			
N/A Ventilation:	Local Exhaust Mechanical (Gen	X eral)	Special Other	
Protective Gloves	Eye Pro		tion	
N/A		Recommend	led	
Other Protective Clo	othing or Equipment			
N/A				
Work/Hygienic Prac	ctices			
N/A				

Section IX - Other

PMA Certified

U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

MSDS Peel & Sketch Charcoal Page 3 of 3

Item Numbers: 22260-1001, 22260-1002