22988-XXXX

WINSOR & NEWTON ARTISTS' CHARCOAL

colart

Safety Data Sheet

 according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

 Issue date: 10/25/2022
 Revision date: 10/25/2022
 Supersedes: 01/08/2016
 Version: 4.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Substance	
Trade name	: WINSOR & NEWTON ARTISTS' CHARCOAL	
1.2. Recommended use and restrictions	on use	
Use of the substance/mixture	: Artists', craft and hobby paints	
Recommended use	: Consumer uses: Private households (= general public = consumers), Artists', craft and hobby paints	
1.3. Supplier		
Distributor ColArt Americas Inc. 2 Corporate Place South, Piscataway New Jersey, USA NJ 08854 T +1 888 422 7954 <u>r.enquiries@colart.co.uk</u>		
1.4. Emergency telephone number		
Emergency number	: +1 888 422 7954	
SECTION 2: Hazard(s) identification		
2.1. Hazard warning in accordance with U Substances Act.	JS Labeling of Hazardous Art Materials Act / Federal Hazardous	
Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.		
SECTION 3: Composition/Information	a on ingredients	
3.1. Substances		
Substances Act (FHSA). Appropriate labelling is I	f Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous isted in section 15. Hazardous ingredients are identified in section 15.	
SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.	
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.	
First-aid measures after ingestion	Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.	

Please see section 15 labelling requirements for additonal information

4.2. Most important symptoms and effects (acute and delayed)

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).Please refer to section 15 for information on potential symptoms. 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/25/2022

EN (English US)

Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extingui Suitable extinguishing media Jnsuitable extinguishing media 5.2. Specific hazards arising from the Fire hazard	shing media
Suitable extinguishing media Jnsuitable extinguishing media 5.2. Specific hazards arising from the	
Jnsuitable extinguishing media 5.2. Specific hazards arising from the	: Foam. Dry powder. Carbon dioxide. Sand.
5.2. Specific hazards arising from the	: Do not use a heavy water stream.
	· ·
	: No fire hazard.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Special protective equipment and	precautions for fire-fighters
Firefighting instructions	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release me	
	equipment and emergency procedures
5.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
5.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
5.2. Environmental precautions	
revent entry to sewers and public waters. No	tify authorities if liquid enters sewers or public waters.
.3. Methods and material for contain	ment and cleaning up
lethods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect
0 1	spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and person	al protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or
	smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.
7.2. Conditions for safe storage, include	·
7.2. Conditions for safe storage, inclue Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight,
storage conditions	Heat sources. Keep container closed when not in use.
ncompatible products	: Strong bases. Strong acids.
ncompatible materials	: Sources of ignition. Direct sunlight.
SECTION 8: Exposure controls/per	rsonal protection
3.1. Control parameters	
Additional information	: There exist no exposure limits for this material
Additional information	
3.2. Appropriate engineering controls	
name of the second seco	
	ersonal protective equipment
B.3. Individual protection measures/Pe	
3.3. Individual protection measures/Pe	
3.3. Individual protection measures/Pe	
3.3. Individual protection measures/Pe	
 Individual protection measures/Per Hand protection: Avoid contact with skin 	pply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only
A.3. Individual protection measures/Peresson Managements/Peresson M	apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA
Individual protection measures/Pet Hand protection: Avoid contact with skin OSHA Hazard Communication Standard does not a	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Eye protection:

Avoid contact with eyes

Respiratory protection:

No respiratory protection needed under normal use conditions

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

9.1. Information on basic physical and chemical properties Physical state : Solid : Black : Oderlage	
: Black	
C de de se	
: Odorless	
Odor threshold : No data available	
pH : No data available	
Melting point : No data available	
Freezing point : No data available	
Boiling point : No data available	
Flash point : No data available	
Relative evaporation rate (butyl acetate=1) : No data available	
Flammability (solid, gas) : Non flammable.	
Vapor pressure : No data available	
Relative vapor density at 20 °C : No data available	
Relative density : 1.3 - 1.5 @ 20°C	
Solubility : No data available	
Partition coefficient n-octanol/water (Log Pow) : No data available	
Auto-ignition temperature : No data available	
Decomposition temperature : No data available	
No data availableViscosity, kinematic : No data available	
Viscosity, dynamic : No data available	
Explosion limits : No data available	
Explosive properties : No data available	
Oxidizing properties : No data available	
9.2. Other information	

SECTION 10: Stability and reactivity 10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport. 10.2. 10.2. Chemical stability Stable at ambient temperature and under normal conditions of use. 10.3. 10.3. Possibility of hazardous reactions None under normal use. 10.4. Conditions to avoid 10.4.

Direct sunlight. Extremely high or low temperatures.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/25/2022		
10/LO/LOLL		

EN (English US)

3/5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on toxicological effects.

SECTION 12: Ecological information		
12.1. Toxicity		
No additional information available		
12.2. Persistence and degradability		
WINSOR & NEWTON ARTISTS' CHARCOAL		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
WINSOR & NEWTON ARTISTS' CHARCOAL		
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
No additional information available		

12.5. Other adverse effects

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	: Avoid release to the environment.	

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15:	Regulatory information
15.1. US Federal	regulations

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/25/2022

EN (English US)

4/5

Item Numbers: 22988-1000, 22988-1001, 22988-1002, 22988-1003, 22988-1004, 22988-1005, 22988-1012

Page 4 of 5

Safety Data Sheet


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects. This product has been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP

(Approved Product) Seal, meaning this bears no chronic or acute human health hazards.



15.2. International regulations CANADA

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information		
according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
Revision date	: 10/25/2022	
Data sources	: Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).	
Other information	: None.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

10/25/2022

EN (English US)

5/5