23884-1002





Safety Data Sheet

1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 ilovetocreate.com aleeenes.com EMERGENCY TELEPHONE NUMBERS
Health Emergencies:
559-291-4444 7:00 am – 3:30 pm Pacific Std. Time
Spill and Off-Hour Health Emergencies:
900-424-0300 LLS and Canada

800-424-9300 U.S. and Canada

703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Aleene's Original Tacky Glue

Product Use/Description: Water-based Adhesive available in a variety of sizes:

0.66 fl. oz., 2 fl. oz., 3 fl. oz., 4 fl. oz., 5 fl. oz., 8 fl. oz., 16 fl. oz.,

64 fl. oz. and 128 fl. oz., 0.63 fl. oz. pens

Restrictions on use: None known

2. HAZARDS IDENTIFICATION

Classification:	This mixture does not meet the criteria for classification.
Hazard	Not applicable.
statement:	
Other hazards:	Not applicable.
Signal word:	Not applicable.
Precautionary	Not applicable.
statement:	
Pictogram(s) by	Not applicable.
GHS:	

3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and is proprietary information.

Products are made by physical manipulation and chemical reaction from the ingredients. These ingredient chemicals may not exist as their original formula in final products.

Reportable ingredients (if applicable): None listed.

4. FIRST AID MEASURES

General advice:	Observe good industrial hygiene practices.	
On inhalation:	Seek fresh air. If breathing becomes difficult, give oxygen. If symptoms develop	
	or persist, seek medical attention.	
On skin contact:	Wash with soap. If symptoms persist, get medical attention. Wash affected area	
	immediately with soap and water. Remove contaminated clothing and footwear. If	
	symptoms develop and persist, seek medical attention.	
On eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15	
	minutes. If symptoms develop and persist, seek medical attention.	
On ingestion:	If material is ingested, immediately contact a physician or poison control center.	
	Do NOT induce vomiting unless directed to do so by medical personnel. Never	
	give anything by mouth to an unconscious person.	
Acute/delayed symptoms:	None	
Medical advice:	Treat symptomatically and supportively.	
Symptoms / effects:	See Section 11.	
Special treatment needed:	None	

Page 1 of 7

Aleene's Original Tacky Glue – S-22-0003





5. FIREFIGHTING MEASURES

Extinguishing Media		
Suitable extinguishing media:	Water spray, fog, foam, dry chemical or carbon dioxide. Use extinguishing measures appropriate for local circumstances and the surrounding environment.	
Unsuitable extinguishing media:	None	
Protection of Firefighters		
Specific hazards arising from the chemical:	This product is an aqueous mixture that will not burn. If evaporated to dryness, the solid residue may pose a moderate fire hazard. Closed containers may rupture (due to buildup of pressure) when exposed to extreme heat.	
Protective equipment for firefighters:	Wear self-contained breathing apparatus. Do not breathe combustion gases.	
Special precautions for firefighters:	No data	
Will hazardous combustion occur:	Upon decomposition, this product emits carbon monoxide, carbon dioxide, and/or low molecular weight hydrocarbons.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	See Section 8.
Environmental precautions:	Prevent further leakage or spillage if safe to do so. Prevent contamination of soil and water.
Methods for cleaning up:	Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during cleanup. Small spills can be absorbed with vermiculite, clay or other suitable non-biodegradable absorbent material, scooped up and placed in containers. For large spills, dike ahead and collect liquid. Dispose of contaminated material as waste according to Section 13.
Emergency procedures:	See Section 4.

7. HANDLING AND STORAGE

Safe storage:	For safe storage, store between 5°C (41°F) and 37°C (98°F). Keep the container tightly closed and in a cool, well ventilated place. Protect from freezing.
Safe handling:	Wash thoroughly after handling. Use only with adequate ventilation. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Keep container closed. Do not breathe gas/fumes/vapor/spray.
Known incompatibilities:	None known

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational exposure limits: No exposure limits noted for ingredients. No biological exposure limits noted for the ingredients.

 $. \underline{\textbf{Appropriate Engineering Controls:}} \ Shower/Eye \ wash \ stations/Ventilations \ systems.$

Individual Protection measures, such as PPE (Personal Protective Equipment):

Personal Protection Equipment:		
Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits		
	are exceeded or irritation is experienced, ventilation and evacuations may be	
	required.	
Eye Protection:	No special protective equipment required.	

Page 2 of 7

Aleene's Original Tacky Glue - S-22-0003





Hand Protection:	No special protective equipment required.	
Skin Protection:	No special protective equipment required.	
Thermal Protection:	No data	
General Safety and Hygiene	This product does not contain any hazardous materials with occupational hazards.	
Measures:		
Further Information:	Handle in accordance with good industrial hygiene and safety practice.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state/appearance:	Liquid
Color:	White
Odor:	Slight
Odor threshold:	N/A
pH:	4.5
Boiling point/range:	100.0° C (212°F) Approximately
Melting point/range:	< 5°C (<41°F) (Freezing point)
Flash point:	No flash
Evaporation rate:	Not determined
Vapor density:	Not determined
Solubility(ies) in water:	Miscible
Vapor pressure:	Not determined
Relative density:	No data
Viscosity:	No data
Partition coefficient	Not determined
(n-octanol/water), if	
applicable:	
Explosive properties:	No data
Flammability: (solid, gas)	N/A
Flammability limit in air:	N/A
upper/lower	
Autoignition temperature:	N/A
Decomposition	No data
temperature:	

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under normal conditions of storage and use
Conditions to avoid:	None listed
Incompatible materials:	This product may react with strong oxidizing agents.
Hazardous decomposition	Oxides of carbon. Thermal decomposition can lead to the release of irritating gases
products:	and vapors.
Possibility of hazardous	Will not occur
reactions:	
Hazardous polymerization:	Will not occur

11. TOXICOLOGICAL INFORMATION Information on likely routes of exposure:

Eye contact – serious eye	Rinse immediately, with plenty of water, also under the eyelids, for at least 15	
damage or irritation	minutes.	
Skin contact – skin	Wash with soap. If symptoms develop or persist, get medical attention. Wash	
	affected area immediately with soap and water. Remove contaminated clothing and	

Page 3 of 7

Aleene's Original Tacky Glue – S-22-0003





			Caroty Bate	. 011001
corrosion, sensitization or irritation:	footwear. If symptoms	develop or persist, seek m	nedical attention.	
	If material is ingested, immediately contact a physician or paicon central center. Do			
Ingestion –	If material is ingested, immediately contact a physician or poison control center. Do NOT induce vomiting unless direct to do so by medical personnel. Never give			
carcinogenicity/aspiration			edicai personnei. N	ever give
hazard:	anything by mouth to an unconscious person.			
Inhalation – respiratory		hing is difficult, give oxygeı	n. If symptoms deve	elop or persist,
sensitization/toxicity:	seek medical attention	-		
Symptoms related to the	No data			
physical chemical and				
toxicological				
characteristics:				
Information on	No data			
toxicological effects:				
Delayed or immediate	No data			
effects:				
Germ cell mutagenicity:	No data			
Specific target organ	No data			
toxicity (single exposure):				
Specific target organ	No data			
toxicity (repeated				
exposure):				
Chemicals listed on NTP,	None			
IARC or OSHA as a				
carcinogen:				
Chemical Name:	Oral LD50	Dermal LD50	Inhalation	Percentage
None	X	X	LC50	X
			<u> </u>	

^{*}Estimates for product may be based on additional component data not shown.

12. ECOLOGICAL INFORMATION (NON-MANDATORY)

Ecotoxicity:	No data available
Persistence and	No data available
degradability:	
Bioaccumulative potential:	No data available
Aquatic / terrestrial	No data available
warnings:	
Mobility in soil:	No data available
Other adverse effects:	No data available

13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Disposal instructions:	Legal disposition of wastes is the responsibility of the owner/generator of the waste. Applicable federal, state and/or local regulation must be followed during treatment, storage, or disposal of waste containing this product.
Hazardous waste code:	To the best of our knowledge, this product is not listed, nor does it meet the criteria of hazardous waste if discarded in its purchased form. However, under RCRA, it is the responsibility of the user to determine at the time of disposal whether a product meets any of the RCRA hazardous waste criteria. This is because product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosively, reactivity and toxicity characteristics under the new Toxicity Characteristics Leaching Procedure (TCLP)

Page 4 of 7

Aleene's Original Tacky Glue - S-22-0003





40 Code of Federal Regulations 261.20-24.	
Contaminated packaging:	No data
Waste residues:	No data

14. TRANSPORTATION INFORMATION (NON-MANDATORY)

	DOT	IMD	<u>G</u>	<u>IATA</u>
UN/ID number:	Not regulated	Not regulated		Not regulated
Proper shipping name:	None	None		None
Transport hazard class:	None	None		None
Packing group (if applicable):	None	None		None
Environmental provisions:	None	None		None
Special precautions:	None	None		None
Transport in bulk according to Annex II of MARPOL		None		
73/78 and IBC Code				
Emergency response guide nur	EmS-No:	None		

 Pictograms

 US:
 IATA; IMDG:
 Marine Pollutant:

 None
 None
 None

15. REGULATORY INFORMATION (NON-MANDATORY)

	U.S. Federal Regulations:							
TSCA Section 12(b) Export			All components are listed or are exempt from listing on the Toxic Substances					
Notification (40 CFR 707, Subpt.			Control Act Inventory.					
D):	-	_						
CERCLA (S	Superfund) re	eportable	None					
quantity (lk	os.) (40 CFR	302.4)						
OSHA Specifically Regulated			No data					
Substance	s (29 CFR 19	10.1001-						
1050):								
			Hazard Categorie	es:				
Immediate hazard:			None					
Delayed hazard:			None					
Fire hazard:			None					
Pressure hazard:			None					
Reactivity hazard:			None					
Section 302 Extremely Hazardous			None					
Substance (40 CFR 355, Appendix								
A):								
Chemical	CAS	Reportabl	Threshold planning	Threshold planning			Threshold planning	
Name:	Number:	e Quantity:	quantity:	quant	ity, lower value:	quan	tity, upper value:	
None	X	X	X	X		X		
		nendments and Reauthoriz	zation A	ct of 1986 (SARA	.)			
SARA 304 Emergency release		No data						
notification:								
SARA 311/312 (40 CFR 370)			Immediate health					
Hazardous Chemical:								
SARA 313 (TRI reporting):			<u>Chemical Name:</u> <u>CAS Number:</u>		<u>% by wt.</u>			
			None None None			None		
Drug Enfor	cement Adm	ninistration	No data					

Page 5 of 7

Aleene's Original Tacky Glue – S-22-0003





(
(DEA) (21 CFR 1308.11-15):	
Clean Air Act (CAA) Section 112	No data
Hazardous Air Pollutants (Haps)	
List:	
2.00.	
Clean Air Act (CAA) Section 112(r)	No data
Accidental Release Prevention	
(40 CFR 68.130):	
Safe Drinking Water Act (SDWA):	No data
Canadian Domestic Substances	All components are listed on or are exempt from listing on the Canadian
List (DSL):	Domestic Substances list.
0 (1) 7 : 10711	
Conforms to Non-Toxic ASTM-	Products are certified in a program of toxicological evaluation by a nationally
4236:	recognized toxicologist to contain no materials in sufficient quantities to be
	toxic or injurious to humans or to cause acute or chronic health problems.
	These products are certified to be labeled in accordance with the voluntary
	chronic hazard labeling standard ASTM D-4236. In addition, there is no
	physical hazard as defined within 29 CFR Part 1910.1200(c).
California Proposition 65	This product contains the following chemicals that are known to the state of
Warning:	California to cause cancer, birth defects, or other reproductive harm:
	Methanol <600 ppm.
LIMIC III Datings	
HMIS III Rating:	Heath: 1; Flammability: 0; Physical Hazard: 0.
Unless a concentration is specified in	Section 2 of the SDS, the above chemicals(s) are present in trace amounts.





16. OTHER INFORMATION

The recommendations and information contained in this SDS are compiled from sources believed to represent the most current information available when the SDS was prepared. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficiency of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

	Table of Abbreviations				
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose		
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution		
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram		
°C:	Degrees Centigrade	mm:	Millimeter		
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration		
CAS:	Chemical Abstract Service	N/A:	Not Applicable		
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association		
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health		
CPR:	Controlled Products Regulations	NTP	National Toxicology Program		
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit		
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration		
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits		
EmS:	Emergency Medical Goods Services	ppm	Parts Per Million		
EPA:	Environmental Protection Agency	SARA	Superfund Amendment and Reauthorization Act		
°F:	Degrees Fahrenheit	STEL	Short-Term Exposure Limit		
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet		
g/I:	Grams per Liter	SDWA:	Safe Drinking Water Act		
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value		
Hg:	Mercury	TRI:	Toxics Release Inventory		
HMIS:	Hazardous Materials Identification System	TSCA	Toxic Substances Control Act		
HNOC:	Hazard(s) Not otherwise classified	TWA	Time – Weighted Average		
IARC:	International Agency for Research on Cancer	U.N.	United Nations		
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System		
ID:	Identification / Identity	>	Greater Than		
IDLH:	Immediate Danger to Life or Health	<	Less Than		
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978		
LC:	Lethal Concentration				

Version:	Revision date:
1	4/30/2013 - created
2	3/7/16-JL
3	1/27/17 – sp
4	10/23/17 - sp_logo
5	6/29/2021 – SP
6	2/11/2022 - sp

END SAFETY DATA SHEET