



SAFETY DATA SHEET

Revision date 19-Mar-2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product Name ALCOLIN STICKY PUTTY - MUSEUM

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use No information available

Restrictions on use No information available

Supplier's details

Supplier

Bostik South Africa
1 Beverley Close
Montague Gardens
Cape Town
South Africa
7441

Tel: +27 21 555 7400

Non-Emergency Telephone Number +27 21 555 7400

E-mail address psra.za@bostik.com

Emergency telephone number

Emergency Telephone Tel: +27 21 555 7400

Restrictions on emergency number 8am - 5pm (Monday - Friday)

SECTION 2: Hazards identification

Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS)

GHS Label elements, including precautionary statements

Hazard statements

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Other hazards which do not result in classification

No information available.

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
Titanium dioxide	13463-67-7	1 - <3

SECTION 4: First aid measures

Description of necessary first aid measures

Inhalation Remove to fresh air.

Skin contact Wash with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Note to doctors Treat symptomatically.

SECTION 5: Firefighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the chemical No information available.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO₂). Silicon dioxide.

Special protective actions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

Environmental precautions No information available.

Methods and material for containment and cleaning up

Methods for cleaning up Pick up and transfer to properly labelled containers.

Methods for containment Prevent further leakage or spillage if safe to do so.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials None known based on information supplied.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational exposure limits This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product

Chemical name	OEL-ML	OEL-RL
Titanium dioxide 13463-67-7	Carc.	TWA: 10 mg/m ³

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Hand protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Solid	
Physical state	Solid	
Colour	Off-white	
Odour	Odourless	
Odour threshold	No information available	
Property	Values	Remarks • Method
pH	No data available	Not applicable
Melting point / freezing point	No data available	No information available
Initial boiling point and boiling range	No data available	No information available
Flash point	No data available	Not applicable
Evaporation rate	No data available	No information available
Flammability	No data available	No information available
Upper/lower flammability or explosive limits		
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapour pressure	No data available	No information available
Relative vapour density	No data available	No information available
Relative density	No data available	No information available
Solubility(ies)		
Water solubility	Insoluble in water	No information available
Solubility in other solvents	No data available	No information available
Partition coefficient	No data available	No information available
Autoignition temperature	No data available	No information available
Decomposition temperature	No data available	No information available
Kinematic viscosity	No data available	No information available
Dynamic viscosity	No data available	No information available
Other information		
Explosive properties	No information available	
Oxidising properties	No information available	
Density	1.5	

SECTION 10: Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

SECTION 11: Toxicological information

Information on the likely routes of exposure

Product Information

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	>5000 mg/kg
ATEmix (dermal)	>5000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-vapour)	>20 mg/l
ATEmix (inhalation-dust/mist)	>5 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
----------------------------------	---------------------------

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion	Rabbit	Dermal			Non-irritant

Serious eye damage/eye irritation	No information available.
--	---------------------------

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405: Acute Eye Irritation/Corrosion	Rabbit	Eye			Non-irritant

Respiratory or skin sensitisation	No information available.
--	---------------------------

Germ cell mutagenicity	No information available.
-------------------------------	---------------------------

Carcinogenicity	No information available.
------------------------	---------------------------

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical name	IARC	South Africa
Titanium dioxide	Group 2B	-

Legend

IARC (International Agency for Research on Cancer)

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

Group 1 - Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).
Aspiration hazard	No information available.

SECTION 12: Ecological information

Ecotoxicity

Unknown aquatic toxicity	0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment
---------------------------------	---

Chemical name	Algae/aquatic plants	Fish	Crustacea
Titanium dioxide	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203	-	-

Persistence and degradability	No information available.
--------------------------------------	---------------------------

Bioaccumulative potential	No information available.
----------------------------------	---------------------------

Mobility in soil	No information available.
-------------------------	---------------------------

Other adverse effects	No information available.
------------------------------	---------------------------

SECTION 13: Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation.
--	--

Contaminated packaging	Do not reuse empty containers.
-------------------------------	--------------------------------

SECTION 14: Transport information

Note:	Keep from freezing
--------------	--------------------

IMDG	Not regulated
-------------	---------------

IATA	Not regulated
-------------	---------------

ADR	Not regulated
------------	---------------

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

South Africa - Occupational Injuries and Diseases - Chemical Agents Not applicable

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Europe

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Directive 2011/65/EU (EU RoHS 2), as amended by the Delegated Directive (EU) 2015/863 (EU RoHS 3)

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

SECTION 16: Other information

Prepared By Product Safety & Regulatory Affairs
Revision date 19-Mar-2024
Revision note No information available.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

SAFETY DATA SHEET

ALCOLIN STICKY PUTTY - MUSEUM

Revision date 19-Mar-2024

World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet