23956-1003





Not intended for:

# Safety Data Sheet

#### 1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate 5673 East Shields Avenue Fresno, CA 93727 USA 559.291.4444 ilovetocreate.com aleenes.com **EMERGENCY TELEPHONE NUMBERS** 

**Health Emergencies:** 

559-291-4444 7:00 am - 3:30 pm Pacific Std. Time

Spill and Off-Hour Health Emergencies:

800-424-9300 U.S. and Canada

703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Aleene's Ultimate Adhesive

Product Use/Description: Industrial Strength, solvent based adhesive

Item numbers: 33260 1.5 oz, 33411 3 pk, 40648 1.5 oz 3pk,

38618 DIY Adhesive multi-pack (component)

No additional relevant data, but read package instructions and

SDS carefully prior to use.

#### 2. HAZARDS IDENTIFICATION

Classification:	Flam. Liq. – Highly Flammable liquid and vapor.
Health & Physical Hazard	H225 – Highly flammable liquid and vapor.
Statement:	
Other Hazards not classified:	No data.
Signal Word:	Danger.
Precautionary Statement:	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Use explosion-proof electrical/ventilating/lighting/equipment. Wear protective gloves/eye protection/face protection/ Ground/bond container and receiving equipment. Keep container tightly closed. Use only non-sparking tools. Take precautionary measures against static discharge. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO <sub>2</sub> , powder, or water sprays. Store in well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.
Pictogram(s) by GHS:	GHS02

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Detailed formulation is submitted by the client and it is proprietary information.

Products are made by physical manipulation and chemical reaction from the ingredients. These ingredient chemicals may not exist as its original formula in final products.

Reportable ingredients (if applicable):

Identity/Synonym	CAS Number:	Percentage/Range:
Tert-butyl acetate	540-88-5	25-50%

## 4. FIRST AID MEASURES

On Inhalation:	Supply fresh air or oxygen; call a doctor. IN case of unconsciousness, place
	patient stable in side position for transportation.
On Skin Contact:	Immediately wash with water and soap and rinse thoroughly.
On Eye Contact:	Rinse opened eye for 20 minutes under running water. If eye becomes irritated,

Page 1 of 7

Aleene's Ultimate Adhesive - S-18-0068





	obtain medical treatment.
On Ingestion:	Rinse out mouth with water. Drink 1-2 glasses of water but DO NOT induce
_	vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If
	vomiting occurs spontaneously, keep head below hips to prevent aspiration.
	Seek medical treatment.
Acute/Delayed Symptoms:	No further information available.
Medical Advice:	No further relevant information.

## **5. FIREFIGHTING MEASURES**

Extinguishing Media	
Suitable extinguishing media:	CO <sub>2</sub> , sand, extinguishes powder. Do not use water.
Unsuitable extinguishing	Water.
media:	
Protection of Firefighters	
Specific hazards arising from	No further relevant information available.
the chemical:	
Protective equipment for	Protective clothing and respiratory device.
firefighters:	
Special precautions/ protective	See section 8 of this SDS.
equipment for firefighters:	
Will hazardous combustion	Liquid and vapors are highly flammable.
occur?:	

## **6. ACCIDENTAL RELEASE MEASURES**

Emergency Containment	See section 13 for disposal.
procedures:	
<b>Environmental Precautions, if</b>	Do not allow to enter sewers/waterways/surface or ground water.
any?:	
Methods for Cleaning Up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal
	binders, sawdust). Ensure adequate ventilation.
Personal Protective	See section 8 of this SDS.
Equipment:	

## 7. HANDLING AND STORAGE

Safe Storage:	Store in a cool location away from direct heat. Store as flammable liquid. Store away from oxidizing agents. Keep receptacle tightly sealed. Keep container closed when not in use. Keep ignition sources away. Do not smoke. Protect against electrostatic charges.
Safe Handling:	Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after handling. Prevent formation of aerosols.
Known Incompatibilities:	Heat, flames, sparks sources of ignition, static build up.

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL
Tert-butyl acetate		
(CAS #: 540-88-5)	950 mg/m³;	950 mg/m³;
(25-50%)	200 ppm	200 ppm

Page 2 of 7

Aleene's Ultimate Adhesive – S-18-0068

Item Numbers: 23956-1003, 23956-1004 Page 2 of 7





Appropriate Engineering Controls: See below.

Individual Protection measures, such	ı as PPE (Persor	nal Protective Equipment):
--------------------------------------	------------------	----------------------------

Personal Protection Equipment:	
Respiratory Protection:	Not necessary if room is well-ventilated.
Eye Protection:	Safety glasses with side shields. Tightly sealed goggles.
Hand Protection:	Protective gloves should be worn. The glove material has to be impermeable and resistant to the product/the substance/the preparation. Nitrile gloves, NBR, Chloroprene rubber, CR. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. The exact break-through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Skin Protection:	Protective work clothing should be worn as a precaution.
Thermal Protection:	No data.
General Safety and Hygiene	Wash hands before breaks and at the end of work.
Measures:	
Further Information:	The lists that were valid during the creation were used as basis.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State/Appearance:	Fluid
Color:	Clear/white water
Odor:	Characteristic
Odor Threshold:	Not determined.
pH:	Not determined.
Boiling Point/Range:	97°C (207°F)
Melting Point/Range:	Undetermined.
Flash Point:	15°C (59°F)
Evaporation Rate:	Not determined.
Vapor Density:	Not determined.
Solubility(ies):	Not miscible in water or difficult to mix.
Vapor Pressure at 20°C (68°F):	0.9 g/cm <sup>3</sup> (7.511 lbs/gal)
Relative Density:	Not determined.
Viscosity:	Dynamic or Kinematic – Not determined.
Partition Coefficient	Not determined.
(n-octanol/water), if applicable:	
Explosive Properties:	Product is not explosive. However, formation of explosive air/vapor mixtures are
	possible.
Flammability: (Solid, gas)	Not applicable.
Flammability Limit in Air:	Lower: % by volume = .9
Upper/Lower	Upper: % by volume = 6.7
Autoignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.

## 10. STABILITY AND REACTIVITY

Chemical Stability:	No data.
Conditions to Avoid:	Heat, flames, sparks.
	Reacts with oxidizing agents.
Hazardous Decomposition	Carbon monoxide and carbon dioxide.
Products:	
Possibility of Hazardous	No dangerous reactions known.
Reactions/Polymerization:	

Page 3 of 7

Aleene's Ultimate Adhesive – S-18-0068

Item Numbers: 23956-1003, 23956-1004 Page 3 of 7





11. TOXICOLOGICAL INFORMATION						
Information on likely routes of e	Information on likely routes of exposure:					
Eye Contact –Serious Eye	May i	rritate the eye.				
Damage or Irritation						
Skin Contact - Skin	May i	rritate the skin.				
Corrosion, Sensitization or						
Irritation:						
Ingestion –	No da	ata.				
Carcinogenicity/Aspiration						
Hazard:						
Inhalation – Respiratory	No se	ensitizing effects	known	-		
Sensitization/Toxicity:						
Symptoms of exposure:	No da					
Information on toxicological	No da	ata.				
effects:						
Delayed or Immediate effects:	No da					
Germ Cell Mutagenicity:	No da					
Specific target organ toxicity	No da	ata.				
(single exposure):						
Specific target organ toxicity	No data.					
(repeated exposure):						
Chemicals listed on NTP,	No ingredients listed.					
IARC or OSHA as a						
Carcinogen?:		T				
<u>Chemical Name:</u>		Oral LD5	<u>0</u>	Dermal LD50	Inhalation LC50	<u>Percentage</u>
None		-		-	-	-

<sup>\*</sup>Estimates for product may be based on additional component data not shown.

## 12. ECOLOGICAL INFORMATION (NON-MANDATORY)

Ecotoxicity:	No further relevant information available.	
Persistence and	No further relevant information available.	
degradability:		
Bioaccumulative potential:	No further relevant information available.	
Mobility in soil:	No further relevant information available.	
Other adverse effects:	No further relevant information available.	

## 13. DISPOSAL CONSIDERATIONS (NON-MANDATORY)

Disposal instructions:	Must be specially treated adhering to official regulations.
Local disposal regulations: Disposal must be made according to official regulations.	

## 14. TRANSPORTATION INFORMATION (NON-MANDATORY)

	DOT	<u>IMDG</u>	<u>IATA</u>
UN/ID number:	1133	1133	1133
Proper shipping name:		ADHESIVES,	ADHESIVES,
	Adhesives, solution	solution	solution
Transport hazard class:	3 – flammable liquids		
Packing group (if applicable):	II	II	II

Page 4 of 7

Aleene's Ultimate Adhesive – S-18-0068





Environmental Provisions: N/A		N/A		N/A	
Special Precautions in transport: Listed as Warning: Flan			uids.		
Transport in bulk according to Annex II of MARPOL			N/A		
73/78 and IBC Code					
Emergency Response Guide Number:		EmS-	F-E, S-[	)	
		No:			

Pictograms

US: IATA; IMDG: Marine
Pollutant:

## 15. REGULATORY INFORMATION (NON-MANDATORY)

	US Federal Regulations:					
TSCA Section 12(b) Export			This product is manufactured in compliance with all provisions of the Toxic			
Notification (40 CFR 707, Subpt. D):			Substance Control Act, 15 U.S. C.2601 et. Seq.			
CERCL	A (Superfund	) reportable	No data.			
qua	ntity (lbs.) (40	CFR 302.4)				
OSF	IA Specifically	/ Regulated	No data.			
Substa	nces (29 CFR	1910.1001-				
		1050):				
Section 3	302 Extremely	Hazardous	No data.			
Substanc	e (40 CFR 35	5, Appendix				
		A):				
Chemical	CAS	Reportabl	Threshold planning	Threshold planning	Threshold planning	
Name:	Number:	e Quantity:	quantity:	quantity, lower value:	quantity, upper value:	
None	X	X	X	X	X	
			ndments and Reauthorization			
	SA	RA/Title III:	This product does not contain any substances at or above the reported			
			threshold under Section 313, based on available data.			
SAR	A 304 Emerge		No data.			
		notification:				
SA	ARA 311/312 (4		No data.			
		s Chemical:				
SARA 313 (TRI reporting):		reporting):	<u>Chemical Name:</u> None	CAS Number:	<u>% by wt.</u> -	
Drug Enf	orcement Adr	ninistration	No data.	-	•	
(D	EA) (21 CFR 1	l 308.11-15):				
Clean A	Air Act (CAA)	Section 112	No data.			
Hazard	ous Air Pollut	ants (Haps)				
		List:				
Clean Air Act (CAA) Section 112(r)		No data.				
Accidental Release Prevention (40						
CFR 68.130):						
Safe Drinking Water Act (SDWA):			No data.			
Canadian Domestic Substances			All components of this product are on the DSL (Canada Domestic			
List (DSL):			Substance List) or are exempt for DSL requirements.			
		FDA:	No data.			
		I DA.	110 4414.			

Page 5 of 7 Aleene's Ultimate Adhesive – S-18-0068

Item Numbers: 23956-1003, 23956-1004 Page 5 of 7





	Calcty Data Officet
Conforms to Non-Toxic ASTM-4236:	Products are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).
California Proposition 65 Warning:	This product contains the following chemicals that are known to the State
	of California to cause cancer, birth defects, or other reproductive harm:
	None
EPA Clean Air / Water Act: None of the ingredients listed.	
EPA Hazardous Wastes:	None of the ingredients listed.
HMIS III Rating:	Health=1; Fire=3; Reactivity=0; Physical hazard=0.
Unless a concentration is specified in Section 2 of the SDS, the above chemicals(s) are present in trace amounts	





#### **16. OTHER INFORMATION**

The recommendations and information contained in this SDS are compiled from sources believed to represent the most current information available when the SDS is prepared. However, the manufacturer / distributor of this product does not provide any warranty, guaranty of representation as to the correctness or sufficient of this information. If this material is used in large amounts and/or an unusual manner, the user is obliged to determine what safety measures are appropriate, including the applicable and relevant workplace and environmental regulations pertaining to handling, use and disposal.

	Table of Abbreviations					
ACGIH:	American Conference of Governmental Industrial Hygienists	LD:	Lethal Dose			
ANSI:	American National Standards Institute	MARPOL:	Marine Pollution			
ASTM:	American Society for Testing Materials	mg / kg:	Milligram per Kilogram			
°C:	Degrees Centigrade	mm:	Millimeter			
CAA:	Clean Air Act	MSHA:	Mine Safety and Health Administration			
CAS:	Chemical Abstract Service	N/A:	Not Applicable			
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act	NFPA:	National Fire Protections Association			
CFR:	Code of Federal Regulations	NIOSH:	National Institute for Occupational Safety and Health			
CPR:	Controlled Products Regulations	NTP	National Toxicology Program			
DEA:	Drug Enforcement Act	OEL:	Over Exposure Limit			
DOT:	Department of Transportation	OSHA:	Occupational Safety and Health Administration			
DSL:	Canadian Domestic Substances List	PEL:	Permissible Exposure Limits			
EmS:	Emergency Medical Goods Services	ppm	Parts Per Million			
EPA:	Environmental Protection Agency	SARA	Superfund Amendment and Reauthorization Act			
°F:	Degrees Fahrenheit	STEL	Short-Term Exposure Limit			
FDA:	Food & Drug Administration	SDS:	Safety Data Sheet			
g/l:	Grams per Liter	SDWA:	Safe Drinking Water Act			
HAPs:	Hazardous Air Pollutants	TLV:	Threshold Limit Value			
Hg:	Mercury	TRI:	Toxics Release Inventory			
HMIS:	Hazardous Materials Identification System	TSCA	Toxic Substances Control Act			
HNOC:	Hazard(s) Not otherwise classified	TWA	Time – Weighted Average			
IARC:	International Agency for Research on Cancer	U.N.	United Nations			
IATA:	International Air Transport Association	WHMIS	Workplace Hazardous Materials Information System			
ID:	Identification / Identity	>	Greater Than			
IDLH:	Immediate Danger to Life or Health	<	Less Than			
IMDG:	International Maritime Dangerous Goods	73/78:	1973 & 1978			
LC:	Lethal Concentration					

Version: 2	Revision date:	
1	6/5/2014 - created	
2	2/6/2015-SP	
3	7/15/2016-JL	
4	7/18/2017 - sp	
5	8/16/18 – sp	
6	2/17/2022 - sp	

**END SAFETY DATA SHEET** 

Item Numbers: 23956-1003, 23956-1004 Page 7 of 7