Page 1/7 Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- 1.1 Product identifier
- * Trade name: MOLOTOW™Chalk silver
- Article number: 228001,328001,628001,693701
- Registration number
- The ingredients of this product meet the criteria of the Regulation 1907/2006/EC (REACH).
- UFI: YU80-90UY-Y004-Y18Q · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified. * Application of the substance / the mixture water based chalkmarker ink
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Feuerstein GmbH MOLOTOW Distribution Willy-Brandt-Straße 9/2 D 77933 Lahr / Schwarzwald Phone +49 (0) 7821 92 229 0 [8:00 - 17:00 (UTC+1)] Fax +49 (0) 7821 92 229 99 www.molotow.com

1.4 Emergency telephone number:

Feuerstein GmbH MOLOTOW Distribution Phone +49 (0) 7821 92 229 0 [8:00 - 17:00 (UTC+1)]

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

2-octyl-2H-isothiazol-3-one $\text{reaction mass of: }5-\text{chloro-}2-\text{methyl-}4-\text{isothiazolin-}3-\text{one [EC no. 247-500-7] and }2-\text{methyl-}2H-\text{isothiazolin-}3-\text{one [EC no. 247-500-7] and }2-\text{methyl-}2-\text{m$ isothiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements
 H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

- * Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 2)

Page 2/7 Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

Trade name: MOLOTOW™ Chalk silver

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients 3.2 Mixtures Description: Mixture of substances listed below with nonhazardous additions. Dangerous components: CAS: 7429-90-5 aluminium powder (stabilised) § Flam. Sol. 2, H228 10-<25% EINECS: 231-072-3 Reg.nr.: 01-2119529243-45 phosphoric acid, Cl1-14- isoalkylester, Cl3-rich Eye Dam. 1, H318; Aquatic Chronic 2, H411; Skin Irrit. 2, H315 CAS: 154518-38-4 1-<3% Reg.nr.: 01-2119976356-25 → Skin Irrit. 2, H315 Polyether modified trisiloxane → Acute Tox. 4, H312; Eye Irrit. 2, H319 2-methyl-2H-isothiazol-3-one → Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; → Skin Corr. 1B, H314; Eye Dam. 1, H318; → Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); → Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A: H317: C> 0.0015 % CAS: 134180-76-0 1-<3% EC number: 603-798-4 CAS: 2682-20-4 0.0015-<0.01% EINECS: 220-239-6 Reg.nr.: 01-2120764690-50 Skin Sens. 1A; H317: C≥ 0.0015 % Skin Sens. 1A; H317: C2 0.0015 % 2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A: H317: C> 0.0015 % 0.0015-<0.005% CAS: 26530-20-1 EINECS: 247-761-7 Skin Sens. 1A; H317: C≥ 0.0015 % Skin Sens. 1A; H317: C≥ 0.0015 % reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % CAS: 55965-84-9 0.0002-<0.0015% EC number: 611-341-5 Reg.nr.: 01-2120764691-48

Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
 - Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation. **After skin contact**: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor
- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- ${f 4.3}$ Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions
- 5.2 Special hazards arising from the substance or mixture No further relevant information available. (Contd. on page 3)

Trade name: MOLOTOW™ Chalk silver

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. of page 2)

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

6.2 Environmental precautions:
Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

EU

(Contd. of page 3)

Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

Trade name: $MOLOTOW^{TM}$ Chalk silver

Nitrile rubber, NBR

* Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

* Eye/face protection



Tightly sealed goggles

| 2 2 | erties en la company de la |
|---|--|
| 9.1 Information on basic physical and chemical | properties |
| General Information | |
| Physical state | Fluid |
| Colour: | According to product specification |
| Odour: | Product specific |
| Odour threshold: | Not determined. |
| Melting point/freezing point: | Undetermined. |
| Boiling point or initial boiling point and | |
| boiling range | 100 °C (7732-18-5 water, distilled, conductivity |
| | or of similar purity) |
| Flammability | Not applicable. |
| Lower and upper explosion limit | not applicable. |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Flash point: | Not applicable. |
| | ** |
| Decomposition temperature: | Not determined. |
| pH | Not determined. |
| Viscosity: | |
| Kinematic viscosity | Not determined. |
| Dynamic: | Not determined. |
| Solubility | |
| water: | Fully miscible. |
| Partition coefficient n-octanol/water (log valu | ne) Not determined. |
| Vapour pressure at 20 °C: | 23 hPa (7732-18-5 water, distilled, conductivit |
| | or of similar purity) |
| Density and/or relative density | |
| Density at 20 °C: | 1 g/cm³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| - | |
| 9.2 Other information | The physical and chemical properties given in |
| | Section 9.1 are rough data only, which are |
| | partially derived from the component's data of |
| | mixture. These data are no binding product |
| | specifications. |
| Appearance: | |
| Form: | Fluid |
| Important information on protection of health a | nd |
| environment, and on safety. | ä |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Not determined. |
| Solvent content: | |
| Organic solvents: | 0.5 % |
| Water: | 66.3 % |
| Solids content: | 15.0 % |
| Change in condition | 10.0 |
| Evaporation rate | Not determined. |
| - | NOT determined. |
| Information with regard to physical hazard | |
| classes | |
| Explosives | none |
| Flammable gases | none |
| Aerosols | none |
| Oxidising gases | none |
| Gases under pressure | none |
| Flammable liquids | none |
| Flammable solids | none |
| Self-reactive substances and mixtures | none |
| | none |
| Pyrophoric liquids | |
| Pyrophoric liquids Pyrophoric solids | none |

Page 4 of 7

EU

according to 1907/2006/EC, Article 31

Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

Trade name: MOLOTOW™ Chalk silver

| | | (Contd. of page 4) |
|---|------|--------------------|
| Self-heating substances and mixtures | none | |
| Substances and mixtures, which emit flammable | | |
| gases in contact with water | none | |
| Oxidising liquids | none | |
| Oxidising solids | none | |
| · Organic peroxides | none | |
| · Corrosive to metals | none | |
| Desensitised explosives | none | |
| | | |

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

| | | classification: |
|--|--|-----------------|
| | | |
| | | |

| 134180- | 76-0 P | olyether | modified | trisiloxane |
|---------|--------|----------|----------|-------------|
| 0 7 | TDEO | 2 200 | / 1 / 1 | |

| Oral | LD50 | 3,200 | mg/kg | (rat) |
|---------|---------|-------|-------|-------|
| Dorma 1 | T D 5 O | 1 550 | malka | /D1 |

- Dermal | LD50 | 1,550 mg/kg (B)

 Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.

 Reproductive toxicity Based on available data, the classification criteria are not met.

 STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.

 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects
- Remark: Harmful to fish
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Page 5 of 7 Item Numbers: 24548-9324, 24548-9325, 24548-9328

according to 1907/2006/EC, Article 31

Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

Trade name: MOLOTOW™ Chalk silver

(Contd. of page 5)

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information | |
|--|-----------------------|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | not applicable |
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | not applicable |
| · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | not applicable |
| · 14.4 Packing group · ADR, IMDG, IATA | not applicable |
| · 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk according to I instruments | MO Not applicable. |
| " UN "Model Regulation": | not applicable |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:
- * Technical instructions (air):

| Class | Share in % |
|-------|------------|
| NK | 0.1-<1 |

- Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- H228 H301
- Flammable solid. Toxic if swallowed. Fatal in contact with skin.
- H311
- H312 H314
- Taxic in contact with skin.
 Toxic in contact with skin.
 Harmful in contact with skin.
 Causes severe skin burns and eye damage.
 Causes skin irritation.
 May cause an allergic skin reaction. H315

H317 H318

Causes serious eye damage.

(Contd. on page 7) EU

Printing date 06.05.2024 Revision: 06.05.2024 Version number 2 (replaces version 1)

Trade name: MOLOTOW™ Chalk silver

```
H319 Causes serious eye irritation.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

**Date of previous version: 20.06.2023*

**Version number of previous version: 1

**Abbreviations and acronyms:
AGR: Accord relatif su transport international des marchandises dangereuses par route (European Agreement Concerning the International AGR: International Air Transport Association
GMS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
LCSO: Lethal concentration, 50 percent
DBT: Persistent, Blooccountary Bioaccountative
Flam. Sol. 2: Plasmable solids - Category 2
Acute Tox. 3: Acute toxicity - Category 3
Acute Tox. 4: Acute toxicity - Category 4
Skin Corr. 1: Skin corrosion/irritation - Category 1
Skin Corr. 1: Skin corrosion/irritation - Category 1
Skin Corr. 1: Skin corrosion/irritation - Category 1
Skin Sens. 1: Skin corrosion/irritation - Category 2
Skin Sens. 1: Skin sensitisation - Category 1
Skin Sens. 1: Skin sensitisation - Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - Long-term aquatic hazard - Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - Long-term aquatic hazard - Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - Long-term aquatic hazard - Category 3

* * Data compared to the previous version altered.
```

Item Numbers: 24548-9324, 24548-9325, 24548-9328 Page 7 of 7