VERSACHALK LIQUID CHALK MARKERS

FILE NO.: MSDS DATE: 11/02/20

24578-1005

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SYNONYMS: PRODUCT CODES:

VC129-B CHALK MARKERS - METALLIC, BOLD, 8/SET VC129-F CHALK MARKERS - METALLIC, FINE, 8/SET VC130-F CHALK MARKERS - WINE GLASS MARKERS - 7/SET

VC020-B CHALK MARKERS - GOLD, BOLD, 1PC VC020-F CHALK MARKERS - GOLD, FINE, 1PC VC021-B CHALK MARKERS - SILVER, BOLD, 1PC VC021-F CHALK MARKERS - SILVER, FINE, 1PC VC022-B CHALK MARKERS - AMETHYST, BOLD, 1PC VC022-F CHALK MARKERS - AMETHYST, FINE, 1PC VC023-B CHALK MARKERS - RUBY, BOLD, 1PC VC023-B CHALK MARKERS - RUBY, BOLD, 1PC VC024-B CHALK MARKERS - COPPER, BOLD, 1PC VC024-F CHALK MARKERS - COPPER, BOLD, 1PC VC025-B CHALK MARKERS - COPPER, FINE, 1PC VC025-B CHALK MARKERS - EMERALD, BOLD, 1PC VC025-F CHALK MARKERS - EMERALD, BOLD, 1PC VC026-F CHALK MARKERS - SAPPHIRE, BOLD, 1PC VC026-F CHALK MARKERS - SAPPHIRE, BOLD, 1PC VC027-B CHALK MARKERS - ROSE QUARTZ, FINE, 1PC

MANUFACTURER: South Street Designs LLC DIVISION: VersaChalk ADDRESS: 150 Bay Street, PH 10, Jersey City, New Jersey, USA 07302

EMERGENCY PHONE: TEL: +201 431-8480 Loc. 106 CHEMTREC PHONE: TEL: +201 431-8480 Loc. 106 OTHER CALLS: TEL: +201 431-8480 Loc. 106 FAX PHONE: N/A

CHEMICAL NAME: Mixture CHEMICAL FAMILY: Mixture CHEMICAL FORMULA: Mixture

PRODUCT USE: For marking on glass, plastics, or paper PREPARED BY: VersaChalk 150 Bay Street, PH 10, Jersey City, New Jersey, USA 07302 TEL: +201 431-8480 Loc. 106 E-mail.: michelle@versachalk.com

SECTION 1 NOTES:

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

ROUTES OF ENTRY: Potential routes of overexposure to this product are skin and eye contact Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation

POTENTIAL HEALTH EFFECTS

EYES: Contact with eyes may result in irritation.

SKIN: Contact with skin may result in irritation.

PAGE 1 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-56923, 24578-6923, 24578-7853, 24578-7853, 24578-9023, 245

Page 1 of 6

VERSACHALK LIQUID CHALK MARKERS INGESTION: Ingestion may result in nausea, vomiting and diarrhea.

INHALATION: Inhalation may result in respiratory irritation.

ACUTE HEALTH HAZARDS: Any potential hazards and health effects are presumed to be due to exposure to the components.

CHRONIC HEALTH HAZARDS: Chronic inhalation studies performed with fine dust particles resulted in accumulations in lung. Inhalation of fine dust particles is not expected to occur during normal conditions of use of this ink.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Eye contact Do not rub eyes, Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed, If irritation persists get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

CARCINOGENICITY None of the ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 2 NOTES:

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

Ingredients Trade Name	CAS	W Т%	SARA 313 REPORTABLE
Water	7732-18-5	0-70%	N/A
Pearlescent pigments	7429-90-5	3-10%	N/A
Organic Blue pigments	1169940-97-9	0-10%	N/A
Organic Red-Yellow pigments	2512-29-0	0-10%	N/A
Resin	9002-89-5	3-7%	N/A
Dispersant Agent	25322-68-3	1.5-9.5%	N/A

Exposure limits have not been established for this product.

SECTION 3 NOTES:

SECTION 4: FIRST AID MEASURES

EYES: Flush with water for at least 15 minutes. See physician if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Not known

INHALATION: Remove to fresh air. Administer oxygen if required.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:

PAGE 2 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-5555, 24578-6923, 24578-6925, 24578-7853, 24578-7855, 24578-9023, 24578-9023, 24578-9025, 24578-9023, 24578-9025, 2457

FILE NO.: MSDS DATE: 11/02/20

VERSACHALK LIQUID CHALK MARKERS **SECTION 4 NOTES**:

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: Not available

FLASH POINT: Not available

AUTOIGNITION TEMPERATURE: Not available

NFPA HAZARD C HEALTH:		I FLAMMABILITY:	0	REACTIVITY:	0
OTHER:					
HMIS HAZARD CLASSIFICATION					
HEALTH:	0	FLAMMABILITY:	0	REACTIVITY:	0
PROTECTION	N:				

EXTINGUISHING MEDIA: CO2, water, dry chemical, or foam Dry chemical, CO2, water spray or regular foam

SPECIAL FIRE FIGHTING PROCEDURES: N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

HAZARDOUS DECOMPOSITION PRODUCTS: Upon decomposition, smoke, carbon monoxide, carbon dioxide and oxides of nitrogen may be produced

SECTION 5 NOTES:

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Personal precautions Wear appropriate personal protective equipment. Wear appropriate personal protective equipment and Ensure adequate ventilation and Remove all sources of ignition.

Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Do not let product enter drains and Do not flush into surface water or sanitary sewer system.

Other information Soak up with inert absorbent material. Slowly vacuum or sweep the material into a bag or other sealed container. Dispose of in compliance with federal, state, and local regulations. See also section 13 Disposal considerations. Soak up with inert absorbent material, Clean remainder with a damp cloth or vacuum cleaner, Dispose of in compliance with federal, state, and local regulations, See also section 13 Disposal considerations. Soak up with inert absorbent material, Disposal considerations.

SECTION 6 NOTES: None

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Stored in a cool area. Avoid sunshine. Keep container closed when not in use.

OTHER PRECAUTIONS:

Handling Keep containers tightly closed. Handle in well-ventilated areas. Avoid eye and skin contact. Avoid inhalation of dust. Smoking, eating and drinking should be prohibited in areas of storage and use. Always keep in containers made of same material as the supply container. Good housekeeping standards are essential to avoid the exposure of all personnel and unreacted materials. The manual handling operation regulations may apply to the handling of containers of this product.

SECTION 7 NOTES: None

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: None required under normal use conditions.

VENTILATION: Product is defined as non-hazard when used directly in an office room with normal air circulations.

PAGE 3 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-5555, 24578-6923, 24578-6925, 24578-7853, 24578-7853, 24578-9023, 2457

VERSACHALK LIQUID CHALK MARKERS RESPIRATORY PROTECTION: None required under normal use conditions.

EYE PROTECTION: None required under normal use conditions.

SKIN PROTECTION: None required under normal use conditions.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None required under normal use conditions.

WORK HYGIENIC PRACTICES: Contain no substances with occupational exposure limit values.

EXPOSURE GUIDELINES: None required under normal use conditions.

SECTION 8 NOTES:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Liquid chalk

ODOR: Essentially odorless

PHYSICAL STATE: Mixture

pH AS SUPPLIED: 6.5-7.6 **pH (Other): BOILING POINT:** 97-102 °C

MELTING POINT: N/A

FREEZING POINT: -2 – 0 °C

VAPOR PRESSURE (mmHg): Vapor pressure has not been established for this product.

VAPOR DENSITY (AIR = 1): Vapor density has not been established for this product.

SPECIFIC GRAVITY (H2O = 1): 1.02 @ 25 °C

EVAPORATION RATE: Evaporation rate has not been established for this product.

BASIS (=1):

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (con't)

SOLUBILITY IN WATER: Dilute in water

PERCENT SOLIDS BY WEIGHT: 10-20 %

PERCENT VOLATILE: None

MOLECULAR WEIGHT: N/A VISCOSITY: 100-500 cps @ 25 °C

SECTION 9 NOTES:

SECTION 10: STABILITY AND REACTIVITY

STABLE

UNSTABLE

STABILITY: Stable under normal temperatures and pressures.

CONDITIONS TO AVOID (STABILITY): Strong oxidizing agents, strong acids, strong bases.

PAGE 4 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-5555, 24578-6923, 24578-6925, 24578-7853, 24578-7855, 24578-9023, 2457

FILE NO.: MSDS DATE: 11/02/20

VERSACHALK LIQUID CHALK MARKERS

INCOMPATIBILITY (MATERIAL TO AVOID):

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID (POLYMERIZATION): Will not occur.

SECTION 10 NOTES:

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Acute toxicology

 RATE ORAL LD 50G/KG BODY WEIGHT
 >10

 RABBIT DERMAL LD 50G/KG BODY WEIGHT
 >3

 RATE INHALATION LC50 (4 HOURS)
 >4.280 PPM (> 20MG/L)

 EYE IRRITATION (SCORE OUT OF 110)
 SLIGHT 8

 SKIN IRRITATION
 SLIGHT

 HUNAM SKIN SENSITIZATION
 NOT A SENSITIZER

 OCCUPATIONAL EXPOSURE LIMIT (OEL)
 300PPM

EEC classification and labeling

DANGER CLASS	N/A
DANGER SYMBOL	N/A

SECTION 11 NOTES:

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: No Data Available

SECTION 12 NOTES:

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with applicable local/municipal, state/provincial and federal regulations.

RCRA HAZARD CLASS: Not applicable

SECTION 13: DISPOSAL CONSIDERATIONS (con't)

SECTION 13 NOTES:

EPA Hazardous Waste Code(s): Not applicable.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION PROPER SHIPPING NAME:

HAZARD CLASS: This material is not subject to regulation as a hazardous material for shipping

SECTION 14 NOTES:

PAGE 5 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-5555, 24578-6923, 24578-6925, 24578-7853, 24578-7853, 24578-9023, 2457

FILE NO.: MSDS DATE: 11/02/20

VERSACHALK LIQUID CHALK MARKERS

FILE NO.: MSDS DATE: 11/02/20

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders under TSCA.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): Not listed

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): Not listed

311/312 HAZARD CATEGORIES: No

313 REPORTABLE INGREDIENTS: No

STATE REGULATIONS: Not regulated

INTERNATIONAL REGULATIONS: Not regulated

SECTION 15 NOTES:

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

PREPARATION INFORMATION:

DISCLAIMER: This Material Safety Data Sheet document is provided without charge to customers of South Street Designs, LLC. Data is the most current known to South Street Designs, LLC. at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

PAGE 6 OF 6

Item Numbers: 24578-1005, 24578-1119, 24578-3333, 24578-3333, 24578-3723, 24578-3725, 24578-5553, 24578-5555, 24578-6923, 24578-6925, 24578-7853, 24578-7855, 24578-9023, 24578-9025, 2457