25140-1007

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PREVAL 150 FEET OF ENERGY Product Code: #0168

MANUFACTURER'S NAME: NAKOMA PRODUCTS LLC

ADDRESS: 8455 S. 77TH AVENUE BRIDGEVIEW, IL 60455

EMERGENCY PHONE : 815-634-5890 INFORMATION PHONE : 815-634-5890

Product Use: Propellant for portable airbrushes

2. HAZARDS IDENTIFICATION

CLASSIFICATION

Flammable aerosol

Gas under pressure Liquefied gas



SIGNAL WORD: Danger

Hazard Statements

Extremely flammable aerosol

Contains gas under pressure; may explode if heated

Precautionary Statements

Keep away from heat/sparks/open flames/hot surfaces - No smoking

Do not spray on an open flame or other ignition source.

Pressurized container - Do not pierce or burn, even after use

Protect from sunlight. Store in a well ventilated place

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Percent
DIFLUOROETHANE	75-37-6	100.00

4. FIRST AID MEASURES

INHALATION: Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if breating has stopped. Get medical attention.

EYE CONTACT: Wash immediately with large volumes of fresh water for at least 15 minutes . Get medical attention.

SKIN CONTACT: Treat for frostbite. Wash with soap and water. Get medical attention if irritation persists.

INGESTION: Not a likely route of exposure.

SDS for: #0168 Page 1 of 4

Most important symptoms/effects, acute and delayed: Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness.

Indication of immediate medical attention and special treatment needed: None known.

5. FIRE FIGHTING MEASURES

Suitable and unsuitable extinguising media: Foam, Alcohol foam, CO2, Dry chemical, Water fog. Water spray may be ineffective.

Specific hazards arising from the chemical: Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include smoke, carbon monoxide and other products of incomplete combustion. Oxides of nitrogen may also be formed.

Special equipment and precautions for fire-fighters: Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Avoid breathing vapors. Ventilate area. Remove all sources of ignition. Protect against contact with liquid if present.

Methods and materials for containment and cleaning up: Clean up residue with absorbent material and place in closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling: Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally. See product label for additional information.

Conditions for safe storage, including any incompatibilities: Store and use in cool, dry, well-ventilated areas. Do not store above 120 F.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
DIFLUOROETHANE	Not established	TWA: 1000 ppm	
75-37-6			

Appropriate engineering controls: Ventilation should be sufficient to prevent inhalation of any vapors. General dilution and/or local exhoust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and lel below stated limit.

Individual protection measures:

Respiratory protection: None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination or particles and vapor. In confined areas, use an approved air line respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

Protective gloves: Container will become cold during use. Wear a glove on the hand that holds the container to prevent possible frostbite.

Eye protection: None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.

SDS for: #0168 Page 2 of 4

Other protective clothing or equipment: None under normal use. However, use of solvent- resistant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Aerosol product

Vapor Pressure: 62.5 psig

Vapor Density: Heavier than air

Density: 0.91

Freezing point: Not determined

Boiling point: N/A

Evaporation rate: Faster than ether

Explosive Limits: LEL 3.9%; UEL

16.9%

Autoignition temperature: Not determined

Viscosity: Not determined

Odor: Slight ethereal

Odor threshold: Not determined

pH: Not applicable

Melting point: Not determined

Solubility: Not determined

Flash point: -58 F

Flammability: Level 1 Aerosol

Partition coefficient (n- Not determined

octanol/water):

Decomposition temperature: Not determined

10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical stability: Stable under normal storage and handling conditions.

Possibility of hazardous reactions: None known.

Incompatible materials: Strong bases, caustic soda, caustic potash, metallic aluminum, zinc powders...

Hazardous decomposition products: Carbon oxides and toxic fluorine compounds.

11. TOXICOLOGICAL INFORMATION

Long-term toxicological studies have not been conducted for this product.

12. ECOLOGICAL INFORMATION

Long-term ecological studies have not been conducted for this product.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this document for hazard cautionary information.

14. TRANSPORT INFORMATION

By land: DOT Proper Shipping Name: UN1030, 1,1-Difluoroethane, 2.1, SP-11516

By water: IMDG Proper Shipping Name: UN1950, Aerosol, flammable, 2.1

By air: IATA Proper Shipping Name: UN1950, Aerosol, flammable, 2.1 (Packing instruction Y203)

15. REGULATORY INFORMATION

All ingredients are either listed on the TSCA inventory or are exempt.

SDS for: #0168 Page 3 of 4

16. OTHER INFORMATION

Date revised: 2020-01-20 Revision 2

Date Printed: 2020-01-20

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. BECAUSE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, WE ASSUME NO RESPONSIBILITY FOR ITS USE.

SDS for: #0168 Page 4 of 4