25795-XXXX



SAFETY DATA SHEET

SECTION 1: IDENTIFICATION

Product Name: F/X AireTM Airbrush Makeup

Recommended Use: Face and body makeup

Supplier:

Company Name: Graftobian Makeup Co. LLC

Address: 510 Tasman Street

Madison, WI 53714

Telephone: 608-222-7849

Emergency Telephone Number: Chemtrec: 703-527-3887

SECTION 2: HAZARD(S) INDENTIFICATION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.

GHS/CLP Hazards: Flammable liquid Category 2
Eye irritation Category 2B

Pictograms:





Signal Word: WARNING

Hazard Statements: H226 Flammable liquid and vapor.

H320 Causes eye irritation.

Precautionary Statements:

Eye: May cause irritation, experienced as stinging with excess blinking and tear production. Excess redness of the conjunctiva may occur.

Skin: No evidence of harmful effects from available information regarding skin contact. With skin absorption, no harmful effects with normal skin, however, potentially harmful amounts of material may be absorbed across markedly damaged skin when contact is sustained, particularly with children.

Inhalation: High vapor concentrations may cause a burning sensation in the nose and throat and stinging and watering in the eyes. Also irritation, dizziness, faintness, drowsiness, nausea and vomiting may occur.

Ingestion: Do not ingest. May cause dizziness, faintness, drowsiness, decreased awareness and responsiveness, euphoria, abdominal discomfort, nausea, vomiting, staggering gait, lack of coordination and coma.

Description of any hazards not otherwise classified: None identified

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Allergies: Read ingredients carefully. Do not use this product if you have known allergies to any of the listed ingredients. If you're unsure, bring the label to your doctor for their advice. If an allergic reaction occurs, stop use and seek medical help right away.

RAW MATERIALS	CAS No.	% RANGE
SD Alcohol 40-B	64-17-5	44-52
Water	7732-18-5	6-14
Acrylates Copolymer	25133-97-5	5-11
Propylene Glycol	57-55-6	2-5
Silica	7631-86-9	1-3
+/- (MAY CONTAIN)		
Titanium Dioxide (CI 77891)	13463-67-7	0.00-28.00
Iron Oxide Black (CI 77499)	12227-89-3	0.00-28.00
Iron Oxide Red (CI 77491)	1309-37-1	0.00-21.00
Iron Oxide Yellow (CI 77492)	51274-00-1	0.00-14.00
Ultramarines (CI 77007)	12769-96-9	0.00-28.00
Red 6 Lake (CI 15850)	5858-81-1	0.00-11.00
Red 7 Lake (CI 15850)	5858-81-1	0.00-9.00
Chromium Hydroxide Green (CI 77289)	1308-14-1	0.00-13.00
Mica	12001-26-2	0.00-19.00
Red 28 (CI 45410)	18472-87-2	0.00-20.00
Orange 5 (CI 45370)	4372-02-5	0.00-25.00
Yellow 11 (Cl 47000)	8003-22-3	0.00-25.00
Ext. Violet 2 (CI 60730)	4430-18-6	0.00-15.00

The product(s) does contain ingredients considered hazardous as defined by OSHA, 29 CFR 1910.1200 and/or WHMIS under the HPA.

WARNING: Flammable Liquid

SECTION 4: FIRST AID MEASURES

GENERAL: IN ALL CASES OF DOUBT OR WHEN SYMPTOMS PERSIST, ALWAYS SEEK MEDICAL ATTENTION.

Eye Contact: Flush eyes immediately with plenty of water and contact a medical professional.

Skin Problems: Discontinue use of product. Wash skin with soap and water. Apply cold compresses to affected areas to relieve any discomfort. If discomfort persists, contact a physician.

Inhalation: If excessive inhalation has created dizziness or other adverse effects, remove to fresh air and seek immediate medical attention

Ingestion: If swallowed, call a poison control centre or doctor immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Apply alcohol-type or all-purpose-type foam by manufacturer's recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires.

Unusual Fire and Explosion Hazards:

May explode when heated or when exposed to flames or sparks. Vapor may travel considerable distance to source of ignition and flash back. This product may produce a floating fire hazard. Flame may be invisible, approach with caution. Burning will produce oxides of carbon.

Fire Fighting Instructions:

Contact emergency personnel. Use self-contained breathing apparatus and full protective gear, if large quantities of product are involved. Use water spray to cool fire-exposed containers and structures.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions in Spill: Wear appropriate protective clothing. Eliminate all sources of ignition. Do not breathe vapors or fumes. Ventilate area to dispel residual vapors or fumes. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Material can create slippery conditions.

Procedures for Spill/Leak Clean-up:

Treat as a flammable liquid, cover with sand or other dry media. Collect waste with shovel or other implement. Deposit in flame resistant container. Wash the area clean with water and detergent, observing environmental requirements. Small spills can be flushed with large amounts of water.

SECTION 7: HANDLING AND STORAGE

Handling Precautions: Keep out of eyes, mouth and avoid inhalation of vapors. Wash thoroughly if exposure to skin.

Storage Precautions: Store in a cool, dry, well ventilated place, in securely closed original container. Flammable/combustible - Keep away from heat, sparks and flames.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

This is a personal care or cosmetic product that is safe for consumers and other users under intended and reasonably foreseeable use.

Occupational Exposure Limits: None of the components have assigned exposure limits.

Individual Protection Measures:

Eye Protection: Not required under normal use. If material is handled such that it could be splashed into eyes, wear a plastic face shield or safety goggles.

3

Skin Protection: None required.

Respiratory Protection: None normally required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Upper/lower Flammability or Explosive Limits: No data available.

Color: Various

Odor: Light alcohol odor.

Odor Threshold: No data available

PH: No data available

Vapor Pressure: No data available

Vapor Density: No data available

Relative Density: 0. 990 g/ml

Solubility: Soluble in water

Melting Point: No data available Partition Coefficient (n-octanol/water: No data available

Boiling Point: 173.7 °F / 78.7 °C **Specific Gravity:** No data available.

Flashpoint: 69.8 °F / 21 °C

Evaporation Rate: Not applicable.

Viscosity: No data available

Auto Ignition Temperature: 700 °F / 371.1 °C

Decomposition Temperature: No data available

Flammability (solid, gas): No data available

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

Reactivity: Stable at normal ambient temperature and pressure.

Conditions to Avoid: Keep away from heat and other sources of ignition.

Materials to Avoid: Can react with strong oxidizers, inorganic acids, and halogens.

Hazardous Decomposition Products: Combustion products include carbon dioxide, carbon monoxide and possibly other unidentified organic compounds.

Hazardous Polymerisation: None.

SECTION 11: TOXICOLOGICAL INFORMATION

This finished product is safe for consumers and other users under intended and reasonably foreseeable use.

Information on likely routes of Exposure:

Inhalation: No data available.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and

diarrhea and possible coma.

Skin Contact:No data available. **Eye Contact:**Irritating to the eyes.

Chronic Effects: Finished product is not expected to have chronic health effects.

Target Organs: No adverse health effects on target organs expected for finished product.

Carcinogenicity: Finished product is not expected to be carcinogenic.

4

SECTION 12: ECOLOGICAL INFORMATION

The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal should be in accordance with Federal, State/Provincial and Local regulations.

SECTION 14: TRANSPORT INFORMATION

Training in Dangerous Goods Certification must be achieved before shipping this packaged product.

Hazardous: Flammable Liquid.

National Regulations

US Department of Transportation Classification (49 CFR)

49 CFR Ground: Limited Quantity

49 CFR Air: UN1987, alcohols, n.o.s (ethanol solutions) 3, II

International Regulations

IATA – Dangerous Goods Regulations

UN1987, alcohols, n.o.s (ethanol solutions) 3, II

IMDG - Code

UN1987, alcohols, n.o.s (ethanol solutions) 3, II

SECTION 15: REGULATORY INFORMATION

While this finished product is considered hazardous as defined by OSHA in 29 CFR 1900.1200 (d) due to Flammable Liquid classification, this SDS contains valuable information critical to the safe handling and proper use of the product.

RISK PHRASES: R-10 Flammable.

R-36 Irritating to eyes.

SAFETY PHRASES: S-2 Keep out of reach of children.

S-7 Keep container tightly closed.

S-16 Keep away from sources of ignition - No Smoking.

S-25 Avoid contact with eyes.

S-26 In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S-62 - If swallowed, do not induce vomiting: seek medical advice immediately.

SECTION 16: OTHER INFORMATION

DISCLAIMER: This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this product. The information contained here has been compiled from sources considered by Graftobian Makeup Co. LLC, to be accurate to the best of our knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this product needs to evaluate the conditions of use and design the appropriate protection and preventions for employee exposures, property damage or release into the environment. Graftobian Makeup Co. LLC, assumes no responsibility for injury to the recipient or third party, or for any damage to any property resulting from misuse of this product.