SAFETY DATA SHEET

27102-8911



Revision date 23-Mar-2024 Revision Number 3

1. Identification

Product identifier

Product Name Rub N Buff Spanish Copper

Other means of identification

Product Code(s) FG00367

UN number or ID number UN2044

Synonyms 76368H, 76306K, 76452N

Recommended use of the chemical and restrictions on use

Recommended use Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Aspiration hazard	Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Revision date 23-Mar-2024

Hazard statements

Danger

H304 - May be fatal if swallowed and enters airways

H340 - May cause genetic defects

H350 - May cause cancer

EUH208 - Contains (.?). May produce an allergic reaction



Physical state Paste / Gel Liquid

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF SWALLOWED: Immediately call a doctor

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful in contact with skin. Causes mild skin irritation. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Petroleum distillates, hydrotreated light	64742-47-8	20 - 40
Bronze	12597-70-5	10 - 20
Solvent naphtha, petroleum, light aliphatic	64742-89-8	10 - 20
Solvent naphtha, petroleum, light aromatic	64742-95-6	5 - <10
Isopropylbenzene	98-82-8	1 - <3
Benzene, 1,2,4-trimethyl-	95-63-6	1 - <3

4. First-aid measures

Description of first aid measures

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get General advice

medical advice/attention. Immediate medical attention is required.

Inhalation Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct

contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult,

Page 2 of 11 Item Numbers: 27102-8911

Revision date 23-Mar-2024

(trained personnel should) give oxygen. Get immediate medical attention. Delayed

pulmonary edema may occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE.

Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person.

Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use

barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.

Most important symptoms and effects, both acute and delayed

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause

redness and irritation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

Item Numbers: 27102-8911 Page 3 of 11

Revision date 23-Mar-2024

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep out of the reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or

level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure

limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Bronze	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m³ Cu dust and
12597-70-5			mist
			TWA: 1 mg/m ³ Cu dust and
			mist
Isopropylbenzene	TWA: 5 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m ³	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m ³
		(vacated) TWA: 245 mg/m ³	
		(vacated) S*	
		S*	
Benzene, 1,2,4-trimethyl-	TWA: 25 ppm	(vacated) TWA: 25 ppm	TWA: 25 ppm
95-63-6		(vacated) TWA: 125 mg/m ³	TWA: 125 mg/m ³

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

Item Numbers: 27102-8911 Page 4 of 11

Revision date 23-Mar-2024

9. Physical and chemical properties

Information on basic physical and chemical properties Paste / Gel Liquid Physical state

Appearance Color

Odor

Odor threshold

Remarks • Method **Property** Values No data available None known pН Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability No data available None known Flammability Limit in Air None known Upper flammability or explosive No data available limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure None known Relative vapor density No data available Relative density No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

No information available **Explosive properties** Oxidizing properties No information available **VOC Content (%)** No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions. Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied. Incompatible materials None known based on information supplied. Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

Specific test data for the substance or mixture is not available. May cause irritation. Eye contact

Page 5 of 11 Item Numbers: 27102-8911

Revision date 23-Mar-2024

Skin contact Repeated exposure may cause skin dryness or cracking. Specific test data for the

substance or mixture is not available. Causes mild skin irritation. May be harmful in contact

with skin.

Ingestion Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause

redness and irritation.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,476.60 mg/kg
ATEmix (dermal) 2,144.20 mg/kg
ATEmix (inhalation-dust/mist) 61.20 mg/l
ATEmix (inhalation-vapor) 879.00 mg/l

Component Information

Component information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	> 5.2 mg/L (Rat)4 h
Solvent naphtha, petroleum, light aliphatic 64742-89-8	-	= 3000 mg/kg(Rabbit)	-
Solvent naphtha, petroleum, light aromatic 64742-95-6	= 8400 mg/kg(Rat)	> 2000 mg/kg(Rabbit)	= 3400 ppm (Rat) 4 h
Isopropylbenzene 98-82-8	= 1400 mg/kg (Rat)	= 12300 μL/kg (Rabbit)	> 3577 ppm (Rat) 6 h
Benzene, 1,2,4-trimethyl- 95-63-6	= 3280 mg/kg (Rat)	> 3160 mg/kg (Rabbit)	= 18 g/m³(Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for

ingredients. May cause genetic defects.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

The table below marcates	The table below maleated whother each agency has noted any ingredient as a saremegern					
Chemical name	ACGIH	IARC	NTP	OSHA		
Isopropylbenzene 98-82-8	A3	Group 2B	Reasonably Anticipated	X		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

Item Numbers: 27102-8911 Page 6 of 11

Revision date 23-Mar-2024

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood.

Aspiration hazard May be fatal if swallowed and enters airways.

Other adverse effects

Interactive effects

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8	•	LC50: =45mg/L (96h, Pimephales promelas) LC50: =2.2mg/L (96h, Lepomis macrochirus) LC50: =2.4mg/L (96h, Oncorhynchus mykiss)	·	-
Solvent naphtha, petroleum, light aliphatic 64742-89-8	EC50: =4700mg/L (72h, Pseudokirchneriella subcapitata)	-	-	-
Solvent naphtha, petroleum, light aromatic 64742-95-6	-	LC50: =9.22mg/L (96h, Oncorhynchus mykiss)	-	EC50: =6.14mg/L (48h, Daphnia magna)
Isopropylbenzene 98-82-8	EC50: =2.6mg/L (72h, Pseudokirchneriella subcapitata)	LC50: 6.04 - 6.61mg/L (96h, Pimephales promelas) LC50: =4.8mg/L (96h, Oncorhynchus mykiss) LC50: =2.7mg/L (96h, Oncorhynchus mykiss) LC50: =5.1mg/L (96h, Poecilia reticulata)	-	EC50: =0.6mg/L (48h, Daphnia magna) EC50: 7.9 - 14.1mg/L (48h, Daphnia magna)
Benzene, 1,2,4-trimethyl- 95-63-6	-	LC50: 7.19 - 8.28mg/L (96h, Pimephales promelas) LC50: =7.72mg/L (96h, Pimephales promelas)	-	EC50: =6.14mg/L (48h, Daphnia magna)

Persistence and degradability

Item Numbers: 27102-8911 Page 7 of 11

Revision date 23-Mar-2024

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Isopropylbenzene 98-82-8	3.7
Benzene, 1,2,4-trimethyl- 95-63-6	3.63

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

UN number or ID number UN2044

Proper shipping name 2,2-Dimethylpropane

Transport hazard class(es) 2.1 **DOT Marine Pollutant** NP

UN2044, 2,2-Dimethylpropane, 2.1 Description **Emergency Response Guide** 115

Number

TDG

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es)

UN2044, 2,2-Dimethylpropane, 2.1 Description

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es)

UN2044, 2,2-Dimethylpropane, 2.1 Description

ICAO (air)

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es)

Description UN2044, 2,2-Dimethylpropane, 2.1 Α1

Special Provisions

<u>IATA</u>

UN1325*** **UN number or ID number**

UN proper shipping name 2,2-Dimethylpropane

2.1 Transport hazard class(es)

Packing group

Page 8 of 11 Item Numbers: 27102-8911

Revision date 23-Mar-2024

Description UN2044, 2,2-Dimethylpropane, 2.1

Special Provisions A1 ERG Code 10L

IMDG

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es) 2.1
EmS-No F-D, S-U
Marine pollutant NP

Description UN2044, 2,2-Dimethylpropane, 2.1

RID

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es) 2.1
Classification code 2F
Special Provisions 662

Description UN2044, 2,2-Dimethylpropane, 2.1

<u>ADR</u>

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es)
Classification code
Tunnel restriction code
Special Provisions

2.1
(B/D)
662

Description UN2044, 2,2-Dimethylpropane, 2.1, (B/D)

<u>ADN</u>

UN number or ID number UN2044

UN proper shipping name 2,2-Dimethylpropane

Transport hazard class(es) 2.1 Classification code 2F Special Provisions 662

Description UN2044, 2,2-Dimethylpropane, 2.1

Ventilation VE01 Equipment Requirements VE01 PP, EX, A

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Petroleum distillates, hydrotreated light	64742-47-8	Present	Active
Iron oxide (Fe3O4)	1317-61-9	Present	Active
Bronze	12597-70-5	-	Unknown *
Solvent naphtha, petroleum, light aliphatic	64742-89-8	Present	Active
Carnauba wax	8015-86-9	Present	Active
Solvent naphtha, petroleum, light aromatic	64742-95-6	Present	Active
Benzene, 1,2,4-trimethyl-	95-63-6	Present	Active
Isopropylbenzene	98-82-8	Present	Active
Poly(dimethylsiloxane)	63148-62-9	Present	Active
Hexanoic acid, 2-ethyl-, zirconium salt (1:?)	22464-99-9	Present	Active
2-Butanone, oxime	96-29-7	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the

Item Numbers: 27102-8911 Page 9 of 11

Revision date 23-Mar-2024

confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Bronze - 12597-70-5	1.0
Isopropylbenzene - 98-82-8	0.1
Benzene, 1,2,4-trimethyl 95-63-6	1.0

SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Bronze 12597-70-5	-	X	-	-

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Ch	emical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Isop	propylbenzene	5000 lb	-	RQ 5000 lb final RQ
	98-82-8			RQ 2270 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bronze	X	-	X
12597-70-5			

Page 10 of 11 Item Numbers: 27102-8911

Revision date 23-Mar-2024

Benzene, 1,2,4-trimethyl- 95-63-6	Х	Х	Х
Isopropylbenzene	X	X	X
98-82-8			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA
HMISHealth hazards2Flammability0Instability0Special hazards-Chronic Hazard Star Legend*= Chronic Health Hazard*= Chronic Health Hazard*= Chronic Health Hazard*= Chronic Health Hazard*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

23-Mar-2024

Revision Note <u>Disclaimer</u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 27102-8911 Page 11 of 11